


EXHIBIT A. Conducted Spurious Emission

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 460.844 | -59.29 | -27 | Pass | 9700 |
| 1000 | 5150 | 1 | Peak | 5150 | -33.78 | -27 | Pass | 4150 |
| 5150 | 5350 | 1 | Peak | 5182.667 | 10.24 | 24 | Pass | 601 |
| 5350 | 10300 | 1 | Peak | 5559.042 | -47.43 | -27 | Pass | 4950 |
| 10300 | 10700 | 1 | Peak | 10520.667 | -48.58 | -27 | Pass | 601 |
| 10700 | 25000 | 1 | Peak | 24643.975 | -37.75 | -27 | Pass | 14300 |



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 963.696 | -59.42 | -27 | Pass | 9700 |
| 1000 | 5150 | 1 | Peak | 5144.999 | -42.46 | -27 | Pass | 4150 |
| 5150 | 5350 | 1 | Peak | 5221 | 10.76 | 24 | Pass | 601 |
| 5350 | 10300 | 1 | Peak | 5376.005 | -45.77 | -27 | Pass | 4950 |
| 10300 | 10700 | 1 | Peak | 10300.667 | -48.64 | -27 | Pass | 601 |
| 10700 | 25000 | 1 | Peak | 15657.347 | -35.76 | -27 | Pass | 14300 |



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 966.597 | -59.92 | -27 | Pass | 9700 |
| 1000 | 5150 | 1 | Peak | 5126.994 | -43.63 | -27 | Pass | 4150 |
| 5150 | 5350 | 1 | Peak | 5242.333 | 10.16 | 24 | Pass | 601 |
| 5350 | 10300 | 1 | Peak | 5399.01 | -44.68 | -27 | Pass | 4950 |
| 10300 | 10700 | 1 | Peak | 10600.667 | -49.51 | -27 | Pass | 601 |
| 10700 | 25000 | 1 | Peak | 15718.351 | -34.87 | -27 | Pass | 14300 |



4. 802.11n_20M_Band1_L

4.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 978.398 | -60.01 | -27 | Pass | 9700 |
| 1000 | 5150 | 1 | Peak | 5148 | -30.77 | -27 | Pass | 4150 |
| 5150 | 5350 | 1 | Peak | 5182.667 | 10.36 | 24 | Pass | 601 |
| 5350 | 10300 | 1 | Peak | 10263.993 | -47.22 | -27 | Pass | 4950 |
| 10300 | 10700 | 1 | Peak | 10310.667 | -48.75 | -27 | Pass | 601 |
| 10700 | 25000 | 1 | Peak | 24663.977 | -37.82 | -27 | Pass | 14300 |



5. 802.11n_20M_Band1_M

5.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 878.988 | -60.03 | -27 | Pass | 9700 |
| 1000 | 5150 | 1 | Peak | 5113.991 | -42.87 | -27 | Pass | 4150 |
| 5150 | 5350 | 1 | Peak | 5222.333 | 9.48 | 24 | Pass | 601 |
| 5350 | 10300 | 1 | Peak | 5381.006 | -45.43 | -27 | Pass | 4950 |
| 10300 | 10700 | 1 | Peak | 10574 | -48.42 | -27 | Pass | 601 |
| 10700 | 25000 | 1 | Peak | 15664.347 | -33.99 | -27 | Pass | 14300 |



6. 802.11n_20M_Band1_H

6.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 860.286 | -59.89 | -27 | Pass | 9700 |
| 1000 | 5150 | 1 | Peak | 5108.99 | -43.5 | -27 | Pass | 4150 |
| 5150 | 5350 | 1 | Peak | 5243 | 9.59 | 24 | Pass | 601 |
| 5350 | 10300 | 1 | Peak | 5354.001 | -44.71 | -27 | Pass | 4950 |
| 10300 | 10700 | 1 | Peak | 10370.667 | -48.55 | -27 | Pass | 601 |
| 10700 | 25000 | 1 | Peak | 15724.351 | -32.21 | -27 | Pass | 14300 |



7. 802.11n_40M_Band1_L

7.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 874.587 | -58.88 | -27 | Pass | 9700 |
| 1000 | 5150 | 1 | Peak | 5149 | -37 | -27 | Pass | 4150 |
| 5150 | 5350 | 1 | Peak | 5187.333 | 3.64 | 24 | Pass | 601 |
| 5350 | 10300 | 1 | Peak | 5385.007 | -48.16 | -27 | Pass | 4950 |
| 10300 | 10700 | 1 | Peak | 10498.667 | -48.46 | -27 | Pass | 601 |
| 10700 | 25000 | 1 | Peak | 24750.983 | -37.17 | -27 | Pass | 14300 |



8. 802.11n_40M_Band1_H

8.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 791.078 | -60.29 | -27 | Pass | 9700 |
| 1000 | 5150 | 1 | Peak | 5140.998 | -44.17 | -27 | Pass | 4150 |
| 5150 | 5350 | 1 | Peak | 5219.667 | 4.52 | 24 | Pass | 601 |
| 5350 | 10300 | 1 | Peak | 5352 | -46.4 | -27 | Pass | 4950 |
| 10300 | 10700 | 1 | Peak | 10378.667 | -48.14 | -27 | Pass | 601 |
| 10700 | 25000 | 1 | Peak | 24778.985 | -37.42 | -27 | Pass | 14300 |



9. 802.11ac_20M_Band1_L

9.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 991.099 | -60.3 | -27 | Pass | 9700 |
| 1000 | 5150 | 1 | Peak | 5149 | -33.91 | -27 | Pass | 4150 |
| 5150 | 5350 | 1 | Peak | 5178 | 9.96 | 24 | Pass | 601 |
| 5350 | 10300 | 1 | Peak | 5501.031 | -48.13 | -27 | Pass | 4950 |
| 10300 | 10700 | 1 | Peak | 10489.333 | -48.01 | -27 | Pass | 601 |
| 10700 | 25000 | 1 | Peak | 24794.986 | -38.3 | -27 | Pass | 14300 |



10. 802.11ac_20M_Band1_M

10.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 960.096 | -60.09 | -27 | Pass | 9700 |
| 1000 | 5150 | 1 | Peak | 5150 | -43.17 | -27 | Pass | 4150 |
| 5150 | 5350 | 1 | Peak | 5215.667 | 8.8 | 24 | Pass | 601 |
| 5350 | 10300 | 1 | Peak | 5382.006 | -44.86 | -27 | Pass | 4950 |
| 10300 | 10700 | 1 | Peak | 10382.667 | -48.37 | -27 | Pass | 601 |
| 10700 | 25000 | 1 | Peak | 24691.978 | -37.19 | -27 | Pass | 14300 |



11. 802.11ac_20M_Band1_H

11.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 879.488 | -59.91 | -27 | Pass | 9700 |
| 1000 | 5150 | 1 | Peak | 5128.995 | -44.65 | -27 | Pass | 4150 |
| 5150 | 5350 | 1 | Peak | 5242.333 | 9.55 | 24 | Pass | 601 |
| 5350 | 10300 | 1 | Peak | 5393.009 | -46.42 | -27 | Pass | 4950 |
| 10300 | 10700 | 1 | Peak | 10334.667 | -48.28 | -27 | Pass | 601 |
| 10700 | 25000 | 1 | Peak | 15719.351 | -36.51 | -27 | Pass | 14300 |



12. 802.11ac_40M_Band1_L

12.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 812.881 | -60.36 | -27 | Pass | 9700 |
| 1000 | 5150 | 1 | Peak | 5149 | -34.94 | -27 | Pass | 4150 |
| 5150 | 5350 | 1 | Peak | 5197.333 | 3.93 | 24 | Pass | 601 |
| 5350 | 10300 | 1 | Peak | 6131.158 | -47.23 | -27 | Pass | 4950 |
| 10300 | 10700 | 1 | Peak | 10538.667 | -48.34 | -27 | Pass | 601 |
| 10700 | 25000 | 1 | Peak | 24685.978 | -38.16 | -27 | Pass | 14300 |



13. 802.11ac_40M_Band1_H

13.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 820.682 | -59.88 | -27 | Pass | 9700 |
| 1000 | 5150 | 1 | Peak | 5142.998 | -44.84 | -27 | Pass | 4150 |
| 5150 | 5350 | 1 | Peak | 5222.667 | 3.59 | 24 | Pass | 601 |
| 5350 | 10300 | 1 | Peak | 5386.007 | -47.7 | -27 | Pass | 4950 |
| 10300 | 10700 | 1 | Peak | 10323.333 | -47.73 | -27 | Pass | 601 |
| 10700 | 25000 | 1 | Peak | 24773.984 | -38.36 | -27 | Pass | 14300 |



14. 802.11ac_80M_Band1_M

14.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 961.696 | -59.9 | -27 | Pass | 9700 |
| 1000 | 5150 | 1 | Peak | 5148 | -40.71 | -27 | Pass | 4150 |
| 5150 | 5350 | 1 | Peak | 5204.333 | 0.67 | 24 | Pass | 601 |
| 5350 | 10300 | 1 | Peak | 5350 | -47.58 | -27 | Pass | 4950 |
| 10300 | 10700 | 1 | Peak | 10370 | -48.9 | -27 | Pass | 601 |
| 10700 | 25000 | 1 | Peak | 24801.986 | -37.68 | -27 | Pass | 14300 |



15. 802.11a_20M_Band4_L

15.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 936.293 | -60.5 | -27 | Pass | 9700 |
| 1000 | 5650 | 1 | Peak | 5587.987 | -43.32 | -27 | Pass | 4650 |
| 5650 | 5700 | 1 | Peak | 5650.5 | -44.37 | -26.63 | Pass | 601 |
| 5700 | 5720 | 1 | Peak | 5703.033 | -37.61 | 10.85 | Pass | 601 |
| 5720 | 5725 | 1 | Peak | 5720.117 | -35.24 | 15.87 | Pass | 601 |
| 5725 | 5850 | 1 | Peak | 5747.5 | 10.56 | 30 | Pass | 601 |
| 5850 | 5855 | 1 | Peak | 5854.775 | -44.85 | 16.11 | Pass | 601 |
| 5855 | 5875 | 1 | Peak | 5872.767 | -45.54 | 10.63 | Pass | 601 |
| 5875 | 5925 | 1 | Peak | 5925 | -47.8 | -27 | Pass | 601 |
| 5925 | 25000 | 1 | Peak | 17232.593 | -31 | -27 | Pass | 19075 |



16. 802.11a_20M_Band4_M

16.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 951.195 | -59.64 | -27 | Pass | 9700 |
| 1000 | 5650 | 1 | Peak | 5626.995 | -44.75 | -27 | Pass | 4650 |
| 5650 | 5700 | 1 | Peak | 5650.583 | -45.1 | -26.57 | Pass | 601 |
| 5700 | 5720 | 1 | Peak | 5700.267 | -43.51 | 10.07 | Pass | 601 |
| 5720 | 5725 | 1 | Peak | 5720.133 | -42.18 | 15.9 | Pass | 601 |
| 5725 | 5850 | 1 | Peak | 5787.708 | 9.74 | 30 | Pass | 601 |
| 5850 | 5855 | 1 | Peak | 5854.875 | -44.05 | 15.88 | Pass | 601 |
| 5855 | 5875 | 1 | Peak | 5872.767 | -44.31 | 10.63 | Pass | 601 |
| 5875 | 5925 | 1 | Peak | 5924.917 | -46.65 | -26.94 | Pass | 601 |
| 5925 | 25000 | 1 | Peak | 17360.6 | -30.38 | -27 | Pass | 19075 |



17. 802.11a_20M_Band4_H

17.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 844.784 | -60.12 | -27 | Pass | 9700 |
| 1000 | 5650 | 1 | Peak | 5625.995 | -45.89 | -27 | Pass | 4650 |
| 5650 | 5700 | 1 | Peak | 5650.333 | -46.29 | -26.75 | Pass | 601 |
| 5700 | 5720 | 1 | Peak | 5702.533 | -43.33 | 10.71 | Pass | 601 |
| 5720 | 5725 | 1 | Peak | 5720.042 | -44.58 | 15.7 | Pass | 601 |
| 5725 | 5850 | 1 | Peak | 5826.042 | 9.44 | 30 | Pass | 601 |
| 5850 | 5855 | 1 | Peak | 5854.775 | -37.08 | 16.11 | Pass | 601 |
| 5855 | 5875 | 1 | Peak | 5872.6 | -39.16 | 10.67 | Pass | 601 |
| 5875 | 5925 | 1 | Peak | 5923.667 | -44.4 | -26.01 | Pass | 601 |
| 5925 | 25000 | 1 | Peak | 17471.605 | -33.42 | -27 | Pass | 19075 |



18. 802.11n_20M_Band4_L

18.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 745.974 | -59.8 | -27 | Pass | 9700 |
| 1000 | 5650 | 1 | Peak | 5649 | -45.03 | -27 | Pass | 4650 |
| 5650 | 5700 | 1 | Peak | 5651.833 | -43.5 | -25.64 | Pass | 601 |
| 5700 | 5720 | 1 | Peak | 5701.4 | -39.29 | 10.39 | Pass | 601 |
| 5720 | 5725 | 1 | Peak | 5723.125 | -28.19 | 22.73 | Pass | 601 |
| 5725 | 5850 | 1 | Peak | 5740.833 | 9.07 | 30 | Pass | 601 |
| 5850 | 5855 | 1 | Peak | 5854.983 | -45.94 | 15.64 | Pass | 601 |
| 5855 | 5875 | 1 | Peak | 5872.933 | -45.99 | 10.58 | Pass | 601 |
| 5875 | 5925 | 1 | Peak | 5924.667 | -48.2 | -26.75 | Pass | 601 |
| 5925 | 25000 | 1 | Peak | 17235.593 | -33.09 | -27 | Pass | 19075 |



19. 802.11n_20M_Band4_M

19.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 493.348 | -60.05 | -27 | Pass | 9700 |
| 1000 | 5650 | 1 | Peak | 5625.995 | -44.88 | -27 | Pass | 4650 |
| 5650 | 5700 | 1 | Peak | 5650.333 | -45.41 | -26.75 | Pass | 601 |
| 5700 | 5720 | 1 | Peak | 5700.967 | -44.44 | 10.27 | Pass | 601 |
| 5720 | 5725 | 1 | Peak | 5720.183 | -42.28 | 16.02 | Pass | 601 |
| 5725 | 5850 | 1 | Peak | 5787.708 | 9.33 | 30 | Pass | 601 |
| 5850 | 5855 | 1 | Peak | 5854.983 | -43.27 | 15.64 | Pass | 601 |
| 5855 | 5875 | 1 | Peak | 5874.533 | -44.98 | 10.13 | Pass | 601 |
| 5875 | 5925 | 1 | Peak | 5924.417 | -46.18 | -26.57 | Pass | 601 |
| 5925 | 25000 | 1 | Peak | 17354.599 | -31.57 | -27 | Pass | 19075 |



20. 802.11n_20M_Band4_H

20.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 480.446 | -59.79 | -27 | Pass | 9700 |
| 1000 | 5650 | 1 | Peak | 5513.971 | -45.9 | -27 | Pass | 4650 |
| 5650 | 5700 | 1 | Peak | 5650.083 | -46.22 | -26.94 | Pass | 601 |
| 5700 | 5720 | 1 | Peak | 5702.767 | -44.03 | 10.77 | Pass | 601 |
| 5720 | 5725 | 1 | Peak | 5720.225 | -44.11 | 16.11 | Pass | 601 |
| 5725 | 5850 | 1 | Peak | 5828.125 | 8.86 | 30 | Pass | 601 |
| 5850 | 5855 | 1 | Peak | 5854.658 | -39.1 | 16.38 | Pass | 601 |
| 5855 | 5875 | 1 | Peak | 5863.7 | -38.72 | 13.16 | Pass | 601 |
| 5875 | 5925 | 1 | Peak | 5924.833 | -46.02 | -26.88 | Pass | 601 |
| 5925 | 25000 | 1 | Peak | 17470.605 | -35.7 | -27 | Pass | 19075 |



21. 802.11n_40M_Band4_L

21.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 857.185 | -59.08 | -27 | Pass | 9700 |
| 1000 | 5650 | 1 | Peak | 5633.997 | -45.02 | -27 | Pass | 4650 |
| 5650 | 5700 | 1 | Peak | 5650 | -44.47 | -27 | Pass | 601 |
| 5700 | 5720 | 1 | Peak | 5718.5 | -33.28 | 15.18 | Pass | 601 |
| 5720 | 5725 | 1 | Peak | 5720.033 | -32.24 | 15.68 | Pass | 601 |
| 5725 | 5850 | 1 | Peak | 5743.542 | 4.74 | 30 | Pass | 601 |
| 5850 | 5855 | 1 | Peak | 5854.925 | -46.03 | 15.77 | Pass | 601 |
| 5855 | 5875 | 1 | Peak | 5871.9 | -45.75 | 10.87 | Pass | 601 |
| 5875 | 5925 | 1 | Peak | 5924.917 | -47.56 | -26.94 | Pass | 601 |
| 5925 | 25000 | 1 | Peak | 24792.989 | -36.96 | -27 | Pass | 19075 |



22. 802.11n_40M_Band4_H

22.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 804.48 | -60.06 | -27 | Pass | 9700 |
| 1000 | 5650 | 1 | Peak | 5529.974 | -45.36 | -27 | Pass | 4650 |
| 5650 | 5700 | 1 | Peak | 5651.083 | -45.21 | -26.2 | Pass | 601 |
| 5700 | 5720 | 1 | Peak | 5702.2 | -44.19 | 10.62 | Pass | 601 |
| 5720 | 5725 | 1 | Peak | 5720.108 | -42.7 | 15.85 | Pass | 601 |
| 5725 | 5850 | 1 | Peak | 5785.625 | 5 | 30 | Pass | 601 |
| 5850 | 5855 | 1 | Peak | 5854.933 | -44.04 | 15.75 | Pass | 601 |
| 5855 | 5875 | 1 | Peak | 5874.967 | -45.83 | 10.01 | Pass | 601 |
| 5875 | 5925 | 1 | Peak | 5924.833 | -46.34 | -26.88 | Pass | 601 |
| 5925 | 25000 | 1 | Peak | 24804.99 | -37.57 | -27 | Pass | 19075 |



23. 802.11ac_20M_Band4_L

23.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 941.694 | -59.79 | -27 | Pass | 9700 |
| 1000 | 5650 | 1 | Peak | 5589.987 | -43.93 | -27 | Pass | 4650 |
| 5650 | 5700 | 1 | Peak | 5650.5 | -44.59 | -26.63 | Pass | 601 |
| 5700 | 5720 | 1 | Peak | 5719.6 | -32.38 | 15.49 | Pass | 601 |
| 5720 | 5725 | 1 | Peak | 5720 | -33.78 | 15.6 | Pass | 601 |
| 5725 | 5850 | 1 | Peak | 5740.417 | 9.94 | 30 | Pass | 601 |
| 5850 | 5855 | 1 | Peak | 5854.933 | -44.82 | 15.75 | Pass | 601 |
| 5855 | 5875 | 1 | Peak | 5874.533 | -45.83 | 10.13 | Pass | 601 |
| 5875 | 5925 | 1 | Peak | 5924.75 | -47.47 | -26.82 | Pass | 601 |
| 5925 | 25000 | 1 | Peak | 17232.593 | -32.8 | -27 | Pass | 19075 |



24. 802.11ac_20M_Band4_M

24.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 872.187 | -60.4 | -27 | Pass | 9700 |
| 1000 | 5650 | 1 | Peak | 5629.996 | -43.56 | -27 | Pass | 4650 |
| 5650 | 5700 | 1 | Peak | 5650 | -45.27 | -27 | Pass | 601 |
| 5700 | 5720 | 1 | Peak | 5700.433 | -44.31 | 10.12 | Pass | 601 |
| 5720 | 5725 | 1 | Peak | 5720.2 | -42.05 | 16.06 | Pass | 601 |
| 5725 | 5850 | 1 | Peak | 5786.042 | 9.79 | 30 | Pass | 601 |
| 5850 | 5855 | 1 | Peak | 5854.65 | -43.83 | 16.4 | Pass | 601 |
| 5855 | 5875 | 1 | Peak | 5874.867 | -44.98 | 10.04 | Pass | 601 |
| 5875 | 5925 | 1 | Peak | 5925 | -45.78 | -27 | Pass | 601 |
| 5925 | 25000 | 1 | Peak | 17353.599 | -30.8 | -27 | Pass | 19075 |



25. 802.11ac_20M_Band4_H

25.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 718.271 | -59.49 | -27 | Pass | 9700 |
| 1000 | 5650 | 1 | Peak | 5208.905 | -45.59 | -27 | Pass | 4650 |
| 5650 | 5700 | 1 | Peak | 5650.25 | -46.3 | -26.82 | Pass | 601 |
| 5700 | 5720 | 1 | Peak | 5700.333 | -44.38 | 10.09 | Pass | 601 |
| 5720 | 5725 | 1 | Peak | 5720.017 | -44.3 | 15.64 | Pass | 601 |
| 5725 | 5850 | 1 | Peak | 5826.458 | 9.9 | 30 | Pass | 601 |
| 5850 | 5855 | 1 | Peak | 5854.792 | -37.1 | 16.07 | Pass | 601 |
| 5855 | 5875 | 1 | Peak | 5870.367 | -40.61 | 11.3 | Pass | 601 |
| 5875 | 5925 | 1 | Peak | 5924.917 | -44.23 | -26.94 | Pass | 601 |
| 5925 | 25000 | 1 | Peak | 17472.605 | -30.47 | -27 | Pass | 19075 |



26. 802.11ac_40M_Band4_L

26.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 839.883 | -59.7 | -27 | Pass | 9700 |
| 1000 | 5650 | 1 | Peak | 5593.988 | -45.04 | -27 | Pass | 4650 |
| 5650 | 5700 | 1 | Peak | 5650.083 | -45.13 | -26.94 | Pass | 601 |
| 5700 | 5720 | 1 | Peak | 5717.767 | -31.72 | 14.97 | Pass | 601 |
| 5720 | 5725 | 1 | Peak | 5720.308 | -30.52 | 16.3 | Pass | 601 |
| 5725 | 5850 | 1 | Peak | 5752.708 | 5.51 | 30 | Pass | 601 |
| 5850 | 5855 | 1 | Peak | 5854.592 | -43.95 | 16.53 | Pass | 601 |
| 5855 | 5875 | 1 | Peak | 5874.567 | -45.41 | 10.12 | Pass | 601 |
| 5875 | 5925 | 1 | Peak | 5923.583 | -46.08 | -25.95 | Pass | 601 |
| 5925 | 25000 | 1 | Peak | 24703.984 | -37.75 | -27 | Pass | 19075 |



27. 802.11ac_40M_Band4_H

27.1. A.6-Conducted Spurious Emission(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 920.192 | -59.73 | -27 | Pass | 9700 |
| 1000 | 5650 | 1 | Peak | 5117.886 | -46.98 | -27 | Pass | 4650 |
| 5650 | 5700 | 1 | Peak | 5650.333 | -44.92 | -26.75 | Pass | 601 |
| 5700 | 5720 | 1 | Peak | 5700.333 | -44.41 | 10.09 | Pass | 601 |
| 5720 | 5725 | 1 | Peak | 5720.167 | -42.2 | 15.98 | Pass | 601 |
| 5725 | 5850 | 1 | Peak | 5788.958 | 4.69 | 30 | Pass | 601 |
| 5850 | 5855 | 1 | Peak | 5854.992 | -42.94 | 15.62 | Pass | 601 |
| 5855 | 5875 | 1 | Peak | 5871.3 | -43.45 | 11.04 | Pass | 601 |
| 5875 | 5925 | 1 | Peak | 5925 | -45.68 | -27 | Pass | 601 |
| 5925 | 25000 | 1 | Peak | 17380.601 | -37.03 | -27 | Pass | 19075 |



28. 802.11ac_80M_Band4_M

28.1. A.6-Conducted Spurious Emission(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 30 | 1000 | 0.1 | Peak | 960.596 | -60.4 | -27 | Pass | 9700 |
| 1000 | 5650 | 1 | Peak | 5650 | -44.68 | -27 | Pass | 4650 |
| 5650 | 5700 | 1 | Peak | 5650.083 | -42.78 | -26.94 | Pass | 601 |
| 5700 | 5720 | 1 | Peak | 5703.233 | -29.57 | 10.91 | Pass | 601 |
| 5720 | 5725 | 1 | Peak | 5720.008 | -32.52 | 15.62 | Pass | 601 |
| 5725 | 5850 | 1 | Peak | 5769.375 | 2.85 | 30 | Pass | 601 |
| 5850 | 5855 | 1 | Peak | 5854.933 | -36.7 | 15.75 | Pass | 601 |
| 5855 | 5875 | 1 | Peak | 5867.933 | -37.85 | 11.98 | Pass | 601 |
| 5875 | 5925 | 1 | Peak | 5923.917 | -46.32 | -26.2 | Pass | 601 |
| 5925 | 25000 | 1 | Peak | 24755.987 | -37.44 | -27 | Pass | 19075 |



END