

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

1 WCDMA Band II

1.1 WCDMA Band II MCH

Test result

Project Number: Certification

Test Time: 2021-05-25_16.42.28

EUT Name:	N.A	Test Engineer:	XCJ
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	normal
Temp.(oC):	20.1	Load:	full load
Hum.:	54	Remark:	DR-RSE01-E21040013-01#01




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.455	-72.93	-10.71	-13.0	-59.93	0.50	Horizontal	Vertical	Pass
110.975	-74.20	-10.77	-13.0	-61.20	161.30	Horizontal	Vertical	Pass
239.953	-66.21	-2.45	-13.0	-53.21	354.70	Horizontal	Vertical	Pass
853.082	-56.61	5.58	-13.0	-43.61	122.20	Horizontal	Vertical	Pass
1841.790	-38.54	-0.07	-13.0	-25.54	353.70	Horizontal	Vertical	Pass
1931.267	-35.77	-1.77	-13.0	-22.77	219.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-05-25_16.38.16

EUT Name:	N.A	Test Engineer:	XCJ
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	normal
Temp.(oC):	20.1	Load:	full load
Hum.:	54	Remark:	DR-RSE01-E21040013-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
48.910	-73.77	-11.17	-13.0	-60.77	65.70	Vertical	Vertical	Pass
114.126	-73.44	-10.32	-13.0	-60.44	266.40	Vertical	Vertical	Pass
238.255	-66.33	-3.14	-13.0	-53.33	67.00	Vertical	Vertical	Pass
851.385	-55.99	5.65	-13.0	-42.99	13.00	Vertical	Vertical	Pass
1842.289	-38.77	0.39	-13.0	-25.77	356.20	Vertical	Vertical	Pass
1933.267	-35.39	-1.77	-13.0	-22.39	222.90	Vertical	Vertical	Pass

2 WCDMA Band IV

2.1 WCDMA Band IV MCH

Test result

Project Number: Certification

Test Time: 2021-05-25_16.28.42

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
45.516	-73.33	-11.27	-13.0	-60.33	217.30	Horizontal	Vertical	Pass
117.278	-74.21	-11.03	-13.0	-61.21	211.90	Horizontal	Vertical	Pass
199.950	-71.12	-8.09	-13.0	-58.12	24.90	Horizontal	Vertical	Pass
1199.725	-46.95	2.05	-13.0	-33.95	226.70	Horizontal	Vertical	Pass
1702.412	-35.02	-1.35	-13.0	-22.02	0.00	Horizontal	Vertical	Pass
2111.361	-31.58	1.76	-13.0	-18.58	292.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-05-25_16.32.55

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.728	-74.16	-11.22	-13.0	-61.16	331.50	Vertical	Vertical	Pass
113.884	-74.25	-10.40	-13.0	-61.25	42.70	Vertical	Vertical	Pass
242.862	-66.23	-3.32	-13.0	-53.23	257.30	Vertical	Vertical	Pass
1702.412	-34.58	-1.35	-13.0	-21.58	357.90	Vertical	Vertical	Pass
2111.361	-30.79	1.76	-13.0	-17.79	293.50	Vertical	Vertical	Pass
4535.308	-35.89	10.66	-13.0	-22.89	59.80	Vertical	Vertical	Pass

3 WCDMA Band V

3.1 WCDMA Band V MCH

Test result

Project Number: Certification

Test Time: 2021-05-25_16.48.34

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.122	-73.56	-10.87	-13.0	-60.56	12.70	Horizontal	Vertical	Pass
115.581	-74.03	-10.38	-13.0	-61.03	171.10	Horizontal	Vertical	Pass
242.134	-66.19	-2.98	-13.0	-53.19	272.80	Horizontal	Vertical	Pass
845.566	-53.18	9.04	-13.0	-40.18	238.50	Horizontal	Vertical	Pass
872.477	-45.24	4.51	-13.0	-32.24	96.20	Horizontal	Vertical	Pass
8153.212	-40.68	20.39	-13.0	-27.68	20.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-05-25_16.53.03

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
50.122	-74.91	-11.17	-13.0	-61.91	36.00	Vertical	Vertical	Pass
97.398	-74.56	-11.81	-13.0	-61.56	349.70	Vertical	Vertical	Pass
239.953	-65.56	-2.41	-13.0	-52.56	72.50	Vertical	Vertical	Pass
827.626	-51.36	5.19	-13.0	-38.36	79.40	Vertical	Vertical	Pass
871.265	-45.66	4.70	-13.0	-32.66	102.90	Vertical	Vertical	Pass
8181.705	-40.92	20.42	-13.0	-27.92	16.00	Vertical	Vertical	Pass