


Annex A. Peak to Average Ratio

1. WCDMA_Band2


1.1. WCDMA Peak to Average Ratio(NTNV)(Channel:9262)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1852.4 | 0.1 | 3.04 | 13 | Pass |




1.2. WCDMA Peak to Average Ratio(NTNV)(Channel:9400)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1880 | 0.1 | 3.08 | 13 | Pass |



1.3. WCDMA Peak to Average Ratio(NTNV)(Channel:9538)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1907.6 | 0.1 | 2.95 | 13 | Pass |



2. WCDMA_Band4


2.1. WCDMA Peak to Average Ratio(NTNV)(Channel:1312)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1712.4 | 0.1 | 3.14 | 13 | Pass |




2.2. WCDMA Peak to Average Ratio(NTNV)(Channel:1412)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1732.4 | 0.1 | 3 | 13 | Pass |



2.3. WCDMA Peak to Average Ratio(NTNV)(Channel:1513)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1752.6 | 0.1 | 2.93 | 13 | Pass |



3. WCDMA_Band5


3.1. WCDMA Peak to Average Ratio(NTNV)(Channel:4132)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 826.4 | 0.1 | 3.07 | 13 | Pass |




3.2. WCDMA Peak to Average Ratio(NTNV)(Channel:4182)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 836.4 | 0.1 | 3.04 | 13 | Pass |



3.3. WCDMA Peak to Average Ratio(NTNV)(Channel:4233)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 846.6 | 0.1 | 3.07 | 13 | Pass |



4. LTE_Band2


4.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1860 | 0.1 | 3.49 | 13 | Pass |




4.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1860 | 0.1 | 4.83 | 13 | Pass |




4.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1860 | 0.1 | 5.19 | 13 | Pass |




4.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1860 | 0.1 | 6.07 | 13 | Pass |




4.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1880 | 0.1 | 3.48 | 13 | Pass |




4.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1880 | 0.1 | 4.91 | 13 | Pass |




4.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1880 | 0.1 | 5.46 | 13 | Pass |




4.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1880 | 0.1 | 6.06 | 13 | Pass |




4.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1900 | 0.1 | 3.39 | 13 | Pass |




4.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




4.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1900 | 0.1 | 4.31 | 13 | Pass |



4.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1900 | 0.1 | 6.02 | 13 | Pass |



5. LTE_Band4


5.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1720 | 0.1 | 3.51 | 13 | Pass |




5.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1720 | 0.1 | 4.54 | 13 | Pass |




5.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1720 | 0.1 | 4.7 | 13 | Pass |




5.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1732.5 | 0.1 | 3.48 | 13 | Pass |




5.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1732.5 | 0.1 | 4.56 | 13 | Pass |




5.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1732.5 | 0.1 | 5.09 | 13 | Pass |




5.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1732.5 | 0.1 | 5.73 | 13 | Pass |



5.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




5.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1745 | 0.1 | 4.27 | 13 | Pass |



5.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



6. LTE_Band5


6.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 829 | 0.1 | 3.55 | 13 | Pass |




6.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 829 | 0.1 | 4.83 | 13 | Pass |




6.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 829 | 0.1 | 5.34 | 13 | Pass |




6.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



6.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




6.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 836.5 | 0.1 | 5.48 | 13 | Pass |




6.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 836.5 | 0.1 | 6 | 13 | Pass |




6.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 844 | 0.1 | 3.5 | 13 | Pass |




6.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




6.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 844 | 0.1 | 5.38 | 13 | Pass |



6.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 844 | 0.1 | 6.06 | 13 | Pass |



7. LTE_Band7


7.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2510 | 0.1 | 3.42 | 13 | Pass |




7.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2510 | 0.1 | 4.65 | 13 | Pass |




7.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2510 | 0.1 | 5.08 | 13 | Pass |




7.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




7.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2535 | 0.1 | 3.55 | 13 | Pass |




7.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2535 | 0.1 | 4.71 | 13 | Pass |




7.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2535 | 0.1 | 5.49 | 13 | Pass |




7.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2535 | 0.1 | 5.92 | 13 | Pass |




7.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2560 | 0.1 | 3.5 | 13 | Pass |




7.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2560 | 0.1 | 4.69 | 13 | Pass |




7.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2560 | 0.1 | 5.42 | 13 | Pass |



7.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2560 | 0.1 | 5.91 | 13 | Pass |



8. LTE_Band12


8.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 704 | 0.1 | 3.58 | 13 | Pass |




8.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 704 | 0.1 | 4.79 | 13 | Pass |




8.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 704 | 0.1 | 5.37 | 13 | Pass |




8.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 704 | 0.1 | 5.97 | 13 | Pass |




8.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 707.5 | 0.1 | 4.92 | 13 | Pass |




8.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 707.5 | 0.1 | 6.01 | 13 | Pass |



8.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




8.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 711 | 0.1 | 5.35 | 13 | Pass |



8.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 711 | 0.1 | 6.04 | 13 | Pass |




9. LTE_Band13

9.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 782 | 0.1 | 3.52 | 13 | Pass |




9.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




9.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 782 | 0.1 | 5.38 | 13 | Pass |



9.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 782 | 0.1 | 6.06 | 13 | Pass |



10. LTE_Band17


10.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 709 | 0.1 | 3.51 | 13 | Pass |




10.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 709 | 0.1 | 4.87 | 13 | Pass |




10.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 709 | 0.1 | 5.33 | 13 | Pass |




10.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 709 | 0.1 | 6.04 | 13 | Pass |




10.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 710 | 0.1 | 3.51 | 13 | Pass |




10.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 710 | 0.1 | 4.89 | 13 | Pass |




10.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 710 | 0.1 | 5.47 | 13 | Pass |




10.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 710 | 0.1 | 6.11 | 13 | Pass |




10.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 711 | 0.1 | 3.51 | 13 | Pass |




10.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 711 | 0.1 | 4.86 | 13 | Pass |




10.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 711 | 0.1 | 5.38 | 13 | Pass |



10.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 711 | 0.1 | 6.08 | 13 | Pass |



11. LTE_Band25


11.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1860 | 0.1 | 3.71 | 13 | Pass |




11.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1860 | 0.1 | 4.94 | 13 | Pass |




11.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1860 | 0.1 | 5.59 | 13 | Pass |




11.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1860 | 0.1 | 5.98 | 13 | Pass |




11.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1882.5 | 0.1 | 3.67 | 13 | Pass |




11.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1882.5 | 0.1 | 4.96 | 13 | Pass |




11.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1882.5 | 0.1 | 5.63 | 13 | Pass |



11.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1882.5 | 0.1 | 6.04 | 13 | Pass |




11.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1905 | 0.1 | 3.68 | 13 | Pass |




11.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1905 | 0.1 | 4.87 | 13 | Pass |




11.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1905 | 0.1 | 5.82 | 13 | Pass |



11.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1905 | 0.1 | 5.87 | 13 | Pass |



12. LTE_Band38


12.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2580 | 0.1 | 8.26 | 13 | Pass |




12.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2580 | 0.1 | 9.15 | 13 | Pass |




12.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2580 | 0.1 | 8.81 | 13 | Pass |




12.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2580 | 0.1 | 10.4 | 13 | Pass |




12.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2595 | 0.1 | 7.68 | 13 | Pass |




12.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2595 | 0.1 | 9.12 | 13 | Pass |




12.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2595 | 0.1 | 8.45 | 13 | Pass |




12.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2595 | 0.1 | 9.56 | 13 | Pass |




12.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




12.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2610 | 0.1 | 7.8 | 13 | Pass |



12.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2610 | 0.1 | 9.84 | 13 | Pass |



12.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2610 | 0.1 | 9.5 | 13 | Pass |




END


13. LTE_Band41 full

13.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2506 | 0.1 | 7.76 | 13 | Pass |




13.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




13.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2506 | 0.1 | 8.66 | 13 | Pass |



13.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




13.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




13.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2593 | 0.1 | 8.06 | 13 | Pass |




13.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2593 | 0.1 | 8.66 | 13 | Pass |




13.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2593 | 0.1 | 9.52 | 13 | Pass |




13.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2680 | 0.1 | 7.24 | 13 | Pass |




13.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2680 | 0.1 | 7.77 | 13 | Pass |




13.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2680 | 0.1 | 8.77 | 13 | Pass |



13.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 2680 | 0.1 | 9.58 | 13 | Pass |



14. LTE_Band66


14.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1720 | 0.1 | 3.42 | 13 | Pass |




14.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1720 | 0.1 | 4.78 | 13 | Pass |




14.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1720 | 0.1 | 5.3 | 13 | Pass |




14.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1720 | 0.1 | 5.82 | 13 | Pass |




14.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1745 | 0.1 | 3.42 | 13 | Pass |




14.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1745 | 0.1 | 4.48 | 13 | Pass |




14.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1745 | 0.1 | 4.43 | 13 | Pass |




14.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1745 | 0.1 | 5.62 | 13 | Pass |




14.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1770 | 0.1 | 3.47 | 13 | Pass |




14.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1770 | 0.1 | 4.83 | 13 | Pass |



14.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1770 | 0.1 | 5.02 | 13 | Pass |



14.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 1770 | 0.1 | 5.88 | 13 | Pass |

