


# **Annex A.5 LTE Spurious Emission at Antenna Terminals**

## 1. LTE\_Band14


### 1.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.129           | -65.5       | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -60.79      | -13         | Pass    | 2985        |
| 30                    | 778                  | 0.1       | RMS      | 775.5           | -60.26      | -13         | Pass    | 7480        |
| 778                   | 808                  | 0.1       | RMS      | 788.35          | 21.77       | 60          | Pass    | 601         |
| 808                   | 1000                 | 0.1       | RMS      | 879.037         | -60.19      | -13         | Pass    | 1920        |
| 1000                  | 3000                 | 1         | RMS      | 2999            | -43.86      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9927.99         | -41.75      | -13         | Pass    | 7000        |




**1.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:23305, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.089           | -68.19      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -61.92      | -13         | Pass    | 2985        |
| 30                    | 778                  | 0.1       | RMS      | 777.5           | -60.16      | -13         | Pass    | 7480        |
| 778                   | 808                  | 0.1       | RMS      | 788.35          | 21.07       | 60          | Pass    | 601         |
| 808                   | 1000                 | 0.1       | RMS      | 965.882         | -60.25      | -13         | Pass    | 1920        |
| 1000                  | 3000                 | 1         | RMS      | 3000            | -43.78      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9906.987        | -41.71      | -13         | Pass    | 7000        |




**1.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.096           | -67.96      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -61.67      | -13         | Pass    | 2985        |
| 30                    | 778                  | 0.1       | RMS      | 777.9           | -60.07      | -13         | Pass    | 7480        |
| 778                   | 808                  | 0.1       | RMS      | 790.85          | 21.9        | 60          | Pass    | 601         |
| 808                   | 1000                 | 0.1       | RMS      | 994.197         | -60.29      | -13         | Pass    | 1920        |
| 1000                  | 3000                 | 1         | RMS      | 2997.999        | -43.83      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9925.989        | -41.77      | -13         | Pass    | 7000        |




**1.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:23330, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.089           | -68.33      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -62.03      | -13         | Pass    | 2985        |
| 30                    | 778                  | 0.1       | RMS      | 764.998         | -60.23      | -13         | Pass    | 7480        |
| 778                   | 808                  | 0.1       | RMS      | 790.85          | 21.11       | 60          | Pass    | 601         |
| 808                   | 1000                 | 0.1       | RMS      | 937.968         | -60.19      | -13         | Pass    | 1920        |
| 1000                  | 3000                 | 1         | RMS      | 2997.999        | -43.82      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9894.985        | -41.77      | -13         | Pass    | 7000        |




**1.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.134           | -68.09      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -61.21      | -13         | Pass    | 2985        |
| 30                    | 778                  | 0.1       | RMS      | 765.798         | -60.26      | -13         | Pass    | 7480        |
| 778                   | 808                  | 0.1       | RMS      | 793.35          | 21.71       | 60          | Pass    | 601         |
| 808                   | 1000                 | 0.1       | RMS      | 989.495         | -60.21      | -13         | Pass    | 1920        |
| 1000                  | 3000                 | 1         | RMS      | 3000            | -43.76      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9894.985        | -41.8       | -13         | Pass    | 7000        |




**1.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:23355, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.131           | -67.54      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -61.44      | -13         | Pass    | 2985        |
| 30                    | 778                  | 0.1       | RMS      | 767.199         | -60.25      | -13         | Pass    | 7480        |
| 778                   | 808                  | 0.1       | RMS      | 793.35          | 20.97       | 60          | Pass    | 601         |
| 808                   | 1000                 | 0.1       | RMS      | 892.344         | -60.13      | -13         | Pass    | 1920        |
| 1000                  | 3000                 | 1         | RMS      | 3000            | -43.83      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9916.988        | -41.78      | -13         | Pass    | 7000        |



**1.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.146           | -67.59      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -61.67      | -13         | Pass    | 2985        |
| 30                    | 778                  | 0.1       | RMS      | 761.798         | -60.14      | -13         | Pass    | 7480        |
| 778                   | 808                  | 0.1       | RMS      | 784.25          | 21.14       | 60          | Pass    | 601         |
| 808                   | 1000                 | 0.1       | RMS      | 890.243         | -60.17      | -13         | Pass    | 1920        |
| 1000                  | 3000                 | 1         | RMS      | 2365.683        | -43.69      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9905.987        | -41.75      | -13         | Pass    | 7000        |





**1.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:23330, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.092           | -67.81      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -62.24      | -13         | Pass    | 2985        |
| 30                    | 778                  | 0.1       | RMS      | 777.4           | -60.2       | -13         | Pass    | 7480        |
| 778                   | 808                  | 0.1       | RMS      | 788.6           | 21.11       | 60          | Pass    | 601         |
| 808                   | 1000                 | 0.1       | RMS      | 965.982         | -60.27      | -13         | Pass    | 1920        |
| 1000                  | 3000                 | 1         | RMS      | 3000            | -43.86      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9899.986        | -41.7       | -13         | Pass    | 7000        |



## 2. LTE\_Band26(22)


2.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.139           | -64.92      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -62.37      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 801.3           | -60.17      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 824.253         | 21.91       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 899.428         | -60.2       | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2472.736        | -42.9       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9902.986        | -41.8       | -13         | Pass    | 7000        |




**2.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.105           | -67.88      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -61.12      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 797.799         | -60.04      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 824.253         | 20.85       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 887.42          | -60.19      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2472.736        | -43.22      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9901.986        | -41.78      | -13         | Pass    | 7000        |




**2.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.143           | -68.57      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -61.04      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 767.795         | -60.04      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 836.013         | 21.49       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 883.517         | -60.22      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2507.754        | -43.27      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9914.988        | -41.77      | -13         | Pass    | 7000        |




**2.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.072           | -68.33      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -61.21      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 801.3           | -60.09      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 836.013         | 20.65       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 885.018         | -60.36      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2507.754        | -43.65      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9906.987        | -41.71      | -13         | Pass    | 7000        |




**2.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.028           | -68.43      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -61.31      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 792.098         | -59.96      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 847.867         | 21.84       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 885.118         | -60.29      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2543.772        | -42.63      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9897.985        | -41.74      | -13         | Pass    | 7000        |




**2.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.098           | -68.6       | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -62.05      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 796.599         | -60.21      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 859.627         | 22.77       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 904.932         | -60.49      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2543.772        | -42.99      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9904.986        | -41.76      | -13         | Pass    | 7000        |



**2.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.14            | -68.56      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -61.46      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 799.699         | -60.01      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 824.253         | 21.86       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 988.792         | -60.28      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2472.736        | -42.88      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9900.986        | -41.74      | -13         | Pass    | 7000        |






**2.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.094           | -68.57      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -60.99      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 802.1           | -60.15      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 824.253         | 21.22       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 891.422         | -60.3       | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2472.736        | -43.09      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9915.988        | -41.78      | -13         | Pass    | 7000        |




**2.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.092           | -68.01      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -62.4       | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 802.4           | -60.04      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 835.267         | 21.85       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 879.014         | -60.24      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2505.753        | -42.94      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9901.986        | -41.77      | -13         | Pass    | 7000        |




**2.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.095           | -68.42      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -61.46      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 796.399         | -60.15      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 835.267         | 20.79       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 888.921         | -60.31      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2505.753        | -43.33      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9921.989        | -41.75      | -13         | Pass    | 7000        |




**2.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.116           | -68.91      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -61.64      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 788.398         | -60.06      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 846.28          | 21.55       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 882.816         | -60.22      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2538.769        | -42.37      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9918.988        | -41.71      | -13         | Pass    | 7000        |




**2.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.149           | -68.75      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -61.69      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 788.498         | -60.05      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 846.28          | 20.73       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 896.026         | -60.24      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2538.769        | -42.68      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9986.998        | -41.8       | -13         | Pass    | 7000        |




**2.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.143           | -68.41      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -61.41      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 790.398         | -60.12      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 824.347         | 21.81       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 980.386         | -60.12      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2472.736        | -43         | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9897.985        | -41.76      | -13         | Pass    | 7000        |




**2.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.107           | -68.54      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -62.42      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 802.2           | -60.14      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 824.347         | 21.13       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 881.315         | -60.18      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2472.736        | -43.36      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9899.986        | -41.72      | -13         | Pass    | 7000        |



**2.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.134           | -68.17      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -60.95      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 799.099         | -60.08      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 834.333         | 21.98       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 885.919         | -60.24      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2502.751        | -43.12      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9907.987        | -41.75      | -13         | Pass    | 7000        |






**2.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.142           | -68.48      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -61.71      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 793.999         | -60.15      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 834.333         | 21.27       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 882.116         | -60.23      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2502.751        | -43.39      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9900.986        | -41.7       | -13         | Pass    | 7000        |




**2.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.129           | -67.42      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -60.39      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 797.699         | -60.12      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 844.32          | 21.91       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 874.41          | -60.1       | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2532.766        | -42.69      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9910.987        | -41.76      | -13         | Pass    | 7000        |




**2.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.15            | -67.56      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -61.54      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 795.899         | -60.04      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 844.32          | 21.12       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 911.137         | -60.38      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2532.766        | -42.85      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9901.986        | -41.75      | -13         | Pass    | 7000        |




**2.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.135           | -68.15      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -61.78      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 803.5           | -60.22      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 824.627         | 21.6        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 886.319         | -60.27      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2473.737        | -42.76      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9902.986        | -41.64      | -13         | Pass    | 7000        |




**2.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.115           | -67.87      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -61.53      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 799.299         | -60.12      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 824.627         | 20.96       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 876.912         | -60.34      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2473.737        | -42.99      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9900.986        | -41.76      | -13         | Pass    | 7000        |




**2.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.092           | -67.87      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -60.49      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 802.7           | -60.08      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 832.093         | 21.95       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 907.534         | -60.25      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2496.748        | -43.52      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9907.987        | -41.77      | -13         | Pass    | 7000        |




**2.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.145           | -68.07      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -61.67      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 792.198         | -60.13      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 832.093         | 21.07       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 884.217         | -60.15      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2997.999        | -43.88      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9899.986        | -41.81      | -13         | Pass    | 7000        |



**2.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.131           | -68.88      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -61.9       | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 788.198         | -60.19      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 839.56          | 21.58       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 879.314         | -60.18      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2518.759        | -42.69      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9919.989        | -41.76      | -13         | Pass    | 7000        |






**2.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.13            | -68.53      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -61.13      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 797.699         | -60.01      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 839.56          | 20.86       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 897.026         | -60.27      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2518.759        | -42.84      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9897.985        | -41.77      | -13         | Pass    | 7000        |




**2.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,  
Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.123           | -67.72      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -59.9       | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 795.799         | -59.99      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 824.813         | 22.22       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 880.214         | -60.21      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2474.737        | -42.26      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9913.988        | -41.65      | -13         | Pass    | 7000        |




**2.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.142           | -67.9       | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -60.39      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 802.4           | -60.18      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 824.813         | 21.5        | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 880.214         | -60.2       | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2474.737        | -42.48      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9987.998        | -41.76      | -13         | Pass    | 7000        |




**2.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.097           | -68.8       | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -60.17      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 798.199         | -60.17      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 829.853         | 22.51       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 879.714         | -60.24      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2489.745        | -42.53      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9901.986        | -41.77      | -13         | Pass    | 7000        |




**2.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.129           | -68.38      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -61.36      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 793.499         | -60.04      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 829.853         | 21.56       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 1000            | -60.21      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2489.745        | -42.93      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9897.985        | -41.74      | -13         | Pass    | 7000        |




**2.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,  
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.123           | -68.82      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -61.87      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 803.7           | -60.09      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 834.893         | 21.81       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 998.599         | -60.28      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2504.752        | -42.58      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9898.986        | -41.75      | -13         | Pass    | 7000        |



**2.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,  
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.029           | -68.05      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -61.24      | -13         | Pass    | 2985        |
| 30                    | 804                  | 0.1       | RMS      | 796.999         | -60.16      | -13         | Pass    | 7740        |
| 804                   | 860                  | 0.1       | RMS      | 834.8           | 21.14       | 60          | Pass    | 601         |
| 860                   | 1000                 | 0.1       | RMS      | 898.728         | -60.18      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2504.752        | -42.76      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 9919.989        | -41.78      | -13         | Pass    | 7000        |



### 3. LTE\_Band26(90)

3.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.14            | -59.41      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -53.96      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 768.395         | -48.9       | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 814.175         | 26.22       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 993.195         | -49.38      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2977.989        | -32.6       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 6067.438        | -30.45      | -13         | Pass    | 7000        |






**3.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.075           | -61.26      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -53.05      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 790.698         | -49.87      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 814.175         | 27.5        | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 864.407         | -49.12      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2576.788        | -31.7       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 9911.987        | -29.7       | -13         | Pass    | 7000        |




**3.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.132           | -61.76      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -52.95      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 808.9           | -49.18      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 818.6           | 26.21       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 914.541         | -49.08      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2683.842        | -32.34      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 9992.999        | -30.13      | -13         | Pass    | 7000        |




**3.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.129           | -61.49      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -53.79      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 758.494         | -49.32      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 818.525         | 26.97       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 909.338         | -49.56      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2455.728        | -30.58      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 6781.54         | -30.54      | -13         | Pass    | 7000        |




**3.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.122           | -61.62      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.17            | -53.16      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 790.398         | -48.8       | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 822.875         | 26.36       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 989.293         | -49.29      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2411.706        | -32.44      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 7561.652        | -30.75      | -13         | Pass    | 7000        |




**3.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.092           | -62.35      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -53.78      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 795.498         | -49.55      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 822.875         | 27          | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 854.801         | -49.26      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2468.734        | -31.1       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 10000           | -30.35      | -13         | Pass    | 7000        |




**3.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.148           | -61.92      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -54.22      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 744.092         | -49.33      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 814.325         | 26.33       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 935.756         | -49.67      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2442.721        | -32.03      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 9906.987        | -30.5       | -13         | Pass    | 7000        |




**3.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.072           | -61.67      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -53.87      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 789.798         | -49.07      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 814.175         | 27.08       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 976.184         | -49.12      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2805.903        | -32.66      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 9910.987        | -30.19      | -13         | Pass    | 7000        |



**3.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.113           | -61.72      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -55.04      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 795.898         | -49.21      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 817.7           | 26.31       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 958.472         | -49.57      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2999            | -31.77      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 6275.468        | -30.46      | -13         | Pass    | 7000        |






**3.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.134           | -61.92      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -53.82      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 779.496         | -49.66      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 817.7           | 27.24       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 884.821         | -49.32      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2453.727        | -30.97      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 9993.999        | -29.86      | -13         | Pass    | 7000        |




**3.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.071           | -60.75      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -52.26      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 769.995         | -49         | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 821.225         | 26.48       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 875.014         | -48.84      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2519.76         | -32.12      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 9991.999        | -30.36      | -13         | Pass    | 7000        |




**3.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.12            | -62.15      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -54.11      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 764.094         | -49.08      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 821.225         | 27.08       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 922.347         | -49.42      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2463.732        | -31.14      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 9885.984        | -30.43      | -13         | Pass    | 7000        |




**3.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.097           | -60.66      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.17            | -55.06      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 749.792         | -49.17      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 814.325         | 26.45       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 895.028         | -48.92      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2442.721        | -32.29      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 9329.904        | -30         | -13         | Pass    | 7000        |




**3.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.149           | -61.51      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -54.38      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 808.8           | -46.36      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 814.325         | 26.82       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 858.203         | -49.56      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2442.721        | -32.34      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 9997            | -29.78      | -13         | Pass    | 7000        |




**3.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.109           | -62.2       | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.17            | -54.27      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 806.4           | -49.58      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 816.875         | 26.56       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 921.046         | -48.12      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2678.839        | -32.16      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 6615.517        | -30.2       | -13         | Pass    | 7000        |




**3.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.143           | -61.33      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -54.9       | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 767.895         | -48.87      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 816.8           | 27.26       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 916.943         | -48.52      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2450.725        | -30.95      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 9945.992        | -30.45      | -13         | Pass    | 7000        |



**3.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.132           | -61.93      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -54.56      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 785.397         | -49.21      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 819.35          | 26.51       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 901.432         | -49.38      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2457.729        | -31.67      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 7188.598        | -30.71      | -13         | Pass    | 7000        |






**3.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.121           | -61.96      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -54.66      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 766.094         | -48.78      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 819.275         | 27.46       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 891.726         | -49.33      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2456.728        | -31.35      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 7534.648        | -30.44      | -13         | Pass    | 7000        |




**3.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.149           | -60.83      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -54.23      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 805.6           | -49.22      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 814.625         | 26.3        | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 928.151         | -49.06      | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2999            | -32.54      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 9940.992        | -30.28      | -13         | Pass    | 7000        |



**3.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.078           | -60.68      | -13         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -53.65      | -13         | Pass    | 2985        |
| 30                    | 809                  | 0.1       | Peak     | 808.5           | -38.67      | -13         | Pass    | 7790        |
| 809                   | 854                  | 0.1       | Peak     | 814.55          | 27.18       | 60          | Pass    | 601         |
| 854                   | 1000                 | 0.1       | Peak     | 978.785         | -49.3       | -13         | Pass    | 1460        |
| 1000                  | 3000                 | 1         | Peak     | 2443.722        | -31.45      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 9941.992        | -30.11      | -13         | Pass    | 7000        |



## 4. LTE\_Band30


### 4.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:27685, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -54.35      | -40         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -57.38      | -40         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 511.85          | -67.38      | -40         | Pass    | 9700        |
| 1000                  | 2295                 | 1         | RMS      | 2295            | -53.6       | -40         | Pass    | 1295        |
| 2295                  | 2325                 | 1         | RMS      | 2305.35         | 23.92       | 60          | Pass    | 601         |
| 2325                  | 3000                 | 1         | RMS      | 2746.625        | -53.31      | -40         | Pass    | 675         |
| 3000                  | 12000                | 1         | RMS      | 11766.974       | -56.71      | -40         | Pass    | 9000        |
| 12000                 | 24000                | 1         | RMS      | 23884.99        | -48.38      | -40         | Pass    | 12000       |




**4.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:27685, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -54.56      | -40         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -57.76      | -40         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 511.85          | -67.77      | -40         | Pass    | 9700        |
| 1000                  | 2295                 | 1         | RMS      | 2295            | -53.43      | -40         | Pass    | 1295        |
| 2295                  | 2325                 | 1         | RMS      | 2305.3          | 23.26       | 60          | Pass    | 601         |
| 2325                  | 3000                 | 1         | RMS      | 2740.616        | -53.29      | -40         | Pass    | 675         |
| 3000                  | 12000                | 1         | RMS      | 11756.973       | -56.67      | -40         | Pass    | 9000        |
| 12000                 | 24000                | 1         | RMS      | 23879.99        | -48.44      | -40         | Pass    | 12000       |




**4.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:27710, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -52.53      | -40         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -56.76      | -40         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 506.849         | -67.37      | -40         | Pass    | 9700        |
| 1000                  | 2295                 | 1         | RMS      | 2295            | -54.42      | -40         | Pass    | 1295        |
| 2295                  | 2325                 | 1         | RMS      | 2307.8          | 23.91       | 60          | Pass    | 601         |
| 2325                  | 3000                 | 1         | RMS      | 2741.617        | -53.34      | -40         | Pass    | 675         |
| 3000                  | 12000                | 1         | RMS      | 11762.974       | -56.68      | -40         | Pass    | 9000        |
| 12000                 | 24000                | 1         | RMS      | 23874.99        | -48.27      | -40         | Pass    | 12000       |




**4.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:27710, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -54.07      | -40         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -58.86      | -40         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 506.849         | -67.34      | -40         | Pass    | 9700        |
| 1000                  | 2295                 | 1         | RMS      | 2295            | -54.27      | -40         | Pass    | 1295        |
| 2295                  | 2325                 | 1         | RMS      | 2307.8          | 23.17       | 60          | Pass    | 601         |
| 2325                  | 3000                 | 1         | RMS      | 2750.631        | -53.28      | -40         | Pass    | 675         |
| 3000                  | 12000                | 1         | RMS      | 11905.99        | -56.73      | -40         | Pass    | 9000        |
| 12000                 | 24000                | 1         | RMS      | 23878.99        | -48.3       | -40         | Pass    | 12000       |



**4.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:27735, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -53.84      | -40         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -57.34      | -40         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 501.849         | -67.18      | -40         | Pass    | 9700        |
| 1000                  | 2295                 | 1         | RMS      | 2295            | -54.47      | -40         | Pass    | 1295        |
| 2295                  | 2325                 | 1         | RMS      | 2310.35         | 24.02       | 60          | Pass    | 601         |
| 2325                  | 3000                 | 1         | RMS      | 2745.623        | -53.24      | -40         | Pass    | 675         |
| 3000                  | 12000                | 1         | RMS      | 11907.99        | -56.7       | -40         | Pass    | 9000        |
| 12000                 | 24000                | 1         | RMS      | 23881.99        | -48.4       | -40         | Pass    | 12000       |






**4.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:27735, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -53.96      | -40         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -57.05      | -40         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 913.991         | -68.02      | -40         | Pass    | 9700        |
| 1000                  | 2295                 | 1         | RMS      | 2244.961        | -55.09      | -40         | Pass    | 1295        |
| 2295                  | 2325                 | 1         | RMS      | 2323.9          | -23.54      | 60          | Pass    | 601         |
| 2325                  | 3000                 | 1         | RMS      | 2749.629        | -53.35      | -40         | Pass    | 675         |
| 3000                  | 12000                | 1         | RMS      | 11760.973       | -56.7       | -40         | Pass    | 9000        |
| 12000                 | 24000                | 1         | RMS      | 23855.988       | -48.38      | -40         | Pass    | 12000       |




**4.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -54.2       | -40         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -57.49      | -40         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 511.35          | -67.18      | -40         | Pass    | 9700        |
| 1000                  | 2295                 | 1         | RMS      | 2291.998        | -49.99      | -40         | Pass    | 1295        |
| 2295                  | 2325                 | 1         | RMS      | 2305.55         | 24.01       | 60          | Pass    | 601         |
| 2325                  | 3000                 | 1         | RMS      | 2747.626        | -53.28      | -40         | Pass    | 675         |
| 3000                  | 12000                | 1         | RMS      | 11909.99        | -56.72      | -40         | Pass    | 9000        |
| 12000                 | 24000                | 1         | RMS      | 23876.99        | -48.39      | -40         | Pass    | 12000       |



**4.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:27710, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -53.73      | -40         | Pass    | 601         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -57.27      | -40         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 511.35          | -67.53      | -40         | Pass    | 9700        |
| 1000                  | 2295                 | 1         | RMS      | 2291.998        | -50.24      | -40         | Pass    | 1295        |
| 2295                  | 2325                 | 1         | RMS      | 2305.6          | 23.28       | 60          | Pass    | 601         |
| 2325                  | 3000                 | 1         | RMS      | 2742.619        | -53.31      | -40         | Pass    | 675         |
| 3000                  | 12000                | 1         | RMS      | 11768.974       | -56.7       | -40         | Pass    | 9000        |
| 12000                 | 24000                | 1         | RMS      | 23856.988       | -48.4       | -40         | Pass    | 12000       |



END