

Appendix for 2A_N78A_3650-3700MHz

Product Name: CSX8

Model No: LGT-08QA-2301

Appendix A: Average Power Output Data for NSA

Test Result

Band	SC S	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	Power Class	Verdict
DC_2A_n78A-3650-3700	30	5+20	DFT-QPSK	M+L	Edge_1RB_Left	22.01	PC3	PASS
DC_2A_n78A-3650-3700	30	5+20	DFT-QPSK	M+L	Edge_1RB_Right	22.28	PC3	PASS
DC_2A_n78A-3650-3700	30	5+20	DFT-QPSK	M+L	Outer_Full	22.57	PC3	PASS
DC_2A_n78A-3650-3700	30	5+20	DFT-QPSK	M+L	Inner_Full	22.62	PC3	PASS
DC_2A_n78A-3650-3700	30	5+20	CP-QPSK	M+L	Edge_1RB_Left	21.60	PC3	PASS
DC_2A_n78A-3650-3700	30	5+20	CP-QPSK	M+L	Edge_1RB_Right	22.17	PC3	PASS
DC_2A_n78A-3650-3700	30	5+20	CP-QPSK	M+L	Outer_Full	22.54	PC3	PASS
DC_2A_n78A-3650-3700	30	5+20	CP-QPSK	M+L	Inner_Full	22.58	PC3	PASS
DC_2A_n78A-3650-3700	30	5+20	DFT-QPSK	M+M	Edge_1RB_Left	22.35	PC3	PASS
DC_2A_n78A-3650-3700	30	5+20	DFT-QPSK	M+M	Edge_1RB_Right	22.22	PC3	PASS
DC_2A_n78A-3650-3700	30	5+20	DFT-QPSK	M+M	Outer_Full	22.78	PC3	PASS
DC_2A_n78A-3650-3700	30	5+20	DFT-QPSK	M+M	Inner_Full	22.70	PC3	PASS
DC_2A_n78A-3650-3700	30	5+20	CP-QPSK	M+M	Edge_1RB_Left	22.20	PC3	PASS
DC_2A_n78A-3650-3700	30	5+20	CP-QPSK	M+M	Edge_1RB_Right	22.12	PC3	PASS
DC_2A_n78A-3650-3700	30	5+20	CP-QPSK	M+M	Outer_Full	22.76	PC3	PASS
DC_2A_n78A-3650-3700	30	5+20	CP-QPSK	M+M	Inner_Full	22.74	PC3	PASS

3700			K					S
DC_2A_n78A-3650-3700	30	5+20	DFT-QP SK	M+H	Edge_1RB_L eft	22.29	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+20	DFT-QP SK	M+H	Edge_1RB_Ri ght	22.66	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+20	DFT-QP SK	M+H	Outer_Full	22.95	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+20	DFT-QP SK	M+H	Inner_Full	16.67	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+20	CP-QPS K	M+H	Edge_1RB_L eft	22.22	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+20	CP-QPS K	M+H	Edge_1RB_Ri ght	22.55	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+20	CP-QPS K	M+H	Outer_Full	22.91	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+20	CP-QPS K	M+H	Inner_Full	22.81	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	DFT-QP SK	M+L	Edge_1RB_L eft	21.70	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	DFT-QP SK	M+L	Edge_1RB_Ri ght	22.19	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	DFT-QP SK	M+L	Outer_Full	22.43	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	DFT-QP SK	M+L	Inner_Full	22.50	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	CP-QPS K	M+L	Edge_1RB_L eft	21.56	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	CP-QPS K	M+L	Edge_1RB_Ri ght	21.98	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	CP-QPS K	M+L	Outer_Full	22.41	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	CP-QPS K	M+L	Inner_Full	22.47	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	DFT-QP SK	M+M	Edge_1RB_L eft	21.80	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	DFT-QP SK	M+M	Edge_1RB_Ri ght	22.32	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	DFT-QP SK	M+M	Outer_Full	22.51	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	DFT-QP SK	M+M	Inner_Full	22.53	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	CP-QPS	M+M	Edge_1RB_L	21.53	PC3	PAS

3700			K		eft			S
DC_2A_n78A-3650-3700	30	5+40	CP-QPS K	M+M	Edge_1RB_Ri ght	22.19	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	CP-QPS K	M+M	Outer_Full	22.43	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	CP-QPS K	M+M	Inner_Full	22.48	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	DFT-QP SK	M+H	Edge_1RB_L eft	21.90	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	DFT-QP SK	M+H	Edge_1RB_Ri ght	22.54	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	DFT-QP SK	M+H	Outer_Full	22.57	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	DFT-QP SK	M+H	Inner_Full	22.58	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	CP-QPS K	M+H	Edge_1RB_L eft	21.77	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	CP-QPS K	M+H	Edge_1RB_Ri ght	22.28	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	CP-QPS K	M+H	Outer_Full	22.52	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+40	CP-QPS K	M+H	Inner_Full	22.54	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+50	DFT-QP SK	M+M	Edge_1RB_L eft	22.79	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+50	DFT-QP SK	M+M	Edge_1RB_Ri ght	17.67	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+50	DFT-QP SK	M+M	Outer_Full	22.66	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+50	DFT-QP SK	M+M	Inner_Full	22.98	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+50	CP-QPS K	M+M	Edge_1RB_L eft	21.93	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+50	CP-QPS K	M+M	Edge_1RB_Ri ght	22.27	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+50	CP-QPS K	M+M	Outer_Full	22.67	PC3	PAS S
DC_2A_n78A-3650-3700	30	5+50	CP-QPS K	M+M	Inner_Full	22.68	PC3	PAS S


Appendix B: Peak-to-Average Ratio for NSA


Peak-to-Average Ratio(CCDF)


Test Result

Band	SC S	Bandwidth h	Modulation n	Channel el	RB Config	Result	Limit	Verdict
DC_2A_n78A-3650-37 00	30	5+20	DFT-QPSK	M+L	Outer_Fu ll	6.26	≤13	PASS
DC_2A_n78A-3650-37 00	30	5+20	CP-QPSK	M+L	Outer_Fu ll	7.52	≤13	PASS
DC_2A_n78A-3650-37 00	30	5+20	DFT-QPSK	M+M	Outer_Fu ll	6.04	≤13	PASS
DC_2A_n78A-3650-37 00	30	5+20	CP-QPSK	M+M	Outer_Fu ll	7.22	≤13	PASS
DC_2A_n78A-3650-37 00	30	5+20	DFT-QPSK	M+H	Outer_Fu ll	5.90	≤13	PASS
DC_2A_n78A-3650-37 00	30	5+20	CP-QPSK	M+H	Outer_Fu ll	7.91	≤13	PASS
DC_2A_n78A-3650-37 00	30	5+40	DFT-QPSK	M+L	Outer_Fu ll	6.25	≤13	PASS
DC_2A_n78A-3650-37 00	30	5+40	CP-QPSK	M+L	Outer_Fu ll	7.62	≤13	PASS
DC_2A_n78A-3650-37 00	30	5+40	DFT-QPSK	M+M	Outer_Fu ll	6.20	≤13	PASS
DC_2A_n78A-3650-37 00	30	5+40	CP-QPSK	M+M	Outer_Fu ll	7.53	≤13	PASS
DC_2A_n78A-3650-37 00	30	5+40	DFT-QPSK	M+H	Outer_Fu ll	6.10	≤13	PASS
DC_2A_n78A-3650-37 00	30	5+40	CP-QPSK	M+H	Outer_Fu ll	7.50	≤13	PASS
DC_2A_n78A-3650-37 00	30	5+50	DFT-QPSK	M+M	Outer_Fu ll	6.10	≤13	PASS
DC_2A_n78A-3650-37 00	30	5+50	CP-QPSK	M+M	Outer_Fu ll	7.26	≤13	PASS

Test Graphs









Appendix C: 26dB Bandwidth and Occupied Bandwidth for NSA


Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
DC_2A_n78A-3650-3700	30	5+20	DFT-QPSK	M+L	Outer_Full	17.805	19.09	PASS
DC_2A_n78A-3650-3700	30	5+20	CP-QPSK	M+L	Outer_Full	18.194	19.59	PASS
DC_2A_n78A-3650-3700	30	5+20	DFT-QPSK	M+M	Outer_Full	17.828	19.11	PASS
DC_2A_n78A-3650-3700	30	5+20	CP-QPSK	M+M	Outer_Full	18.222	19.37	PASS
DC_2A_n78A-3650-3700	30	5+20	DFT-QPSK	M+H	Outer_Full	17.818	19.10	PASS
DC_2A_n78A-3650-3700	30	5+20	CP-QPSK	M+H	Outer_Full	18.201	19.50	PASS
DC_2A_n78A-3650-3700	30	5+40	DFT-QPSK	M+L	Outer_Full	35.697	37.45	PASS
DC_2A_n78A-3650-3700	30	5+40	CP-QPSK	M+L	Outer_Full	37.802	39.59	PASS
DC_2A_n78A-3650-3700	30	5+40	DFT-QPSK	M+M	Outer_Full	35.729	37.25	PASS
DC_2A_n78A-3650-3700	30	5+40	CP-QPSK	M+M	Outer_Full	37.836	39.59	PASS
DC_2A_n78A-3650-3700	30	5+40	DFT-QPSK	M+H	Outer_Full	35.732	37.44	PASS
DC_2A_n78A-3650-3700	30	5+40	CP-QPSK	M+H	Outer_Full	37.833	39.48	PASS
DC_2A_n78A-3650-3700	30	5+50	DFT-QPSK	M+M	Outer_Full	45.652	47.37	PASS
DC_2A_n78A-3650-3700	30	5+50	CP-QPSK	M+M	Outer_Full	47.466	49.43	PASS

Test Graphs









Appendix D: Band Edge for NSA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Verdict
DC_2A_n78A-3650-3700	30	5+20	CP-QPSK	M+L	Edge_1RB_Left	see graph	PASS
DC_2A_n78A-3650-3700	30	5+20	CP-QPSK	M+L	Outer_Full	see graph	PASS
DC_2A_n78A-3650-3700	30	5+20	CP-QPSK	M+H	Edge_1RB_Right	see graph	PASS
DC_2A_n78A-3650-3700	30	5+20	CP-QPSK	M+H	Outer_Full	see graph	PASS
DC_2A_n78A-3650-3700	30	5+40	CP-QPSK	M+L	Edge_1RB_Left	see graph	PASS
DC_2A_n78A-3650-3700	30	5+40	CP-QPSK	M+L	Outer_Full	see graph	PASS
DC_2A_n78A-3650-3700	30	5+40	CP-QPSK	M+H	Edge_1RB_Right	see graph	PASS
DC_2A_n78A-3650-3700	30	5+40	CP-QPSK	M+H	Outer_Full	see graph	PASS

Test Graphs





NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_ M+L_TID4_RID1#1

NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_ M+L_TID6_RID1#1

NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_ M+H_TID5_RID1#1

NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_ M+H_TID6_RID1#1

Appendix E: Conducted Spurious Emission for NSA

Test Result

Band	S C S	Bandw idth	Modula tion	Chan nel	RB Config	StartF req	StopF req	Res ult	Li mit	Verd ict
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+H	Edge_1RB _Right	0.009	0.15	-60. 84	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+H	Edge_1RB _Right	0.15	30	-75. 22	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+H	Edge_1RB _Right	30	1000	-65. 77	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+H	Edge_1RB _Right	1000	3000	-39. 88	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+H	Edge_1RB _Right	3000	6000	-49. 65	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+H	Edge_1RB _Right	6000	2600 0	-29. 93	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+H	Edge_1RB _Right	26000	4000 0	-33. 38	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+H	Outer_Full	0.009	0.15	-54. 95	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+H	Outer_Full	0.15	30	-74. 98	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+H	Outer_Full	30	1000	-70. 30	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+H	Outer_Full	1000	3000	-42. 33	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+H	Outer_Full	3000	6000	-48. 48	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+H	Outer_Full	6000	2600 0	-29. 68	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+H	Outer_Full	26000	4000 0	-33. 57	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Edge_1RB _Left	0.009	0.15	-55. 47	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Edge_1RB _Left	0.15	30	-75. 38	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Edge_1RB _Left	30	1000	-70. 62	-2 3	PAS S

DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Edge_1RB _Left	1000	3000	-39. 73	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Edge_1RB _Left	3000	6000	-49. 70	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Edge_1RB _Left	6000	2600 0	-29. 91	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Edge_1RB _Left	26000	4000 0	-33. 55	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Edge_1RB _Right	0.009	0.15	-58. 55	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Edge_1RB _Right	0.15	30	-74. 27	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Edge_1RB _Right	30	1000	-70. 76	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Edge_1RB _Right	1000	3000	-39. 13	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Edge_1RB _Right	3000	6000	-49. 69	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Edge_1RB _Right	6000	2600 0	-29. 87	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Edge_1RB _Right	26000	4000 0	-33. 69	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Outer_Full	0.009	0.15	-54. 47	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Outer_Full	0.15	30	-75. 48	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Outer_Full	30	1000	-70. 36	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Outer_Full	1000	3000	-42. 78	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Outer_Full	3000	6000	-49. 61	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Outer_Full	6000	2600 0	-29. 99	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+L	Outer_Full	26000	4000 0	-33. 45	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Edge_1RB _Left	0.009	0.15	-56. 40	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Edge_1RB _Left	0.15	30	-74. 69	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Edge_1RB _Left	30	1000	-68. 45	-2 3	PAS S

DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Edge_1RB _Left	1000	3000	-38. 41	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Edge_1RB _Left	3000	6000	-49. 52	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Edge_1RB _Left	6000	2600 0	-29. 62	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Edge_1RB _Left	26000	4000 0	-33. 35	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Edge_1RB _Right	0.009	0.15	-56. 56	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Edge_1RB _Right	0.15	30	-74. 61	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Edge_1RB _Right	30	1000	-68. 07	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Edge_1RB _Right	1000	3000	-41. 90	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Edge_1RB _Right	3000	6000	-49. 80	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Edge_1RB _Right	6000	2600 0	-30. 08	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Edge_1RB _Right	26000	4000 0	-33. 25	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Outer_Full	0.009	0.15	-57. 47	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Outer_Full	0.15	30	-75. 22	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Outer_Full	30	1000	-70. 52	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Outer_Full	1000	3000	-38. 25	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Outer_Full	3000	6000	-47. 44	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Outer_Full	6000	2600 0	-29. 68	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+L	Outer_Full	26000	4000 0	-33. 19	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Edge_1RB _Left	0.009	0.15	-56. 04	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Edge_1RB _Left	0.15	30	-74. 86	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Edge_1RB _Left	30	1000	-70. 31	-2 3	PAS S

DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Edge_1RB _Left	1000	3000	-38. 49	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Edge_1RB _Left	3000	6000	-49. 58	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Edge_1RB _Left	6000	2600 0	-30. 18	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Edge_1RB _Left	26000	4000 0	-33. 42	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Edge_1RB _Right	0.009	0.15	-54. 59	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Edge_1RB _Right	0.15	30	-75. 15	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Edge_1RB _Right	30	1000	-70. 32	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Edge_1RB _Right	1000	3000	-39. 56	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Edge_1RB _Right	3000	6000	-49. 70	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Edge_1RB _Right	6000	2600 0	-29. 74	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Edge_1RB _Right	26000	4000 0	-33. 13	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Outer_Full	0.009	0.15	-53. 30	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Outer_Full	0.15	30	-75. 27	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Outer_Full	30	1000	-66. 49	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Outer_Full	1000	3000	-40. 94	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Outer_Full	3000	6000	-49. 43	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Outer_Full	6000	2600 0	-29. 68	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+M	Outer_Full	26000	4000 0	-33. 10	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Edge_1RB _Left	0.009	0.15	-58. 39	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Edge_1RB _Left	0.15	30	-76. 67	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Edge_1RB _Left	30	1000	-70. 74	-2 3	PAS S

DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Edge_1RB _Left	1000	3000	-39. 68	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Edge_1RB _Left	3000	6000	-49. 71	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Edge_1RB _Left	6000	2600 0	-29. 69	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Edge_1RB _Left	26000	4000 0	-33. 32	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Edge_1RB _Right	0.009	0.15	-54. 74	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Edge_1RB _Right	0.15	30	-75. 17	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Edge_1RB _Right	30	1000	-70. 03	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Edge_1RB _Right	1000	3000	-40. 58	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Edge_1RB _Right	3000	6000	-49. 35	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Edge_1RB _Right	6000	2600 0	-29. 85	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Edge_1RB _Right	26000	4000 0	-33. 56	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Outer_Full	0.009	0.15	-57. 48	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Outer_Full	0.15	30	-76. 01	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Outer_Full	30	1000	-69. 85	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Outer_Full	1000	3000	-40. 32	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Outer_Full	3000	6000	-47. 95	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Outer_Full	6000	2600 0	-30. 06	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+M	Outer_Full	26000	4000 0	-33. 65	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Edge_1RB _Left	0.009	0.15	-54. 24	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Edge_1RB _Left	0.15	30	-75. 62	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Edge_1RB _Left	30	1000	-70. 60	-2 3	PAS S

DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Edge_1RB _Left	1000	3000	-48. 48	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Edge_1RB _Left	3000	6000	-49. 62	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Edge_1RB _Left	6000	2600 0	-29. 97	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Edge_1RB _Left	26000	4000 0	-33. 28	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Edge_1RB _Right	0.009	0.15	-58. 76	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Edge_1RB _Right	0.15	30	-76. 17	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Edge_1RB _Right	30	1000	-70. 46	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Edge_1RB _Right	1000	3000	-38. 48	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Edge_1RB _Right	3000	6000	-49. 53	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Edge_1RB _Right	6000	2600 0	-29. 83	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Edge_1RB _Right	26000	4000 0	-33. 35	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Outer_Full	0.009	0.15	-58. 64	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Outer_Full	0.15	30	-72. 08	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Outer_Full	30	1000	-70. 52	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Outer_Full	1000	3000	-40. 39	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Outer_Full	3000	6000	-49. 41	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Outer_Full	6000	2600 0	-29. 82	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	DFT-Q PSK	M+H	Outer_Full	26000	4000 0	-33. 48	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Edge_1RB _Left	0.009	0.15	-59. 83	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Edge_1RB _Left	0.15	30	-74. 93	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Edge_1RB _Left	30	1000	-70. 58	-2 3	PAS S

DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Edge_1RB _Left	1000	3000	-40. 26	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Edge_1RB _Left	3000	6000	-49. 65	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Edge_1RB _Left	6000	2600 0	-30. 06	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Edge_1RB _Left	26000	4000 0	-33. 45	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Edge_1RB _Right	0.009	0.15	-55. 66	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Edge_1RB _Right	0.15	30	-75. 12	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Edge_1RB _Right	30	1000	-70. 78	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Edge_1RB _Right	1000	3000	-42. 65	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Edge_1RB _Right	3000	6000	-49. 39	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Edge_1RB _Right	6000	2600 0	-30. 01	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Edge_1RB _Right	26000	4000 0	-33. 48	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Outer_Full	0.009	0.15	-52. 57	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Outer_Full	0.15	30	-75. 26	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Outer_Full	30	1000	-70. 32	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Outer_Full	1000	3000	-41. 15	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Outer_Full	3000	6000	-47. 17	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Outer_Full	6000	2600 0	-29. 60	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+40	CP-QP SK	M+H	Outer_Full	26000	4000 0	-33. 37	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Edge_1RB _Left	0.009	0.15	-57. 04	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Edge_1RB _Left	0.15	30	-75. 00	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Edge_1RB _Left	30	1000	-70. 67	-2 3	PAS S

DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Edge_1RB _Left	1000	3000	-38. 32	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Edge_1RB _Left	3000	6000	-49. 64	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Edge_1RB _Left	6000	2600 0	-29. 85	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Edge_1RB _Left	26000	4000 0	-33. 32	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Edge_1RB _Right	0.009	0.15	-53. 71	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Edge_1RB _Right	0.15	30	-76. 54	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Edge_1RB _Right	30	1000	-70. 62	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Edge_1RB _Right	1000	3000	-39. 71	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Edge_1RB _Right	3000	6000	-49. 75	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Edge_1RB _Right	6000	2600 0	-30. 01	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Edge_1RB _Right	26000	4000 0	-33. 35	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Outer_Full	0.009	0.15	-55. 68	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Outer_Full	0.15	30	-72. 54	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Outer_Full	30	1000	-70. 85	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Outer_Full	1000	3000	-42. 70	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Outer_Full	3000	6000	-48. 62	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Outer_Full	6000	2600 0	-29. 72	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	DFT-Q PSK	M+M	Outer_Full	26000	4000 0	-33. 32	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Edge_1RB _Left	0.009	0.15	-56. 45	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Edge_1RB _Left	0.15	30	-76. 03	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Edge_1RB _Left	30	1000	-70. 72	-2 3	PAS S

DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Edge_1RB _Left	1000	3000	-37. 75	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Edge_1RB _Left	3000	6000	-49. 50	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Edge_1RB _Left	6000	2600 0	-30. 19	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Edge_1RB _Left	26000	4000 0	-33. 38	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Edge_1RB _Right	0.009	0.15	-54. 02	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Edge_1RB _Right	0.15	30	-74. 35	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Edge_1RB _Right	30	1000	-70. 11	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Edge_1RB _Right	1000	3000	-42. 59	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Edge_1RB _Right	3000	6000	-49. 71	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Edge_1RB _Right	6000	2600 0	-29. 94	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Edge_1RB _Right	26000	4000 0	-33. 28	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Outer_Full	0.009	0.15	-58. 36	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Outer_Full	0.15	30	-75. 57	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Outer_Full	30	1000	-70. 59	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Outer_Full	1000	3000	-38. 42	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Outer_Full	3000	6000	-47. 45	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Outer_Full	6000	2600 0	-29. 61	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+50	CP-QP SK	M+M	Outer_Full	26000	4000 0	-33. 42	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Edge_1RB _Left	0.009	0.15	-57. 15	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Edge_1RB _Left	0.15	30	-76. 99	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Edge_1RB _Left	30	1000	-70. 49	-2 3	PAS S

DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Edge_1RB _Left	1000	3000	-40. 05	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Edge_1RB _Left	3000	6000	-49. 42	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Edge_1RB _Left	6000	2600 0	-29. 89	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Edge_1RB _Left	26000	4000 0	-33. 36	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Edge_1RB _Right	0.009	0.15	-58. 76	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Edge_1RB _Right	0.15	30	-74. 46	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Edge_1RB _Right	30	1000	-70. 72	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Edge_1RB _Right	1000	3000	-41. 89	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Edge_1RB _Right	3000	6000	-49. 52	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Edge_1RB _Right	6000	2600 0	-29. 90	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Edge_1RB _Right	26000	4000 0	-33. 29	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Outer_Full	0.009	0.15	-57. 90	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Outer_Full	0.15	30	-74. 00	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Outer_Full	30	1000	-70. 21	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Outer_Full	1000	3000	-40. 24	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Outer_Full	3000	6000	-49. 55	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Outer_Full	6000	2600 0	-29. 74	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+L	Outer_Full	26000	4000 0	-32. 82	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Edge_1RB _Left	0.009	0.15	-59. 44	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Edge_1RB _Left	0.15	30	-75. 20	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Edge_1RB _Left	30	1000	-70. 46	-2 3	PAS S


DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Edge_1RB _Left	1000	3000	-35. 73	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Edge_1RB _Left	3000	6000	-49. 75	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Edge_1RB _Left	6000	2600 0	-29. 93	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Edge_1RB _Left	26000	4000 0	-33. 30	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Edge_1RB _Right	0.009	0.15	-54. 79	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Edge_1RB _Right	0.15	30	-75. 07	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Edge_1RB _Right	30	1000	-70. 91	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Edge_1RB _Right	1000	3000	-40. 10	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Edge_1RB _Right	3000	6000	-49. 73	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Edge_1RB _Right	6000	2600 0	-29. 77	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Edge_1RB _Right	26000	4000 0	-33. 31	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Outer_Full	0.009	0.15	-53. 85	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Outer_Full	0.15	30	-75. 08	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Outer_Full	30	1000	-70. 65	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Outer_Full	1000	3000	-42. 23	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Outer_Full	3000	6000	-47. 78	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Outer_Full	6000	2600 0	-30. 03	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+L	Outer_Full	26000	4000 0	-33. 49	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Edge_1RB _Left	0.009	0.15	-59. 73	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Edge_1RB _Left	0.15	30	-75. 01	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Edge_1RB _Left	30	1000	-70. 62	-2 3	PAS S


DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Edge_1RB _Left	1000	3000	-42. 64	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Edge_1RB _Left	3000	6000	-49. 75	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Edge_1RB _Left	6000	2600 0	-30. 13	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Edge_1RB _Left	26000	4000 0	-33. 08	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Edge_1RB _Right	0.009	0.15	-59. 31	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Edge_1RB _Right	0.15	30	-74. 18	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Edge_1RB _Right	30	1000	-70. 34	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Edge_1RB _Right	1000	3000	-42. 56	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Edge_1RB _Right	3000	6000	-49. 61	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Edge_1RB _Right	6000	2600 0	-29. 96	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Edge_1RB _Right	26000	4000 0	-33. 32	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Outer_Full	0.009	0.15	-59. 03	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Outer_Full	0.15	30	-75. 09	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Outer_Full	30	1000	-70. 81	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Outer_Full	1000	3000	-40. 44	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Outer_Full	3000	6000	-49. 43	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Outer_Full	6000	2600 0	-29. 74	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+M	Outer_Full	26000	4000 0	-33. 53	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Edge_1RB _Left	0.009	0.15	-61. 16	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Edge_1RB _Left	0.15	30	-73. 18	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Edge_1RB _Left	30	1000	-70. 45	-2 3	PAS S

DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Edge_1RB _Left	1000	3000	-39. 23	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Edge_1RB _Left	3000	6000	-49. 48	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Edge_1RB _Left	6000	2600 0	-29. 91	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Edge_1RB _Left	26000	4000 0	-33. 27	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Edge_1RB _Right	0.009	0.15	-58. 52	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Edge_1RB _Right	0.15	30	-75. 53	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Edge_1RB _Right	30	1000	-70. 47	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Edge_1RB _Right	1000	3000	-38. 41	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Edge_1RB _Right	3000	6000	-49. 57	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Edge_1RB _Right	6000	2600 0	-29. 81	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Edge_1RB _Right	26000	4000 0	-33. 62	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Outer_Full	0.009	0.15	-58. 58	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Outer_Full	0.15	30	-73. 81	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Outer_Full	30	1000	-70. 14	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Outer_Full	1000	3000	-42. 71	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Outer_Full	3000	6000	-49. 04	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Outer_Full	6000	2600 0	-29. 90	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	CP-QP SK	M+M	Outer_Full	26000	4000 0	-32. 98	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Edge_1RB _Left	0.009	0.15	-56. 12	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Edge_1RB _Left	0.15	30	-75. 32	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Edge_1RB _Left	30	1000	-70. 49	-2 3	PAS S

DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Edge_1RB _Left	1000	3000	-42. 60	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Edge_1RB _Left	3000	6000	-49. 56	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Edge_1RB _Left	6000	2600 0	-29. 80	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Edge_1RB _Left	26000	4000 0	-33. 52	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Edge_1RB _Right	0.009	0.15	-59. 06	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Edge_1RB _Right	0.15	30	-75. 57	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Edge_1RB _Right	30	1000	-70. 01	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Edge_1RB _Right	1000	3000	-41. 71	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Edge_1RB _Right	3000	6000	-49. 69	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Edge_1RB _Right	6000	2600 0	-30. 02	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Edge_1RB _Right	26000	4000 0	-33. 36	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Outer_Full	0.009	0.15	-58. 50	-4 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Outer_Full	0.15	30	-76. 16	-3 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Outer_Full	30	1000	-70. 56	-2 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Outer_Full	1000	3000	-41. 14	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Outer_Full	3000	6000	-49. 69	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Outer_Full	6000	2600 0	-29. 86	-1 3	PAS S
DC_2A_n78A-36 50-3700	30	5+20	DFT-Q PSK	M+H	Outer_Full	26000	4000 0	-33. 35	-1 3	PAS S

Test Graphs







NTNV_DC_2A_n78A-3650-3700_PC3_30_5+20_ M+H_TID17_NS_01_3000_6000_#1

NTNV_DC_2A_n78A-3650-3700_PC3_30_5+20_ M+H_TID17_NS_01_6000_26000_#1


NTNV_DC_2A_n78A-3650-3700_PC3_30_5+20_ M+H_TID17_NS_01_26000_40000_#1

NTNV_DC_2A_n78A-3650-3700_PC3_30_5+20_ M+H_TID18_NS_01_0.009_0.15_#1







NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_ M+L_TID4_NS_01_0.009_0.15_#1





NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_ M+L_TID4_NS_01_0.15_30_#1





NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_ M+L_TID4_NS_01_30_1000_#1




NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_ M+L_TID4_NS_01_1000_3000_#1









NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_M+L_TID5_NS_01_1000_3000_#1





NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_M+L_TID5_NS_01_3000_6000_#1




NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_M+L_TID5_NS_01_6000_26000_#1




NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_M+L_TID5_NS_01_26000_40000_#1




NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_ M+L_TID6_NS_01_0.009_0.15_#1




NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_ M+L_TID6_NS_01_0.15_30_#1




NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_ M+L_TID6_NS_01_30_1000_#1



NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_ M+L_TID6_NS_01_1000_3000_#1



NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_ M+L_TID6_NS_01_3000_6000_#1



NTNV_DC_2A_n78A-3650-3700_PC3_30_5+40_ M+L_TID6_NS_01_6000_26000_#1

