
ATTACHMENT P: SAR TEST PLOTS

FCC ID: RFLACW-1XP800

SAM(835MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(6.30,6.30,6.30);

835 MHz Body: $\sigma = 1.00$ mho/m $\epsilon_r = 54.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

SAR (1g): 0.703 mW/g, SAR (10g): 0.493 mW/g;


Powerdrift: -0.11 dB

AXESS TELECOM

CDMA Mode, Ch.1013[824.7MHz]; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power=24.5dBm; With Charger; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- September 10, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



FCC ID: RFLACW-1XP800

SAM(835MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(6.30,6.30,6.30);

835 MHz Body: $\sigma = 1.00$ mho/m $\epsilon_r = 54.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

SAR (1g): 1.14 mW/g, SAR (10g): 0.789 mW/g;


Powerdrift: -0.18 dB

AXESS TELECOM

CDMA Mode, Ch.384[8836.52MHz]; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power=24.5dBm; With Charger; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- September 10, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



FCC ID: RFLACW-1XP800

SAM(835MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(6.30,6.30,6.30);

835 MHz Body: $\sigma = 1.00$ mho/m $\epsilon_r = 54.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

SAR (1g): 0.621 mW/g, SAR (10g): 0.435 mW/g;


Powerdrift: -0.10 dB

AXESS TELECOM

CDMA Mode, Ch.777[848.31MHz]; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power=24.5dBm; With Charger; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- September 10, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



FCC ID: RFLACW-1XP800

SAM(835MHz) Phantom; Section; Probe: ET3DV6 - SN1702; ConvF(6.30,6.30,6.30);

835 MHz Body: $\sigma = 1.00$ mho/m $\epsilon_r = 54.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


;

AXESS TELECOM

CDMA Mode, Ch.384[8836.52MHz]; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power=24.5dBm; With Charger; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- September 10, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



FCC ID: RFLACW-1XP800

SAM(835MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(6.30,6.30,6.30);

835 MHz Body: $\sigma = 1.00$ mho/m $\epsilon_r = 54.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

SAR (1g): 0.615 mW/g, SAR (10g): 0.436 mW/g;


Powerdrift: -0.33 dB

AXESS TELECOM

CDMA Mode, Ch.1013[824.7MHz]; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power=24.5dBm; With Battery; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- September 10, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



FCC ID: RFLACW-1XP800

SAM(835MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(6.30,6.30,6.30);

835 MHz Body: $\sigma = 1.00$ mho/m $\epsilon_r = 54.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

SAR (1g): 0.632 mW/g, SAR (10g): 0.441 mW/g;


Powerdrift: -0.14 dB

AXESS TELECOM

CDMA Mode, Ch.384[836.52MHz]; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power=24.5dBm; With Battery; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- September 10, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



FCC ID: RFLACW-1XP800

SAM(835MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(6.30,6.30,6.30);

835 MHz Body: $\sigma = 1.00$ mho/m $\epsilon_r = 54.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

SAR (1g): 0.407 mW/g, SAR (10g): 0.288 mW/g;


Powerdrift: -0.29 dB

AXESS TELECOM

CDMA Mode, Ch.777[848.31MHz]; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power=24.5dBm; With Battery; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- September 10, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



FCC ID: RFLACW-1XP800

SAM(835MHz) Phantom; Section; Probe: ET3DV6 - SN1702; ConvF(6.30,6.30,6.30);

835 MHz Body: $\sigma = 1.00$ mho/m $\epsilon_r = 54.3$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

;

AXESS TELECOM

CDMA Mode, Ch.384[836.52MHz]; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power=24.5dBm; With Battery; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- September 10, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]

