

APPENDIX E

DATA SHEETS

-26 dB BANDWIDTH


DATA SHEETS

-26 dB BANDWIDTH TEST**STRIX SYSTEMS, INC.****802.11 a/b/g WIRELESS ACCESS POINT****MODEL: ACCESS / ONE NETWORK**


CHANNEL	FREQUENCY (MHz)	B (MHz)	10 Log B (dB)
36 (Normal)	5180	27.65	14.42
44 (Normal)	5220	34.85	15.42
48 (Normal)	5240	35.55	15.51
52 (Normal)	5260	32.15	15.07
60 (Normal)	5300	34.15	15.33
64 (Normal)	5320	30.05	14.78
42 (Turbo)	5210	57.40	17.59
50 (Turbo)	5250	61.30	17.87
58 (Turbo)	5290	63.50	18.03




**PHOTOGRAPH SHOWING THE -26 dB BANDWIDTH OF
CHANNEL 36**




**PHOTOGRAPH SHOWING THE -26 dB BANDWIDTH OF
CHANNEL 42**




**PHOTOGRAPH SHOWING THE -26 dB BANDWIDTH OF
CHANNEL 44**




**PHOTOGRAPH SHOWING THE -26 dB BANDWIDTH OF
CHANNEL 48**




**PHOTOGRAPH SHOWING THE -26 dB BANDWIDTH OF
CHANNEL 50**




**PHOTOGRAPH SHOWING THE -26 dB BANDWIDTH OF
CHANNEL 52**



**PHOTOGRAPH SHOWING THE -26 dB BANDWIDTH OF
CHANNEL 58**



**PHOTOGRAPH SHOWING THE -26 dB BANDWIDTH OF
CHANNEL 60**



**PHOTOGRAPH SHOWING THE -26 dB BANDWIDTH OF
CHANNEL 64**