

ANNEX IV. FREQUENCY STABILITY TEST WITH TEMPERATURE GRADIENT

BEACON NOMINAL FREQUENCY

MANUFACTURER: MMInc
MODEL NUMBER: MBT-040600
SERIAL NUMBER: 097

DATE: 9 Feb 1999
TESTED BY: *[Signature]*
APPROVED: *[Signature]*




BEACON SHORT TERM STABILITY

MANUFACTURER: MMInc
 MODEL NUMBER: MBT-040600
 SERIAL NUMBER: 097

DATE: 9 Feb 1999
 TESTED BY: *[Signature]*
 APPROVED: *[Signature]*


Short term (part in 10^{-9})



BEACON MEDIUM TERM STABILITY

MANUFACTURER: MMInc
MODEL NUMBER: MBT-040600
SERIAL NUMBER: 097

DATE: 9 Feb 1999
TESTED BY: *[Signature]*
APPROVED: *[Signature]*




BEACON MEDIUM TERM STABILITY

MANUFACTURER: MMInc
 MODEL NUMBER: MBT-040600
 SERIAL NUMBER: 097

DATE: 9 Feb 1999
 TESTED BY: *[Signature]*
 APPROVED: *[Signature]*

Res. freq. var. (part in 10^9)



Temperature (degree C)

406 SIGNAL OUTPUT POWER

MANUFACTURER: MMInc


MODEL NUMBER: MBT-040600

SERIAL NUMBER: 097

DATE: 9 Feb 1999

TESTED BY: *[Signature]*


APPROVED: *[Signature]*



TEMPERATURE GRADIENT TEST BEACON NOMINAL FREQUENCY

MANUFACTURER: MMInc
MODEL NUMBER: MBT-40600
SERIAL NUMBER: 097

DATE: 10 Feb 1999
TESTED BY: *[Signature]*
APPROVED: *[Signature]*




TEMPERATURE GRADIENT TEST BEACON SHORT TERM STABILITY

MANUFACTURER: MMInc
MODEL NUMBER: MBT-40600
SERIAL NUMBER: 097

DATE: 10 Feb 1999
TESTED BY: *[Signature]*
APPROVED: *[Signature]*

Short term (part in 10^9)



TEMPERATURE GRADIENT TEST BEACON MEDIUM TERM STABILITY


MANUFACTURER: MMInc
MODEL NUMBER: MBT-40600
SERIAL NUMBER: 097

DATE: 10 Feb 1999

TESTED BY: *[Signature]*

APPROVED: *[Signature]*


Mean Slope (part in 10⁹/min)



TEMPERATURE GRADIENT TEST BEACON MEDIUM TERM STABILITY

MANUFACTURER: MMInc
MODEL NUMBER: MBT-40600
SERIAL NUMBER: 097

DATE: 10 Feb 1999
TESTED BY: *[Signature]*
APPROVED: *[Signature]*



TEMPERATURE GRADIENT TEST 406 SIGNAL OUTPUT POWER

MANUFACTURER: MMInc
MODEL NUMBER: MBT-40600
SERIAL NUMBER: 097

DATE: 10 Feb 1995
TESTED BY: *[Signature]*
APPROVED: *[Signature]*

