


ANNEX II. THERMAL SHOCK TEST

THERMAL SHOCK TEST BEACON SHORT TERM STABILITY

MANUFACTURER: MMInc
MODEL NUMBER: MBT-40600
SERIAL NUMBER: 097


DATE: 11 Feb 1999
TESTED BY: Brad H. [Signature]
APPROVED: Edwin [Signature]



THERMAL SHOCK TEST BEACON MEDIUM TERM STABILITY

MANUFACTURER: MMInc
 MODEL NUMBER: MBT-40600
 SERIAL NUMBER: 097


DATE: 11 Feb 1999
 TESTED BY: *[Signature]*
 APPROVED: *[Signature]*



THERMAL SHOCK TEST BEACON NOMINAL FREQUENCY

MANUFACTURER: MMInc
MODEL NUMBER: MBT-40600
SERIAL NUMBER: 097


DATE: 11 Feb 1999
TESTED BY: Frank H. E.
APPROVED: Edwin R. King



THERMAL SHOCK TEST BEACON MEDIUM TERM STABILITY

MANUFACTURER: MMInc
MODEL NUMBER: MBT-40600
SERIAL NUMBER: 097

DATE: 11 Feb 1999
TESTED BY: *[Signature]*
APPROVED: *[Signature]*



THERMAL SHOCK TEST 406 SIGNAL OUTPUT POWER

MANUFACTURER: MMInc

MODEL NUMBER: MBT-40600

SERIAL NUMBER: 097

DATE: 11 Feb 1999

TESTED BY: *Frank [Signature]*

APPROVED: *[Signature]*

