



File Reference No.: 2020-09-02

Applicant: King of Fans, Inc.

Product: 52" LATHAM, 91353

Brand Name: Hamptoy Bay

Model No.: 52-LTM

Test Standards: FCC Part 15 Subpart B

Test Result:

It is herewith confirmed and found to comply with the

requirements set up by ANSI C63.4&FCC Part 15 regulations

for the evaluation of electromagnetic compatibility

Approved By

lang lang

Terry Tong

Manager

Dated: September 02, 2020

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES.

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688 Fax (755) 83442996 Email: <u>info@timeway-lab.com</u>

Report No.: TW2008256E Page 2 of 28

Date: 2020-09-02



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

Industry Canada (IC) — Registration No.:5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

A2LA (Certification Number:5013.01)

adopt any other remedies which may be appropriate."

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

Date: 2020-09-02



Content

1.0	Ger	ieral Details	4
	1.1	Test Lab Details	4
	1.2	Applicant Details	4
	1.4	Submitted Sample: 1 Sample	4
	1.5	Test Duration	4
	1.6	Test Uncertainty	4
	1.7	Test Engineer	4
2.0	List	of Measurement Equipment	5
	2.1	Conducted Emission Test.	5
	2.2	Radiated electromagnetic disturbance test	5
	2.3	Auxiliary Equipment	5
3.0	Tec	hnical Details	6
	3.1	Investigations Requested	6
	3.2	Test Standards	6
4.0	Cor	nducted Power line Test	7
	4.1	Schematics of the test	7
	4.2	Test Method and test Procedure	7
	4.3	Power line conducted Emission Limit	7
	4.4	Test Results	7
6.0	FC	C Label	. 16
7.0	Pho	to of testing	. 17
Con	ducte	d Emissions	. 17

Date: 2020-09-02



Page 4 of 28

1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.

Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le

Village, Nanshan District, Shenzhen, China

Telephone: (755) 83448688 Fax: (755) 83442996

1.2 Applicant Details

Applicant: King of Fans, Inc.

Address: 1951 N.W. 22nd Street, Fort Lauderdale, FL33311, USA

Telephone: 954-484-7500 Fax: 954-784-7602

1.3 Description of EUT

Product: 52" LATHAM, 91353

Manufacturer: Chienluen Industries (zhongshan) Ltd..

Address: Da Che Industrial Area, Nanlang Town, Zhongshan, Guangdong China 528451

Brand Name: Hamptoy Bay

Model Number: 52-LTM

Rating: Input: 120V, 60Hz, Fan W/O Light Kit: 0.5A, w/o light 6W; Output: w/light 1.5A, w/light 180W

Rx Frequency: 303.9MHz

1.4 Submitted Sample: 1 Sample

1.5 Test Duration

Date of Receipt of Application: August 25, 2020 Date of Receipt of Test Item: August 25, 2020

Date of Test: August 25, 2020 ~ September 02, 2020

1.6 Test Uncertainty

Conducted Emissions Uncertainty = 3.6dB

Radiated Emissions below 1GHz Uncertainty =4.7dB

Radiated Emissions above 1GHz Uncertainty =6.0dB

1.7 Test Engineer

The sample tested by

Print Name: Leo Lau

"The report refers only to the sample tested and does not apply to the bulk production.

This report is issued in confidential to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No.: TW2008256E Page 5 of 28

Date: 2020-09-02



2.0 List of Measurement Equipment

2.1 Conducted Emission Test

				Calibration	Calibration
Name	Model No.	Serial No.	Manufacturer	Date	Cycle
EMI Test Receiver	ESH3	860905/006	RS	2020.06.23	1Year
Spectrum Analyzer	ESA-L1500A	US37451154	HP	2020.06.23	1Year
PULSE LIMITER	ESH3-Z2	100281	RS	2020.06.23	1Year
LISN	ESH3-Z5	100294	RS	2020.06.23	1Year
LISN	ESH3-Z5	100253	RS	2020.06.23	1Year
LISN	NNB42	00012	SCHAFFNER	2020.01.07	1Year

2.2 Radiated electromagnetic disturbance test

				Calibration	Calibration
Name	Model No	Serial No.	Manufacturer	Date	Cycle
EMI Test Receiver	ESPI 3	100379	RS	2020.06.23	1Year
Spectrum Analyzer	E4407B	MY50441392	HP/Agilent	2020.06.23	1Year
Amplifier	BBV9743	#218	HP/Agilent	2020.06.23	1Year
Bilog Antenna	VULB9163	9163/340	Schwarebeck	2018.07.04	3Year
Horn Antenna	BBHA 9120D	9120D-631	RS	2018.07.09	3Year
Amplifier	8449B	3008A00160	HP/Agilent	2020.06.23	1Year

2.3 Auxiliary Equipment

	1		
Device	Manufacturer	Model	Rating
N/A			

Page 6 of 28

Report No.: TW2008256E Date: 2020-09-02

3.0 Technical Details

3.1 Investigations Requested

Perform Electromagnetic Interference [EMI] tests for FCC Requirement.

3.2 Test Standards


FCC Part 15 Subpart B

Date: 2020-09-02



4.0 Conducted Power line Test

4.1 Schematics of the test




EUT: Equipment Under Test

4.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2014. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4 –2014. Cables and peripherals were moved to find the maximum emission levels for each frequency.

Test Voltage: 120V~, 60Hz Block diagram of Test setup



4.3 Power line conducted Emission Limit

Engguen av (MHz)	Class A Li	mits dB(μV)	Class B Limits dB(µV)			
Frequency(MHz)	Quasi-peak Level	Average Level	Average Level Quasi-peak Level Average Le	Average Level		
$0.15 \sim 0.50$	79.00	66.00	66.00~56.00*	56.00~46.00*		
$0.50 \sim 5. 0$	73.00	60.00	56.00	46.00		
5.00 ~ 30.00	$0 \sim 30.00$ 73.00		60.00	50.00		

Notes:

- 1. *decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

4.4 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

Note: for this report, only receiving mode was tested.

This report is issued in confidential to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

[&]quot;The report refers only to the sample tested and does not apply to the bulk production.

Date: 2020-09-02



A: Conducted Emission on Live Terminal (150kHz to 30MHz)

EUT Operating Environment


Temperature: 25°C Humidity:75%RH Atmospheric Pressure: 101 KPa

EUT set Condition: Receiving Mode

Results: Pass

Equipment Level: Class B

Please refer to following diagram for individual



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.1641	30.24	9.78	40.02	65.25	-25.23	QP	Р
2	0.1641	8.38	9.78	18.16	55.25	-37.09	AVG	Р
3	0.2124	23.62	9.75	33.37	63.11	-29.74	QP	Р
4	0.2124	5.32	9.75	15.07	53.11	-38.04	AVG	Р
5	0.2670	17.67	9.75	27.42	61.21	-33.79	QP	Р
6	0.2670	-1.39	9.75	8.36	51.21	-42.85	AVG	Р
7	0.3450	11.34	9.76	21.10	59.08	-37.98	QP	Р
8	0.3450	-3.73	9.76	6.03	49.08	-43.05	AVG	Р
9	0.9963	2.03	9.79	11.82	56.00	-44.18	QP	Р
10	0.9963	-4.29	9.79	5.50	46.00	-40.50	AVG	Р
11	14.2671	11.60	10.35	21.95	60.00	-38.05	QP	Р
12	14.2671	6.43	10.35	16.78	50.00	-33.22	AVG	Р
13	21.4548	7.87	10.77	18.64	60.00	-41.36	QP	Р
14	21.4548	-0.18	10.77	10.59	50.00	-39.41	AVG	Р

[&]quot;The report refers only to the sample tested and does not apply to the bulk production.

This report is issued in confidential to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2020-09-02

Report No.: TW2008256E



B: Conducted Emission on Neutral Terminal (150kHz to 30MHz)

EUT Operating Environment


Temperature: 25°C Humidity:75%RH Atmospheric Pressure: 101 KPa

EUT set Condition: Receiving Mode

Results: Pass

Equipment Level: Class B

Please refer to following diagram for individual



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.1500	33.19	9.79	42.98	66.00	-23.02	QP	Р
2	0.1500	10.70	9.79	20.49	56.00	-35.51	AVG	Р
3	0.1695	32.91	9.77	42.68	64.98	-22.30	QP	Р
4	0.1695	6.29	9.77	16.06	54.98	-38.92	AVG	Р
5	0.2085	27.70	9.75	37.45	63.26	-25.81	QP	Р
6	0.2085	5.32	9.75	15.07	53.26	-38.19	AVG	Р
7	0.2592	26.82	9.75	36.57	61.46	-24.89	QP	Р
8	0.2592	0.26	9.75	10.01	51.46	-41.45	AVG	Р
9	1.0431	5.38	9.79	15.17	56.00	-40.83	QP	Р
10	1.0431	-4.28	9.79	5.51	46.00	-40.49	AVG	Р
11	14.2749	18.03	10.35	28.38	60.00	-31.62	QP	Р
12	14.2749	15.99	10.35	26.34	50.00	-23.66	AVG	Р
13	21.8019	8.92	10.79	19.71	60.00	-40.29	QP	Р
14	21.8019	0.42	10.79	11.21	50.00	-38.79	AVG	Р

[&]quot;The report refers only to the sample tested and does not apply to the bulk production.

This report is issued in confidential to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Report No.: TW2008256E Page 10 of 28

Date: 2020-09-02



5.0 Radiated Disturbance Test

5.1 Schematics of the test




5.2 Test Method and test Procedure:

The EUT was tested according to ANSI C63.4 –2014; The frequency spectrum from 30MHz to 6GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak values with a resolution bandwidth of 120kHz. For measurement above 1GHz, peak values with RBW=1MHz and PK detector. AV value with RBW=1MHz, VBW=10Hz and PK

Actual Working Voltage and Frequency: 120V~, 60Hz


Block diagram of Test setup



[&]quot;The report refers only to the sample tested and does not apply to the bulk production.

Date: 2020-09-02





5.3 Radiated Emission Limit

Frequency Range (MHz)	Distance (m)	Field strength (dB μ V/m)
30-88	3	40.00
88-216	3	43.50
216-960	3	46.00
Above 960	3	54.00

Note: The lower limit shall apply at the transition frequencies

5.4 Test result

The frequency spectrum from 30MHz to 6GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak values with a resolution bandwidth of 120kHz. For measurement above 1GHz, peak values with RBW=VBW=1MHz and PK detector. AV value with RBW=1MHz, VBW=10Hz and PK. Measurements were made at 3 meters.

[&]quot;The report refers only to the sample tested and does not apply to the bulk production.

Report No.: TW2008256E Page 12 of 28

Date: 2020-09-02




A: Radiated Disturbance (30MHz----1000MHz)

Project Number: CASE3 Test Time: 2020-09-01 15.33.22

EUT Name: 52'LATHAM,9135 Test Engineer: Artorias

Manufacturer:King of Fans, Inc.Test Standard:FCC PART 15BModel:52-LTMWork Addition:Receiving Mode

Temp.($^{\circ}$ C): 25 Load: Hum.: 65% Remark:



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	41.637	14.94	-11.82	40.0	-25.06	Peak	75.00	200	Horizontal	Pass
2	55.214	15.30	-11.83	40.0	-24.70	Peak	281.00	200	Horizontal	Pass
3	86.973	16.37	-15.88	40.0	-23.63	Peak	0.00	200	Horizontal	Pass
4	137.886	17.22	-17.28	43.5	-26.28	Peak	0.00	200	Horizontal	Pass
5	270.985	16.64	-11.73	46.0	-29.36	Peak	0.00	200	Horizontal	Pass
6	597.793	23.23	-5.10	46.0	-22.77	Peak	360.00	100	Horizontal	Pass

[&]quot;The report refers only to the sample tested and does not apply to the bulk production.

Report No.: TW2008256E Page 13 of 28

Date: 2020-09-02



B: Radiated Disturbance (30MHz----1000MHz)


Project Number: CASE3 Test Time: 2020-09-01 15.36.33

EUT Name: 52'LATHAM,9135 Test Engineer: Artorias

Manufacturer:King of Fans, Inc.Test Standard:FCC PART 15BModel:52-LTMWork Addition:Receiving Mode

Temp.($^{\circ}$): 25 Load:

Hum.: 65% Remark:



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	34.849	15.10	-14.06	40.0	-24.90	Peak	255.00	100	Vertical	Pass
2	86.973	17.69	-15.88	40.0	-22.31	Peak	138.00	100	Vertical	Pass
3	145.401	13.53	-17.29	43.5	-29.97	Peak	9.00	100	Vertical	Pass
4	161.645	13.14	-16.39	43.5	-30.36	Peak	220.00	100	Vertical	Pass
5	423.237	19.77	-8.12	46.0	-26.23	Peak	0.00	200	Vertical	Pass
6	902.054	28.42	-2.02	46.0	-17.58	Peak	11.00	100	Vertical	Pass

[&]quot;The report refers only to the sample tested and does not apply to the bulk production.

Report No.: TW2008256E Page 14 of 28

Date: 2020-09-02



C: Radiated Disturbance (1000MHz----5000MHz)

EUT Operating Environment


Temperature: 25°C Humidity: 75%RH Atmospheric Pressure: 101 kPa

EUT set Condition: Receiving Mode

Equipment Level: Class B

Results: Pass

Please refer to following diagram for individual



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	3208.500	42.24	-1.98	74.0	-31.76	Peak	14.00	100	Horizontal	Pass
2	3618.750	43.55	-0.53	74.0	-30.45	Peak	10.00	100	Horizontal	Pass
3	4032.000	44.37	1.26	74.0	-29.63	Peak	2.00	100	Horizontal	Pass

Report No.: TW2008256E Page 15 of 28

Date: 2020-09-02



D: Radiated Disturbance (1000MHz----5000MHz)

EUT Operating Environment


Temperature:25°C Humidity: 75%RH Atmospheric Pressure: 101 kPa

EUT set Condition: Receiving Mode

Equipment Level: Class B

Results: Pass

Please refer to following diagram for individual



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	3186.000	42.24	-2.00	74.0	-31.76	Peak	2.00	100	Vertical	Pass
2	4249.500	44.79	1.72	74.0	-29.21	Peak	5.00	100	Vertical	Pass
3	5093.250	46.12	3.79	74.0	-27.88	Peak	6.00	100	Vertical	Pass

[&]quot;The report refers only to the sample tested and does not apply to the bulk production.

Report No.: TW2008256E Page 16 of 28

Date: 2020-09-02




6.0 FCC Label

FCC ID: RGB-52LTMC2-

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.



Page 17 of 28 Report No.: TW2008256E

Date: 2020-09-02



7.0 Photo of testing

Conducted Emissions



Page 18 of 28

Report No.: TW2008256E

Date: 2020-09-02



Radiated Emissions



"The report refers only to the sample tested and does not apply to the bulk production.

This report is issued in confidential to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES reserves the rights to withdraw it and to adopt any other remedies which may be appropriate."

Page 19 of 28

Report No.: TW2008256E

Date: 2020-09-02



Photographs – EUT





"The report refers only to the sample tested and does not apply to the bulk production.

This report is issued in confidential to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES reserves the rights to withdraw it and to adopt any other remedies which may be appropriate."

Page 20 of 28

Report No.: TW2008256E

Date: 2020-09-02



Photographs – EUT





"The report refers only to the sample tested and does not apply to the bulk production.

This report is issued in confidential to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES reserves the rights to withdraw it and to adopt any other remedies which may be appropriate."

Page 21 of 28

Report No.: TW2008256E

Date: 2020-09-02



Photographs – EUT





"The report refers only to the sample tested and does not apply to the bulk production.

This report is issued in confidential to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES reserves the rights to withdraw it and to adopt any other remedies which may be appropriate."


Page 22 of 28

Report No.: TW2008256E

Date: 2020-09-02



Photographs – EUT





"The report refers only to the sample tested and does not apply to the bulk production.

This report is issued in confidential to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES reserves the rights to withdraw it and to adopt any other remedies which may be appropriate."

Page 23 of 28 Report No.: TW2008256E

Date: 2020-09-02



Photographs – EUT




Page 24 of 28

Report No.: TW2008256E

Date: 2020-09-02



Photographs – EUT



"The report refers only to the sample tested and does not apply to the bulk production.

This report is issued in confidential to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES to his customer.

Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any other persons the consent of the report. into any discussion of correspondence with any third party concerning the contents of the report.


Page 25 of 28

Report No.: TW2008256E

Date: 2020-09-02



Photographs – EUT



"The report refers only to the sample tested and does not apply to the bulk production.

This report is issued in confidential to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES to his customer.

Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any other persons the consent of the report. into any discussion of correspondence with any third party concerning the contents of the report.

Page 26 of 28


Report No.: TW2008256E

Date: 2020-09-02



Photographs – EUT





"The report refers only to the sample tested and does not apply to the bulk production.

This report is issued in confidential to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES reserves the rights to withdraw it and to adopt any other remedies which may be appropriate."


Page 27 of 28

Report No.: TW2008256E

Date: 2020-09-02



Photographs – EUT



"The report refers only to the sample tested and does not apply to the bulk production.


This report is issued in confidential to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES reserves the rights to withdraw it and to adopt any other remedies which may be appropriate."

Date: 2020-09-02



Photographs – EUT



End of The Report

"The report refers only to the sample tested and does not apply to the bulk production.

This report is issued in confidential to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for illegal purpose. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES reserves the rights to withdraw it and to adopt any other remedies which may be appropriate."