



Report No.: FCC1907147 File reference No.: 2019-07-16

Applicant: King of Fans, Inc.

Product: 60" Apollo

Model No: 60-APOL

Trademark: Home Decorators Collection

Test Standards: FCC Part 15 Subpart B

Test result:

It is herewith confirmed and found to comply with the

requirements set up by ANSI C63.4&FCC Part 15 regulations for

the evaluation of electromagnetic compatibility

Approved By

Jack Chung

Jack Chung

Manager

Dated: July 16, 2019

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com

Report No: FCC1907147 Page 2 of 37

Date: 2019-07-16



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

Industry Canada (IC) —Registration No.:5205A-2

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A-2.

A2LA (Certification Number:5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

Page 3 of 37

Report No: FCC1907147

Date: 2019-07-16



Test Report Conclusion

Content

| 1.0 | General Details | 4 |
|-----|--|----|
| 1.1 | Test Lab Details | 4 |
| 1.2 | Applicant Details | 4 |
| 1.3 | Description of EUT | 4 |
| 1.4 | Test Uncertainty | 4 |
| 1.5 | Submitted Sample | 4 |
| 1.6 | Test Duration. | 4 |
| 2.0 | List of Measurement Equipment | 5 |
| 2.1 | Conducted Emission Test. | 5 |
| 2.2 | Radiated electromagnetic disturbance test. | 5 |
| 2.3 | Auxiliary Equipment | 5 |
| 3.0 | Technical Details | 6 |
| 3.1 | Investigations Requested | 6 |
| 3.2 | Test Standards | 6 |
| 4.0 | Power line Conducted Emission Test | 7 |
| 5.0 | Radiated Disturbance Test | 1 |
| 6.0 | FCC Label | 18 |
| 7.0 | Photo of testing | 10 |



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.

Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road

West, Tong Le Village, Nanshan District, Shenzhen, China

Telephone: (755) 83448688 Fax: (755) 83442996

Site on File with the Federal Communications Commission – United Sates

Registration Number: 744189 For 3m Anechoic Chamber

1.2 Applicant Details

Applicant: King of Fans, Inc.

Address: 1951 N.W. 22nd Street, Fort Lauderdale, FL33311, USA

Telephone: 954-484-7500 Fax: 954-784-7602

1.3 Description of EUT

Product: 60" Apollo

Manufacturer: Chienluen Industries (zhongshan) Ltd..

Address: Da Che Industrial Area, Nanlang Town, Zhongshan, Guangdong China 528451

Trademark: Home Decorators Collection

Model Number: 60-APOL

Rating: Input 120V, 60Hz, w/o light 0.5A, w/o light 35W; Output: w/light 0.7A, w/light 57W

Rx Frequency: 304MHz

1.4 Submitted Sample: 2 Samples

1.5 Test Duration: 2019-07-13 to 2019-07-16

1.6 Test Uncertainty

Conducted Emissions Uncertainty = 3.6dB

Radiated Emissions below 1GHz Uncertainty =4.7dB Radiated Emissions above 1GHz Uncertainty =6.0dB

1.7 Test Engineer

The sample tested by

Print Name: Terry Tang

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No: FCC1907147 Page 5 of 37

Date: 2019-07-16



2.0 List of Measurement Equipment

2.1 Conducted Emission Test

| | | | | Calibration | Calibration |
|-------------------|------------|------------|--------------|-------------|-------------|
| Name | Model No. | Serial No. | Manufacturer | Date | Cycle |
| EMI Test Receiver | ESH3 | 860905/006 | RS | 2019.06.21 | 1Year |
| Spectrum Analyzer | ESA-L1500A | US37451154 | НР | 2019.06.21 | 1Year |
| PULSE LIMITER | ESH3-Z2 | 100281 | RS | 2019.06.21 | 1Year |
| LISN | ESH3-Z5 | 100294 | RS | 2019.06.21 | 1Year |
| LISN | ESH3-Z5 | 100253 | RS | 2019.06.21 | 1Year |
| LISN | NNB42 | 00012 | SCHAFFNER | 2019.01.08 | 1Year |

2.2 Radiated electromagnetic disturbance test

| | | | | Calibration | Calibration |
|-------------------|------------|------------|--------------|-------------|-------------|
| Name | Model No. | Serial No. | Manufacturer | Date | Cycle |
| EMI Test Receiver | ESPI 3 | 100379 | RS | 2019.06.21 | 1Year |
| Amplifier | BBV9743 | #218 | Schwarzbeck | 2019.06.21 | 1Year |
| Amplifier | 8449B | 3008A00160 | HP | 2019.06.21 | 1Year |
| Bilog Antenna | VULB9163 | 1139 | Schwarzbeck | 2019.07.04 | 1Year |
| Horn Antenna | BBHA 9120D | 9120D-631 | RS | 2019.07.09 | 1Year |
| Spectrum | E4407B | MY50441392 | Agilent | 2019.03.27 | 1Year |

2.3 Auxiliary Equipment

| | | | | Calibration | Calibration |
|------|-----------|------------|--------------|-------------|-------------|
| Name | Model No. | Serial No. | Manufacturer | Date | Cycle |
| | | | | | |

Report No: FCC1907147 Page 6 of 37

Date: 2019-07-16



3.0 Technical Details

3.1 Investigations Requested
Perform Electromagnetic Interference [EMI] tests for FCC Requirement.

3.2 Test Standards


FCC Part 15 Subpart B

Date: 2019-07-16



4.0 Conducted Power line Test

4.1 Schematics of the test




EUT: Equipment Under Test

4.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2014. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4 –2014. Cables and peripherals were moved to find the maximum emission levels for each frequency.

Actual Working Voltage and Frequency: 120V~, 60Hz

Block diagram of Test setup



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No: FCC1907147 Page 8 of 37

Date: 2019-07-16



4.3 Power line conducted Emission Limit

| Fraguaray (MHz) | Class A Li | mits dB(μV) | Class B Limits dB(µV) | | | |
|-------------------|------------------|---------------|-----------------------|---------------|--|--|
| Frequency(MHz) | Quasi-peak Level | Average Level | Quasi-peak Level | Average Level | | |
| $0.15 \sim 0.50$ | 79.00 | 66.00 | 66.00~56.00* | 56.00~46.00* | | |
| $0.50 \sim 5.00$ | 76.00 | 60.00 | 56.00 | 46.00 | | |
| $5.00 \sim 30.00$ | 73.00 | 60.00 | 60.00 | 50.00 | | |

Notes:

- 1. *decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

4.4 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

Date: 2019-07-16



A: Conducted Emission on Live Terminal (150kHz to 30MHz)

EUT Operating Environment

Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 kPa


EUT set Condition: Receiving Mode

Equipment Level: Class B

Results: PASS

0.150

Please refer to following diagram for individual



| No. Mk. | No. Mk. Freq. | | Correct Factor | Measure- ment | Limit | Over | | |
|---------|---------------|-------|-------------------|------------------|-------|--------|----------|---------|
| | MHz | dBuV | dB | dBuV | dBuV | dB | Detector | Comment |
| 1 | 25.0858 | 28.30 | 11.00 | 39.30 | 60.00 | -20.70 | QP | |
| 2 * | 25.0858 | 19.90 | 11.00 | 30.90 | 50.00 | -19.10 | AVG | |

(MHz)

5

30.000

0.5

Date: 2019-07-16



B: Conducted Emission on Neutral Terminal (150kHz to 30MHz)

EUT Operating Environment

Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 kPa


EUT set Condition: Receiving Mode

Equipment Level: Class B

Results: Pass

0.0

Please refer to following diagram for individual



| No. Mk. Freq. | | Reading Level | Correct Factor | Measure- ment | Limit | Over | | |
|---------------|---------|------------------|-------------------|------------------|-------|--------|----------|---------|
| | MHz | dBuV | dB | dBuV | dBuV | dB | Detector | Comment |
| 1 | 22.4258 | 33.60 | 10.83 | 44.43 | 60.00 | -15.57 | QP | |
| 2 * | 22.4258 | 27.00 | 10.83 | 37.83 | 50.00 | -12.17 | AVG | |

(MHz)

5

30.000

0.5

Page 11 of 37


Report No: FCC1907147

Date: 2019-07-16



5.0 Radiated Disturbance Test

5.1 Schematics of the test




5.2 Test Method and test Procedure:

The EUT was tested according to ANSI C63.4 –2014; The frequency spectrum from 30MHz to 6GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak values with a resolution bandwidth of 120kHz. For measurement above 1GHz, peak values with RBW=1MHz and PK detector. AV value with RBW=1MHz, VBW=10Hz and PK


Actual Working Voltage and Frequency: 120V~, 60Hz

Block diagram of Test setup



Date: 2019-07-16





5.3 Radiated Emission Limit

| Frequency Range (MHz) | Distance (m) | Field strength (dB μ V/m) |
|-----------------------|--------------|-------------------------------|
| 30-88 | 3 | 40.00 |
| 88-216 | 3 | 43.50 |
| 216-960 | 3 | 46.00 |
| Above 960 | 3 | 54.00 |

Note: The lower limit shall apply at the transition frequencies

5.4 Test result

The frequency spectrum from 30MHz to 6GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak values with a resolution bandwidth of 120kHz. For measurement above 1GHz, peak values with RBW=VBW=1MHz and PK detector. AV value with RBW=1MHz, VBW=10Hz and PK. Measurements were made at 3 meters.

Report No: FCC1907147 Page 13 of 37

Date: 2019-07-16



Test result

General Radiated Emission Data and Harmonics Radiated Emission Data

Radiated Emission In Horizontal/ In Vertical (30MHz----1000MHz)

EUT set Condition: Receiving Mode


Equipment Level: Class B Results: Pass Report No: FCC1907147 Page 14 of 37

Date: 2019-07-16



Test Figure:

Н



| No. | Frequency | Results | Factor (dB) | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|-------------|----------|------------|----------|--------|--------|-----|---------|
| | (MHz) | (dBuV/m) | | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 33.637 | 20.84 | -14.31 | 40.0 | -19.16 | Peak | 247.00 | 200 | Н | Pass |
| 2 | 51.335 | 23.09 | -11.41 | 40.0 | -16.91 | Peak | 106.00 | 200 | Н | Pass |
| 3 | 95.216 | 18.63 | -14.25 | 43.5 | -24.87 | Peak | 280.00 | 200 | Н | Pass |

Page 15 of 37


Report No: FCC1907147

Date: 2019-07-16



Test Figure:

V



| No. | Frequen | Results | Factor | Limit | Over | Detector | Table (o) | Height | ANT | Verdict |
|-----|----------|---------|--------|---------|--------|----------|-----------|--------|-----|---------|
| | cy (MHz) | (dBuV/m | (dB) | (dBuV/m | Limit | | | (cm) | | |
| | |) | |) | (dB) | | | | | |
| | | | | | | | | | | |
| 1* | 33.864 | 37.88 | -14.31 | 40.0 | -2.12 | QP | 0.00 | 100 | V | Pass |
| 2 | 50.978 | 38.47 | -11.40 | 40.0 | -1.53 | Peak | 0.00 | 144 | V | Pass |
| 2* | 50.978 | 31.65 | -11.40 | 40.0 | -8.35 | QP | 0.00 | 144 | V | Pass |
| 3 | 70.972 | 29.09 | -16.07 | 40.0 | -10.91 | Peak | 0.00 | 200 | V | Pass |
| 4 | 46.728 | 35.61 | -11.44 | 40.0 | -4.39 | Peak | 43.00 | 200 | V | Pass |

Report No: FCC1907147 Page 16 of 37

Date: 2019-07-16



Radiated Disturbance (1000MHz----6000MHz)

EUT Operating Environment

Temperature: 25°C Humidity: 75%RH Atmospheric Pressure: 101 kPa


EUT set Condition: Receiving Mode

Equipment Level: Class B

Results: Pass

Please refer to following diagram for individual

FCC Part 15B Class B 1GHz-6GHz



| No. | Frequency | Results | Factor | Limit | Over | Detector | Table (o) | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|--------|----------|-----------|--------|-----|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | Limit | | | (cm) | | |
| | | | | | (dB) | | | | | |
| 1 | 2185.954 | 33.46 | -3.38 | 74.0 | -40.54 | Peak | 4.00 | 100 | Н | Pass |
| 2 | 2832.042 | 35.85 | -2.69 | 74.0 | -38.15 | Peak | 12.00 | 100 | Н | Pass |
| 3 | 2978.255 | 36.75 | -2.65 | 74.0 | -37.25 | Peak | 6.00 | 100 | Н | Pass |

Report No: FCC1907147 Page 17 of 37

Date: 2019-07-16



Radiated Disturbance (1000MHz----6000MHz)

EUT Operating Environment

Temperature:25°C Humidity: 75%RH Atmospheric Pressure: 101 kPa


EUT set Condition: Receiving Mode

Equipment Level: Class B

Results: Pass

Please refer to following diagram for individual

FCC Part 15B Class B 1GHz-6GHz



| No. | Frequency | Results | Factor (dB) | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|-------------|----------|------------|----------|-------|--------|-----|---------|
| | (MHz) | (dBuV/m) | | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2233.442 | 34.44 | -3.23 | 74.0 | -39.56 | Peak | 10.00 | 100 | V | Pass |
| 2 | 2824.544 | 35.43 | -2.69 | 74.0 | -38.57 | Peak | 15.00 | 100 | V | Pass |
| 3 | 2995.751 | 36.06 | -2.64 | 74.0 | -37.94 | Peak | 4.00 | 100 | V | Pass |

Report No: FCC1907147 Page 18 of 37

Date: 2019-07-16




6.0 FCC Label

FCC ID: RGB-60APOLD

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.



Page 19 of 37

Report No: FCC1907147

Date: 2019-07-16



7.0 Photo of testing

7.1 Conducted test View--




Page 20 of 37

Report No: FCC1907147

Date: 2019-07-16



7.2 Radiated emission test view--




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2019-07-16



Photo for the EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 22 of 37

Report No: FCC1907147

Date: 2019-07-16



Photo for the EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.


will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2019-07-16



Photo for the EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Page 24 of 37

Report No: FCC1907147

Date: 2019-07-16







Date: 2019-07-16








Date: 2019-07-16








Page 27 of 37

Report No: FCC1907147

Date: 2019-07-16



Photo for the EUT






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2019-07-16



Photo for the EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 29 of 37


Report No: FCC1907147

Date: 2019-07-16



Photo for the EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 30 of 37

Report No: FCC1907147

Date: 2019-07-16



Photo for the EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 31 of 37

Report No: FCC1907147

Date: 2019-07-16



Photo for the EUT






The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2019-07-16



Photo for the EUT





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.


will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2019-07-16



Photo for the EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Page 34 of 37


Report No: FCC1907147

Date: 2019-07-16



Photo for the EUT







The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2019-07-16









Date: 2019-07-16



Photo for the EUT





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No: FCC1907147 Page 37 of 37

Date: 2019-07-16





-End of the report-