




- ① Power button
- ② Menu button
- ③ Left button
- ④ Right button
- ⑤ OK button

## MAIN MENU

**1** Power on




**2** Main menu




## SETTING

## ► Network setting



- Select [ID] [CH], press and hold [OK] button

## ► Configuration



- Select options you want, press and hold [OK] button

## SPECIFICATION

Frequency	902.975 ~ 927.025 MHz	Operating Battery Life	12hours
Communication Distance	0.5Km(@LOS, 1:1) 1.5km(@LOS, relay)	Size (W x D x H)	52 x 18 x 90 mm
RF Output Power	60mW	Weight	90 g
Display	TFT LCD 1.77"	Operating Temperature	-20 ~ 60 °C

- Support Full-duplex group talk up to 8 radios
- Communication Range: 0.5km to 1.5km (3 hop auto relay)
- Ultra-Slim & Ultra-Light
- Frequency band: 9xx MHz
- Communicate without pressing PTT button
- Strong security algorithm : AES-256
- Full Color LCD Display
- Applications: Sports, special Forces, Fire fighter, etc.
- Reliable in harsh conditions: desert, subway, spacious industrial field, long tunnel, mountain.. Etc.



## FCC Information to User

### • FCC Information to User

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

### • Caution

Modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

### • FCC Compliance Information

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

- This device was tested in compliance with FCC RF Exposure limit. (0 mm distance from human head/body (limit 1.6 W/kg @ 1g SAR) and extremity (limit 4.0 W/kg @ 10g SAR)).