

PEAK POWER OUTPUT


DATA SHEETS

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400




Power Level 1 for Low channel

WASHINGTON STATE UNIVERSITY

CPAS π ECHONOLOGIES

MODEL: SS100




Power Level 2 for Low channel

WASHINGTON STATE UNIVERSITY

CPAS π TECHONOLOGIES

MODEL: SS100




Power Level 3 for Low channel

WASHINGTON STATE UNIVERSITY

CPAS π TECHONOLOGIES

MODEL: SS100




Power Level 4 for Low channel

WASHINGTON STATE UNIVERSITY

CPAS π TECHONOLOGIES

MODEL: SS100




Power Level 5 for Low channel

WASHINGTON STATE UNIVERSITY

CPAS π ECHONOLOGIES

MODEL: SS100




Power Level 6 for Low channel

WASHINGTON STATE UNIVERSITY

CPAS π ECHONOLOGIES

MODEL: SS100




Power Level 7 for Low channel

WASHINGTON STATE UNIVERSITY

CPAS π TECHONOLOGIES

MODEL: SS100




Power Level 8 for Low channel

WASHINGTON STATE UNIVERSITY

CPAS π ECHONOLOGIES

MODEL: SS100




Power Level 1 for Mid channel

WASHINGTON STATE UNIVERSITY

CPAS π ECHONOLOGIES

MODEL: SS100




Power Level 2 for Mid channel

WASHINGTON STATE UNIVERSITY

CPAS π ECHONOLOGIES

MODEL: SS100




Power Level 3 for Mid channel

WASHINGTON STATE UNIVERSITY

CPAS π ECHONOLOGIES

MODEL: SS100




Power Level 4 for Mid channel

WASHINGTON STATE UNIVERSITY

CPAS π TECHONOLOGIES

MODEL: SS100




Power Level 6 for Mid channel

WASHINGTON STATE UNIVERSITY

CPAS *TECHONOLOGIES*

MODEL: SS100




Power Level 7 for Mid channel

WASHINGTON STATE UNIVERSITY

CPAS π ECHONOLOGIES

MODEL: SS100




Power Level 8 for Mid channel

WASHINGTON STATE UNIVERSITY

CPAS π TECHONOLOGIES

MODEL: SS100




Power Level 1 for High channel

WASHINGTON STATE UNIVERSITY

CPAS π TECHONOLOGIES

MODEL: SS100




Power Level 2 for High channel

WASHINGTON STATE UNIVERSITY

CPAS π ECHONOLOGIES

MODEL: SS100




Power Level 3 for High channel

WASHINGTON STATE UNIVERSITY

CPAS π ECHONOLOGIES

MODEL: SS100




Power Level 4 for High channel

WASHINGTON STATE UNIVERSITY

CPAS π ECHONOLOGIES

MODEL: SS100




Power Level 5 for High channel

WASHINGTON STATE UNIVERSITY

CPAS π ECHONOLOGIES

MODEL: SS100




Power Level 6 for High channel

WASHINGTON STATE UNIVERSITY

CPAS π TECHONOLOGIES

MODEL: SS100




Power Level 7 for High channel

WASHINGTON STATE UNIVERSITY

CPAS π TECHONOLOGIES

MODEL: SS100



Power Level 8 for High channel

WASHINGTON STATE UNIVERSITY

CPAS π ECHONOLOGIES

MODEL: SS100