





FR1 n25 / 35MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB


Highest Band Edge / Full RB



FR1 n25 / 35MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 35MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB


Highest Band Edge / Full RB



FR1 n25 / 35MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB


Highest Band Edge / Full RB






FR1 n25 / 35MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 35MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge







FR1 n25 / 40MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n25 / 40MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 40MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n25 / 40MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 40MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n25 / 40MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







# Conducted Spurious Emission

FR1 n25 / 25MHz / DFT-S OFDM / QPSK / 1RB1


## Lowest Channel



## Middle Channel



## Highest Channel





### Frequency Stability

Test Conditions		FR1 n25 (PI/2 BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0243	PASS
40	Normal Voltage	0.0038	
30	Normal Voltage	0.0105	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0113	
0	Normal Voltage	0.0107	
-10	Normal Voltage	0.0024	
-20	Normal Voltage	0.0213	
-30	Normal Voltage	0.0223	
20	Maximum Voltage	0.0155	
20	Normal Voltage	0.0154	
20	Battery End Point	0.0171	

**Note:**

- 1. Normal Voltage = 3.3 V. ; Battery End Point (BEP) = 3.135 V. ; Maximum Voltage = 4.4 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.





# FR1 n26\_Part22H

## Peak-to-Average Ratio



Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.40	5.36	6.00	6.24	PASS
Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.60				PASS



FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB



PI/2 BPSK

QPSK




16QAM

64QAM



256QAM





**26dB Bandwidth**


Mode	FR1 n26 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	5.18		9.72		14.47		19.30	
BW	25MHz							
Mod.	PI/2 BPSK							
Middle CH	-							

Mode	FR1 n26 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	5.30	5.31	10.29	10.28	15.24	15.32	20.47	20.50
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	5.27	5.35	10.16	10.28	15.30	15.25	20.43	20.39
BW	25MHz							
Mod.	QPSK	16QAM						
Middle CH	-	-						
Mod.	64QAM	256QAM						
Middle CH	-	-						




FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM





**Occupied Bandwidth**

Mode	FR1 n26 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	4.47		8.96		13.44		17.96	
BW	25MHz							
Mod.	PI/2 BPSK							
Middle CH	-							


Mode	FR1 n26 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	4.50	4.54	9.30	9.31	14.13	14.14	18.98	19.00
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	4.50	4.51	9.29	9.34	14.17	14.09	18.94	18.97
BW	25MHz							
Mod.	QPSK	16QAM						
Middle CH	-	-						
Mod.	64QAM	256QAM						
Middle CH	-	-						






FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM







# Conducted Band Edge

FR1 n26 / 5MHz / DFT-S OFDM / PI/2 BPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n26 / 5MHz / DFT-S OFDM / QPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n26 / 5MHz / DFT-S OFDM / 16QAM



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n26 / 5MHz / DFT-S OFDM / 64QAM



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB









FR1 n26 / 5MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





01:50:41 PM 02/15/2024

01:58:05 PM 02/15/2024

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



01:50:09 PM 02/15/2024

01:57:41 PM 02/15/2024

