






Product	HE863-NAG		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2011/04/08	Test Site	CTR
Test Condition	PCS 1900 VOICE	Test Range	30MHz~20GHz

PCS 1900 VOICE High-Channel 810

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3820	-53.939	1.1	-52.839	-13
5730	-41.651	1.23	-40.421	-13
7640	-54.387	1.59	-52.797	-13
9550	-58.202	1.89	-56.312	-13
11459	-65.982	2.07	-63.912	-13
13369	-62.001	2.26	-59.741	-13
15278	-62.389	2.64	-59.749	-13
17188	-61.664	3.5	-58.164	-13
19098	-61.112	3.7	-57.412	-13












Product	HE863-NAG		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2011/04/08	Test Site	CTR
Test Condition	PCS 1900 GPRS	Test Range	30MHz~20GHz

PCS 1900 GPRS High-Channel 810

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3820	-53.803	1.1	-52.703	-13
5730	-41.891	1.23	-40.661	-13
7640	-54.445	1.59	-52.855	-13
9550	-58.334	1.89	-56.444	-13
11459	-65.959	2.07	-63.889	-13
13369	-62.709	2.26	-60.449	-13
15278	-62.366	2.64	-59.726	-13
17188	-62.433	3.5	-58.933	-13
19098	-61.079	3.7	-57.379	-13












Product	HE863-NAG		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2011/04/08	Test Site	CTR
Test Condition	PCS 1900 EGPRS	Test Range	30MHz~20GHz

PCS 1900 EGPRS High-Channel 885

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3820	-55.658	1.1	-54.558	-13
5730	-48.038	1.23	-46.808	-13
7640	-58.177	1.59	-56.587	-13
9549	-65.304	1.89	-63.414	-13
11459	-66.366	2.07	-64.296	-13
13369	-64.928	2.26	-62.668	-13
15278	-62.564	2.64	-59.924	-13
17188	-61.365	3.5	-57.865	-13
19098	-61.495	3.7	-57.795	-13











Product	HE863-NAG		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2011/04/07	Test Site	CTR
Test Condition	WCDMA BAND V	Test Range	30MHz~10GHz

WCDMA BAND V High-Channel 4233

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1696	-43.380	0.58	-42.800	-13
2545	-51.636	0.7	-50.936	-13
3391	-55.646	1.01	-54.636	-13
4233	-69.842	1.18	-68.662	-13
5080	-65.863	1.23	-64.633	-13
5920	-63.556	1.45	-62.106	-13
6773	-66.684	1.56	-65.124	-13
7619	-68.178	1.59	-66.588	-13
8466	-67.450	1.82	-65.630	-13











Product	HE863-NAG		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2011/04/07	Test Site	CTR
Test Condition	WCDMA BAND V HSDPA	Test Range	30MHz~10GHz

WCDMA BAND V HSDPA High-Channel 4233

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1696	-41.854	0.58	-41.274	-13
2542	-50.998	0.7	-50.298	-13
3391	-55.048	1.01	-54.038	-13
4233	-69.333	1.18	-68.153	-13
5080	-67.034	1.23	-65.804	-13
5932	-63.391	1.45	-61.941	-13
6773	-66.824	1.56	-65.264	-13
7619	-69.361	1.59	-67.771	-13
8466	-67.169	1.82	-65.349	-13











Product	HE863-NAG		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2011/04/07	Test Site	CTR
Test Condition	WCDMA BAND V HSUPA	Test Range	30MHz~10GHz

WCDMA BAND V HSUPA High-Channel 4233

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1696	-41.952	0.58	-41.372	-13
2542	-50.569	0.7	-49.869	-13
3391	-55.320	1.01	-54.310	-13
4233	-69.552	1.18	-68.372	-13
5080	-67.305	1.23	-66.075	-13
5935	-63.771	1.45	-62.321	-13
6773	-66.379	1.56	-64.819	-13
7619	-68.205	1.59	-66.615	-13
8466	-67.783	1.82	-65.963	-13







Product	HE863-NAG		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2011/04/07	Test Site	CTR
Test Condition	WCDMA BAND II	Test Range	30MHz~20GHz

WCDMA BAND II Low-Channel 9262

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3708	-57.298	1.1	-56.198	-13
5557	-66.323	1.23	-65.093	-13
7405	-57.945	1.59	-56.355	-13
9255	-62.106	1.89	-60.216	-13
11114	-67.670	2.07	-65.600	-13
12967	-64.122	2.26	-61.862	-13
14819	-63.995	2.64	-61.355	-13
16672	-62.831	3.5	-59.331	-13
18524	-61.686	3.7	-57.986	-13

