




Frequency	Auto Tune
Center Freq	3.000000000 GHz
Start Freq	1.000000000 GHz
Stop Freq	5.000000000 GHz
CF Step	400.000000 MHz
	Auto Man
Freq Offset	0 Hz




Frequency	Auto Tune
Center Freq	7.500000000 GHz
Start Freq	5.000000000 GHz
Stop Freq	10.000000000 GHz
CF Step	500.000000 MHz
	Auto Man
Freq Offset	0 Hz







Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 2 15M	Test Range	30MHz~20GHz

LTE-Band 2 15M QPSK(1,37) CH19125 (1902.5MHz)

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3804	-48.770	1.1	-47.670	-13
5705	-46.648	1.23	-45.418	-13
7610	-56.726	1.59	-55.136	-13
9488	-64.532	1.89	-62.642	-13
11415	-67.094	2.07	-65.024	-13
13318	-65.332	2.26	-63.072	-13
15220	-62.306	2.64	-59.666	-13
17123	-61.796	3.5	-58.296	-13
19025	-60.779	3.7	-57.079	-13












Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 2 (15M)	Test Range	30MHz~20GHz

LTE-Band 2 (15M) 16QAM(1,74) CH19125 (1902.5MHz)

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3808	-48.190	1.1	-47.090	-13
5715	-48.060	1.23	-46.830	-13
7620	-60.520	1.59	-58.930	-13
9513	-65.340	1.89	-63.450	-13
11415	-65.713	2.07	-63.643	-13
13318	-64.638	2.26	-62.378	-13
15215	-61.344	2.64	-58.704	-13
17123	-61.187	3.5	-57.687	-13
19025	-60.840	3.7	-57.140	-13












Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 2 (20M)	Test Range	30MHz~20GHz

LTE-Band 2 (20M) QPSK(1,49) CH19100 (1900MHz)

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3800	-46.360	1.1	-45.260	-13
5700	-50.758	1.23	-49.528	-13
7600	-60.678	1.59	-59.088	-13
9500	-66.129	1.89	-64.239	-13
11400	-64.656	2.07	-62.586	-13
13300	-64.378	2.26	-62.118	-13
15200	-62.461	2.64	-59.821	-13
17100	-61.647	3.5	-58.147	-13
19000	-60.561	3.7	-56.861	-13












Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 2 (20M)	Test Range	30MHz~20GHz

LTE-Band 2 (20M) 16QAM(1,99) CH19100 (1900MHz)

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3816	-50.130	1.1	-49.030	-13
5725	-48.131	1.23	-46.901	-13
7635	-53.510	1.59	-51.920	-13
9500	-66.421	1.89	-64.531	-13
11400	-66.438	2.07	-64.368	-13
13300	-64.960	2.26	-62.700	-13
15200	-62.978	2.64	-60.338	-13
17100	-61.060	3.5	-57.560	-13
19000	-60.279	3.7	-56.579	-13









Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 4 (1.4M)	Test Range	30MHz~20GHz


LTE-Band 4 (1.4M) QPSK(3,2) CH19957 (1710.7MHz)

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3420	-47.730	1.1	-46.630	-13
5130	-42.319	1.23	-41.089	-13
6845	-49.940	1.59	-48.350	-13
8555	-42.119	1.89	-40.229	-13
10264	-66.061	2.07	-63.991	-13
11975	-65.740	2.26	-63.480	-13
13686	-63.154	2.64	-60.514	-13
15396	-61.506	3.5	-58.006	-13
17107	-60.666	3.7	-56.966	-13







Frequency	Auto Tune
Center Freq	3.000000000 GHz
Start Freq	1.000000000 GHz
Stop Freq	5.000000000 GHz
CF Step	400.000000 MHz Auto Man
Freq Offset	0 Hz




Frequency	Auto Tune
Center Freq	7.500000000 GHz
Start Freq	5.000000000 GHz
Stop Freq	10.000000000 GHz
CF Step	500.000000 MHz Auto Man
Freq Offset	0 Hz




Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 4 (1.4M)	Test Range	30MHz~20GHz


LTE-Band 4 (1.4M) 16QAM(1,5) CH19957 (1710.7MHz)

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3424	-47.760	1.1	-46.660	-13
5135	-44.980	1.23	-43.750	-13
6845	-52.420	1.59	-50.830	-13
8555	-41.830	1.89	-39.940	-13
10264	-66.286	2.07	-64.216	-13
11975	-65.094	2.26	-62.834	-13
13686	-64.889	2.64	-62.249	-13
15396	-61.650	3.5	-58.150	-13
17107	-61.985	3.7	-58.285	-13








Frequency	Auto Tune
Center Freq	3.000000000 GHz
Start Freq	1.000000000 GHz
Stop Freq	5.000000000 GHz
CF Step	400.0000000 MHz Auto Man
Freq Offset	0 Hz




Frequency	Auto Tune
Center Freq	7.500000000 GHz
Start Freq	5.000000000 GHz
Stop Freq	10.000000000 GHz
CF Step	500.0000000 MHz Auto Man
Freq Offset	0 Hz







Frequency	
Auto Tune	
Center Freq	3.000000000 GHz
Start Freq	1.000000000 GHz
Stop Freq	5.000000000 GHz
CF Step	400.0000000 MHz
	Auto Man
Freq Offset	0 Hz




Frequency	
Auto Tune	
Center Freq	7.500000000 GHz
Start Freq	5.000000000 GHz
Stop Freq	10.000000000 GHz
CF Step	500.0000000 MHz
	Auto Man
Freq Offset	0 Hz




Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 4 (3M)	Test Range	30MHz~20GHz


LTE-Band 4 (3M) 16QAM(1,14) CH19965 (1711.5MHz)

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3424	-47.600	1.1	-46.500	-13
5140	-45.576	1.23	-44.346	-13
6850	-51.888	1.59	-50.298	-13
8565	-42.155	1.89	-40.265	-13
10269	-66.237	2.07	-64.167	-13
11981	-65.055	2.26	-62.795	-13
13692	-63.645	2.64	-61.005	-13
15404	-60.660	3.5	-57.160	-13
17115	-61.723	3.7	-58.023	-13







Frequency	
Auto Tune	
Center Freq	3.000000000 GHz
Start Freq	1.000000000 GHz
Stop Freq	5.000000000 GHz
CF Step	400.0000000 MHz
Auto	Man
Freq Offset	0 Hz




Frequency	
Auto Tune	
Center Freq	7.500000000 GHz
Start Freq	5.000000000 GHz
Stop Freq	10.000000000 GHz
CF Step	500.0000000 MHz
Auto	Man
Freq Offset	0 Hz




Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 4 (5M)	Test Range	30MHz~20GHz


LTE-Band 4 (5M) QPSK(1,12) CH19975 (1712.5MHz)

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3424	-48.250	1.1	-47.150	-13
5140	-42.880	1.23	-41.650	-13
6850	-49.958	1.59	-48.368	-13
8565	-42.461	1.89	-40.571	-13
10275	-65.280	2.07	-63.210	-13
11988	-64.819	2.26	-62.559	-13
13700	-62.480	2.64	-59.840	-13
15413	-61.920	3.5	-58.420	-13
17125	-61.670	3.7	-57.970	-13







Frequency	Auto Tune
Center Freq	3.000000000 GHz
Start Freq	1.000000000 GHz
Stop Freq	5.000000000 GHz
CF Step	400.000000 MHz
	Auto Man
Freq Offset	0 Hz




Frequency	Auto Tune
Center Freq	7.500000000 GHz
Start Freq	5.000000000 GHz
Stop Freq	10.000000000 GHz
CF Step	500.000000 MHz
	Auto Man
Freq Offset	0 Hz




Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 4 (5M)	Test Range	30MHz~20GHz


LTE- Band 4 (5M) 16QAM(1,12) CH19975 (1712.5MHz)

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3424	-47.490	1.1	-46.390	-13
5135	-44.787	1.23	-43.557	-13
6850	-52.738	1.59	-51.148	-13
8560	-41.877	1.89	-39.987	-13
10275	-64.862	2.07	-62.792	-13
11988	-65.727	2.26	-63.467	-13
13700	-64.120	2.64	-61.480	-13
15413	-61.156	3.5	-57.656	-13
17125	-61.480	3.7	-57.780	-13







Frequency	Auto Tune
Center Freq	3.000000000 GHz
Start Freq	1.000000000 GHz
Stop Freq	5.000000000 GHz
CF Step	400.000000 MHz
	Auto Man
Freq Offset	0 Hz




Frequency	Auto Tune
Center Freq	7.500000000 GHz
Start Freq	5.000000000 GHz
Stop Freq	10.000000000 GHz
CF Step	500.000000 MHz
	Auto Man
Freq Offset	0 Hz







Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 4 (10M)	Test Range	30MHz~20GHz



LTE- Band 4 (10M) QPSK(1,24) CH20000 (1715MHz)



Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3428	-48.750	1.1	-47.650	-13
5145	-44.945	1.23	-43.715	-13
6860	-52.822	1.59	-51.232	-13
8575	-42.323	1.89	-40.433	-13
10290	-66.623	2.07	-64.553	-13
12005	-65.063	2.26	-62.803	-13
13720	-64.868	2.64	-62.228	-13
15435	-61.201	3.5	-57.701	-13
17150	-61.414	3.7	-57.714	-13













Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 4 15M	Test Range	30MHz~20GHz


LTE-Band 4 15M QPSK(1,37) CH20025 (1717.5MHz)

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3436	-50.130	1.1	-49.030	-13
5150	-44.030	1.23	-42.800	-13
6870	-52.550	1.59	-50.960	-13
8585	-42.540	1.89	-40.650	-13
10305	-66.786	2.07	-64.716	-13
12023	-65.806	2.26	-63.546	-13
13740	-64.519	2.64	-61.879	-13
15458	-61.720	3.5	-58.220	-13
17175	-61.687	3.7	-57.987	-13










Frequency	Auto Tune
Center Freq	3.000000000 GHz
Start Freq	1.000000000 GHz
Stop Freq	5.000000000 GHz
CF Step	400.000000 MHz
	Auto Man
Freq Offset	0 Hz



Frequency	Auto Tune
Center Freq	7.500000000 GHz
Start Freq	5.000000000 GHz
Stop Freq	10.000000000 GHz
CF Step	500.000000 MHz
	Auto Man
Freq Offset	0 Hz












Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 4 (20M)	Test Range	30MHz~20GHz


LTE-Band 4 (20M) QPSK(1,49) CH20050 (1720MHz)

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3440	-50.950	1.1	-49.850	-13
5160	-40.367	1.23	-39.137	-13
6880	-48.926	1.59	-47.336	-13
8600	-43.287	1.89	-41.397	-13
10320	-65.384	2.07	-63.314	-13
12040	-65.724	2.26	-63.464	-13
13760	-64.570	2.64	-61.930	-13
15480	-62.240	3.5	-58.740	-13
17200	-61.545	3.7	-57.845	-13












Frequency	Auto Tune
Center Freq	3.000000000 GHz
Start Freq	1.000000000 GHz
Stop Freq	5.000000000 GHz
CF Step	400.000000 MHz
	Auto Man
Freq Offset	0 Hz




Frequency	Auto Tune
Center Freq	7.500000000 GHz
Start Freq	5.000000000 GHz
Stop Freq	10.000000000 GHz
CF Step	500.000000 MHz
	Auto Man
Freq Offset	0 Hz






Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 5 (1.4M)	Test Range	30MHz~10GHz



LTE-Band 5 (1.4M) QPSK(3,3) CH20643 (848.3MHz)


Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1696	-38.250	0.58	-37.670	-13
2545	-48.550	0.7	-47.850	-13
3393	-61.910	1.01	-60.900	-13
4254	-65.010	1.18	-63.830	-13
5090	-63.878	1.23	-62.648	-13
5938	-63.011	1.45	-61.561	-13
6786	-63.257	1.56	-61.697	-13
7635	-64.321	1.59	-62.731	-13
8483	-65.886	1.82	-64.066	-13






















Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 5 (3M)	Test Range	30MHz~10GHz

LTE-Band 5 (3M) 16QAM(1,14) CH20635 (847.5MHz)

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1699	-39.350	0.58	-38.770	-13
2545	-49.640	0.7	-48.940	-13
3394	-61.900	1.01	-60.890	-13
4238	-67.121	1.18	-65.941	-13
5085	-64.799	1.23	-63.569	-13
5933	-63.538	1.45	-62.088	-13
6780	-64.216	1.56	-62.656	-13
7628	-65.692	1.59	-64.102	-13
8475	-67.353	1.82	-65.533	-13











Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 5 (5M)	Test Range	30MHz~10GHz



LTE-Band 5 (5M) QPSK(1,12) CH20625 (846.5MHz)


Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1693	-38.350	0.58	-37.770	-13
2539	-48.680	0.7	-47.980	-13
3385	-59.840	1.01	-58.830	-13
4233	-65.658	1.18	-64.478	-13
5079	-62.336	1.23	-61.106	-13
5926	-62.560	1.45	-61.110	-13
6772	-64.168	1.56	-62.608	-13
7619	-65.742	1.59	-64.152	-13
8465	-66.397	1.82	-64.577	-13















Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 5 (10M)	Test Range	30MHz~10GHz

LTE-Band 5 (10M) QPSK(1,24) CH20600 (844MHz)

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1687	-38.712	0.58	-38.132	-13
2533	-47.870	0.7	-47.170	-13
3376	-58.080	1.01	-57.070	-13
4220	-66.060	1.18	-64.880	-13
5064	-62.687	1.23	-61.457	-13
5908	-63.453	1.45	-62.003	-13
6752	-64.102	1.56	-62.542	-13
7596	-65.046	1.59	-63.456	-13
8449	-65.430	1.82	-63.610	-13







Product	LE920A4-NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2016/12/28	Test Site	CTR
Test Condition	LTE-Band 5 (10M)	Test Range	30MHz~10GHz

LTE-Band 5 (10M) 16QAM(1,49) CH20600 (844MHz)

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1696	-39.380	0.58	-38.800	-13
2545	-48.830	0.7	-48.130	-13
3395	-62.070	1.01	-61.060	-13
4220	-67.300	1.18	-66.120	-13
5064	-64.812	1.23	-63.582	-13
5908	-63.802	1.45	-62.352	-13
6752	-62.639	1.56	-61.079	-13
7596	-66.262	1.59	-64.672	-13
8440	-66.530	1.82	-64.710	-13

