


## FREQUENCY RANGE 21-37 GHz


-30 dBm-40.40 CC Part 96 Spurious -50 dBm--60 dBm— -70 dBm--80 dBm-Stop 37.0 GHz Start 21.0 GHz 32001 pts








### FREQUENCY RANGE 21-37 GHz



### Middle Channel (3650 MHz)


## FREQUENCY RANGE 20 MHz-5 GHz






15 MHz BW Middle Channel (3650 MHz)





## FREQUENCY RANGE 21-37 GHz






### 15 MHz BW Highest Channel (3692.5 MHz)

### Highest Channel (3692.5 MHz)

### FREQUENCY RANGE 20 MHz-5 GHz


Ref Level 16.00 dBm Offset 10.43 dB 👄 RBW 1 MHz Att 25 dB 😑 SWT 5 s 👄 VBW 3 MHz Mode Auto Sweep ●1Rm View 10 dBm-0 dBm--10 dBm--20 dBm— -30 dBm— CC PART 96 SPURIOUS LIMIT -50 dBm--60 dBm--70 dBm--80 dBm-Start 20.0 MHz Stop 5.0 GHz 10000 pts

### FREQUENCY RANGE 5-21 GHz






### FREQUENCY RANGE 21-37 GHz




### 20 MHz BW

## Lowest Channel (3610 MHz)

#### FREQUENCY RANGE 20 MHz-5 GHz










### 20 MHz BW Middle Channel (3650 MHz)

## Middle Channel (3650 MHz)

## FREQUENCY RANGE 20 MHz-5 GHz




## FREQUENCY RANGE 5-21 GHz

Att	15 dB	😑 SWT	5 s 👄	VBW 3 MHz	Mode A	Auto Sweep			
1Rm View									
					M	1[1]			61.38 dBr
							1	7.2	99680 GH
0 dBm——									
-10 dBm—									
-20 dBm									
-30 dBm									
-30 ubiii									
CC Part 96	Spurious								
	·								
-50 dBm—									
69 a8m-	M1	ļ				_~~~~	~~~~~	han	$\sim$
		france				1			
-70 dBm									
-70 ubm									
-80 dBm		1							
Start 5.0 (	L			3200					) 21.0 GHz



### FREQUENCY RANGE 21-37 GHz



## Highest Channel (3690 MHz)


## FREQUENCY RANGE 20 MHz-5 GHz

Att	15 dB	SWT		5 s 😑	VBW	3 MHz	Mode A	uto Sw	еер					
●1Rm Viev	v													
							M	1[1]					-	58.29 dBr
													3.4	20590 GH
0 dBm——							M	2[1]						58.44 dBr
								1		I			3.9	71880 GH
-10 dBm—			_											
-20 dBm														
-30 dBm														
-30 ubiii											1			
CC PART 96	5 SPURIOUS	IMIT									íl –			
-50 dBm—														
									M1		M2	2		
-60 dBm—			_		-				_					
					- <b></b>									
-70 dBm			_		_									
-80 dBm														
Start 20.0	MHz					10000	pts						Sto	p 5.0 GHz




## 20 MHz BW Highest Channel (3690 MHz)

# FREQUENCY RANGE 5-21 GHz



## FREQUENCY RANGE 21-37 GHz





# TEST A.8: RADIATED SPURIOUS EMISSION

LIMITS:	Product standard:	Part 2.1053
LIMITS:	Test standard:	ANSI C63.26-2015

## <u>LIMITS</u>

Measurements shall be made to detect spurious emissions that may be radiated directly from the cabinet, control circuits, power leads, or intermediate circuit elements under normal conditions of installation and operation.

Curves or equivalent data shall be supplied showing the magnitude of each harmonic and other spurious emission. For this test, single sideband, independent sideband, and controlled carrier transmitters shall be modulated under the conditions specified in paragraph (c) of § 2.1049, as appropriate.

The limits for radiated emissions are stated below.

•greater than 10 MHz above and below the assigned channel  $\leq$  70.2 dBµV/m (-25 dBm/MHz: conducted limit)

•any emission below 3530 MHz and above 3720 MHz ≤ 55.2 dBµV/m (-40 dBm/MHz: conducted limit)

All radiated tests were performed in a semi-anechoic chamber. The measurement antenna is situated at a distance of 3 m for the frequency range 30-1000 MHz (Bilog antenna) and at a distance of 1m for the frequency range 1-40 GHz (1 GHz-18 GHz and 18 GHz-40 GHz Double ridge horn antennas).


For radiated emissions in the range 1-40 GHz that is performed at a distance closer than the specified distance, an inverse proportionality factor of 20 dB per decade is used to normalize the measured data for determining compliance

Detected emissions were maximized at each frequency by rotating the EUT and adjusting the measuring antenna height and polarization. The maximum meter reading was recorded. The radiated emissions were measured with RMS detector.




# **TEST SETUP (Cont.)**

## Radiated measurements Setup f < 1 GHz



## Radiated measurements setup f > 1 GHz





TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (Band 48)
TEST RESULTS:	PASS
Deputer	

#### <u>Results:</u>

### Frequency range 30 MHz – 1000 MHz

No radiated spurious signal was detected at less than 20 dB respect to the limit for the lowest, middle and highest channels in all four BWs. The plots are shown only for 5 MHz BW as a worst case.

### Frequency range 1 GHz – 7 GHz

No radiated spurious signal was detected at less than 20 dB respect to the limit for the lowest, middle and highest channels in all four BWs.

## Frequency range 7 GHz – 18 GHz

### 5 MHz BW

Lowest Channel (3552.5 MHz)

Spurious Frequency (MHz)	Polarization	Detector	Emission Level (dBµV/m)	Measurement Uncertainty (dB)
7103.812500	V	RMS	39.66	
14210.156250	V	RMS	45.74	± 4.87
16310.468750	V	RMS	46.93	

Middle Channel (3625 MHz)

No radiated spurious signal was detected at less than 20 dB respect to the limit for the middle channel.

Highest Channel (3697.5 MHz)

Spurious Frequency (MHz)	Polarization	Detector	Emission Level (dBµV/m)	Measurement Uncertainty (dB)
7393.937500	V	RMS	42.32	4.07
14780.093750	V	RMS	43.99	± 4.87

### <u>10 MHz BW</u>

Lowest Channel (3555 MHz) No radiated spurious signal was detected at less than 20 dB respect to the limit for the low channel.

### Middle Channel (3625 MHz)

No radiated spurious signal was detected at less than 20 dB respect to the limit for the middle channel.



Highest Channel (3695 MHz)

Spurious Frequency (MHz)	Polarization	Detector	Emission Level (dBµV/m)	Measurement Uncertainty (dB)
7391.531250	Н	RMS	40.19	± 4.87

### <u>15 MHz BW</u>

Lowest Channel (3557.5 MHz)

Spurious Frequency (MHz)	Polarization	Detector	Emission Level (dBµV/m)	Measurement Uncertainty (dB)
14229.750000	V	RMS	45.44	± 4.87

Middle Channel (3625 MHz):

No radiated spurious signal was detected at less than 20 dB respect to the limit for the middle channel.

Highest Channel (3692.5 MHz)

Spurious Frequency (MHz)	Polarization	Detector	Emission Level (dBµV/m)	Measurement Uncertainty (dB)
7381.218750	V	RMS	40.44	4.07
14770.125000	V	RMS	43.12	± 4.87

### 20 MHz BW

No radiated spurious signal was detected at less than 20 dB respect to the limit for the lowest, middle and highest channels.


#### Frequency range 18 GHz – 40 GHz

No radiated spurious signal was detected at less than 20 dB respect to the limit for the lowest, middle and highest channels in all four BWs.


Verdict: PASS

(See next plots)










































































































TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (Band 42)
TEST RESULTS:	PASS
Results:	

### Frequency range 30 MHz – 1000 MHz

No radiated spurious signal was detected at less than 20 dB respect to the limit for the lowest, middle and highest channels in all four BWs. The plots are shown only for 5 MHz BW as a worst case.

## Frequency range 1 GHz – 7 GHz

No radiated spurious signal was detected at less than 20 dB respect to the limit for the lowest, middle and highest channels in all four BWs.

### Frequency range 7 GHz – 18 GHz

### <u>5 MHz BW</u>

Lowest Channel (3552.5 MHz) No radiated spurious signal was detected at less than 20 dB respect to the limit for the low channel.

Middle Channel (3575 MHz)

No radiated spurious signal was detected at less than 20 dB respect to the limit for the middle channel.

Highest Channel (3597.5 MHz)

Spurious Frequency (MHz)	Polarization	Detector	Emission Level (dBµV/m)	Measurement Uncertainty (dB)
7103.812500	V	RMS	39.66	
14210.156250	V	RMS	45.74	± 4.87
16310.468750	V	RMS	46.93	

### <u>10 MHz BW</u>

No radiated spurious signal was detected at less than 20 dB respect to the limit for the lowest, middle and highest channels.



TEST RESULTS	(Cont.):
--------------	----------

## 15 MHz BW

Lowest Channel (3557.5 MHz)

Spurious Frequency (MHz)	Polarization	Detector	Emission Level (dBµV/m)	Measurement Uncertainty (dB)
14229.750000	V	RMS	45.44	± 4.87

Middle Channel (3575 MHz):

No radiated spurious signal was detected at less than 20 dB respect to the limit for the middle channel.

Highest Channel (3592.5 MHz)

No radiated spurious signal was detected at less than 20 dB respect to the limit for the highest channel.

### 20 MHz BW

No radiated spurious signal was detected at less than 20 dB respect to the limit for the lowest, middle and highest channels.

### Frequency range 18 GHz – 40 GHz

No radiated spurious signal was detected at less than 20 dB respect to the limit for the lowest, middle and highest channels in all four BWs.

Verdict: PASS

(See next plots)



