


Report Number :TERF2206000793ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1720 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :VERTICAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-74.01	-62.14	-11.21	-0.65	-13.00	-61.01
153.19	-74.61	-74.22	0.81	-1.20	-13.00	-61.61
410.24	-74.06	-78.82	6.68	-1.92	-13.00	-61.06
587.75	-70.44	-73.89	6.25	-2.81	-13.00	-57.44
697.36	-68.13	-71.43	6.25	-2.95	-13.00	-55.13
724.52	-67.45	-70.98	6.26	-2.73	-13.00	-54.45
3440.00	-47.71	-62.56	12.50	-6.65	-13.00	-34.71
5160.00	-44.14	-57.42	12.28	-7.99	-13.00	-31.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1720 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
196.84	-73.87	-78.64	6.22	-1.46	-13.00	-60.87
424.79	-73.33	-77.90	6.59	-2.02	-13.00	-60.33
562.53	-71.26	-75.09	6.52	-2.70	-13.00	-58.26
634.31	-70.34	-73.94	5.98	-2.38	-13.00	-57.34
682.81	-69.47	-72.88	6.40	-2.99	-13.00	-56.47
727.43	-67.86	-71.27	6.16	-2.75	-13.00	-54.86
3440.00	-52.57	-62.42	12.50	-6.65	-13.00	-39.57
5160.00	-49.37	-56.66	12.28	-7.99	-13.00	-36.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1732.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :VERTICAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
153.19	-75.12	-74.73	0.81	-1.20	-13.00	-62.12
406.36	-74.30	-78.96	6.67	-2.02	-13.00	-61.30
589.69	-70.44	-73.88	6.24	-2.81	-13.00	-57.44
634.31	-70.31	-73.91	5.98	-2.38	-13.00	-57.31
678.93	-69.25	-72.73	6.44	-2.96	-13.00	-56.25
717.73	-66.97	-70.58	6.41	-2.79	-13.00	-53.97
3465.00	-46.28	-61.24	12.47	-6.52	-13.00	-33.28
5197.50	-44.66	-56.23	12.58	-8.01	-13.00	-31.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1732.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
111.48	-73.90	-73.80	0.97	-1.08	-13.00	-60.90
122.15	-74.09	-73.60	0.66	-1.15	-13.00	-61.09
197.81	-74.54	-79.41	6.33	-1.46	-13.00	-61.54
579.02	-70.71	-74.23	6.32	-2.79	-13.00	-57.71
622.67	-69.90	-73.51	6.05	-2.44	-13.00	-56.90
725.49	-67.79	-71.27	6.22	-2.74	-13.00	-54.79
3465.00	-51.28	-62.23	12.47	-6.52	-13.00	-38.28
5197.50	-49.32	-56.89	12.58	-8.01	-13.00	-36.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :VERTICAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
108.57	-75.48	-75.59	1.17	-1.06	-13.00	-62.48
152.22	-75.11	-74.62	0.69	-1.19	-13.00	-62.11
431.58	-74.44	-78.75	6.39	-2.08	-13.00	-61.44
585.81	-70.57	-74.03	6.26	-2.81	-13.00	-57.57
634.31	-69.47	-73.07	5.98	-2.38	-13.00	-56.47
721.61	-67.65	-71.40	6.46	-2.71	-13.00	-54.65
3490.00	-47.46	-62.56	12.42	-6.33	-13.00	-34.46
5235.00	-48.24	-57.01	12.81	-8.04	-13.00	-35.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
125.06	-73.38	-72.87	0.66	-1.16	-13.00	-60.38
202.66	-74.50	-79.63	6.61	-1.47	-13.00	-61.50
547.01	-71.38	-75.63	6.64	-2.39	-13.00	-58.38
594.54	-70.64	-74.12	6.22	-2.73	-13.00	-57.64
631.40	-69.91	-73.46	6.00	-2.45	-13.00	-56.91
728.40	-67.34	-70.72	6.13	-2.76	-13.00	-54.34
3490.00	-51.42	-61.52	12.42	-6.33	-13.00	-38.42
5235.00	-49.24	-58.00	12.81	-8.04	-13.00	-36.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :829 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
409.27	-74.40	-79.14	6.68	-1.94	-13.00	-61.40
541.19	-71.92	-76.16	6.59	-2.35	-13.00	-58.92
583.87	-71.32	-74.78	6.27	-2.81	-13.00	-58.32
630.43	-70.35	-73.89	6.01	-2.47	-13.00	-57.35
683.78	-69.70	-73.06	6.37	-3.01	-13.00	-56.70
724.52	-67.93	-71.47	6.26	-2.73	-13.00	-54.93
1658.00	-58.07	-63.31	9.63	-4.39	-13.00	-45.07
2487.00	-54.78	-59.95	10.57	-5.40	-13.00	-41.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :829 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
98.87	-75.72	-76.44	1.74	-1.02	-13.00	-62.72
125.06	-75.39	-74.88	0.66	-1.16	-13.00	-62.39
406.36	-72.86	-77.51	6.67	-2.02	-13.00	-59.86
650.80	-72.76	-76.21	6.09	-2.64	-13.00	-59.76
690.57	-72.27	-75.45	6.30	-3.12	-13.00	-59.27
717.73	-69.11	-72.73	6.41	-2.79	-13.00	-56.11
1658.00	-57.81	-63.06	9.63	-4.39	-13.00	-44.81
2487.00	-55.16	-60.33	10.57	-5.40	-13.00	-42.16


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
108.57	-74.85	-74.95	1.17	-1.06	-13.00	-61.85
153.19	-74.80	-74.42	0.81	-1.20	-13.00	-61.80
444.19	-73.97	-78.00	6.29	-2.25	-13.00	-60.97
566.41	-71.32	-75.12	6.49	-2.69	-13.00	-58.32
620.73	-69.37	-73.01	6.07	-2.43	-13.00	-56.37
719.67	-67.26	-71.09	6.55	-2.71	-13.00	-54.26
1673.00	-57.27	-62.57	9.69	-4.40	-13.00	-44.27
2509.50	-55.89	-61.12	10.64	-5.41	-13.00	-42.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
124.09	-75.21	-74.65	0.60	-1.16	-13.00	-62.21
155.13	-76.91	-76.43	0.74	-1.22	-13.00	-63.91
419.94	-73.74	-78.32	6.59	-2.01	-13.00	-60.74
531.49	-73.84	-78.27	6.53	-2.10	-13.00	-60.84
549.92	-73.56	-77.77	6.63	-2.41	-13.00	-60.56
728.40	-68.94	-72.32	6.13	-2.76	-13.00	-55.94
1673.00	-57.58	-62.88	9.69	-4.40	-13.00	-44.58
2509.50	-56.00	-61.23	10.64	-5.41	-13.00	-43.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :844 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
112.45	-74.78	-74.63	0.94	-1.08	-13.00	-61.78
159.01	-75.60	-75.29	0.95	-1.26	-13.00	-62.60
251.16	-75.72	-80.54	6.48	-1.66	-13.00	-62.72
577.08	-71.52	-75.11	6.36	-2.77	-13.00	-58.52
635.28	-70.50	-74.12	5.98	-2.36	-13.00	-57.50
730.34	-67.46	-70.79	6.09	-2.76	-13.00	-54.46
1688.00	-57.24	-62.58	9.75	-4.41	-13.00	-44.24
2532.00	-54.82	-60.16	10.73	-5.39	-13.00	-41.82


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
Operation Mode :LTE B5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :844 MHz

Test Site :SAC 1
Test Date :2022-06-16
Temp./Humi. :24.3/63
Antenna Pol. :Horizontal
Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
126.03	-75.08	-74.54	0.63	-1.17	-13.00	-62.08
354.95	-73.56	-78.23	6.73	-2.06	-13.00	-60.56
396.66	-74.44	-78.88	6.59	-2.15	-13.00	-61.44
623.64	-73.46	-77.06	6.05	-2.45	-13.00	-60.46
702.21	-70.61	-73.92	6.25	-2.93	-13.00	-57.61
725.49	-68.95	-72.43	6.22	-2.74	-13.00	-55.95
1688.00	-56.21	-61.55	9.75	-4.41	-13.00	-43.21
2532.00	-56.29	-61.63	10.73	-5.39	-13.00	-43.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B7
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2510 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :VERTICAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
165.80	-75.80	-76.08	1.58	-1.29	-25.00	-50.80
467.47	-74.86	-78.81	6.32	-2.37	-25.00	-49.86
580.96	-71.18	-74.66	6.29	-2.81	-25.00	-46.18
635.28	-70.24	-73.87	5.98	-2.36	-25.00	-45.24
701.24	-69.13	-72.46	6.24	-2.91	-25.00	-44.13
729.37	-67.33	-70.67	6.11	-2.77	-25.00	-42.33
5020.00	-35.68	-57.28	12.42	-7.82	-25.00	-10.68
7530.00	-46.42	-47.90	11.16	-9.68	-25.00	-21.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B7
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2510 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
126.03	-73.93	-73.39	0.63	-1.17	-25.00	-48.93
200.72	-74.27	-79.37	6.56	-1.47	-25.00	-49.27
549.92	-71.43	-75.65	6.63	-2.41	-25.00	-46.43
622.67	-70.42	-74.03	6.05	-2.44	-25.00	-45.42
691.54	-69.57	-72.76	6.29	-3.09	-25.00	-44.57
723.55	-67.15	-70.76	6.33	-2.72	-25.00	-42.15
5020.00	-43.37	-55.97	12.42	-7.82	-25.00	-18.37
7530.00	-46.84	-48.32	11.16	-9.68	-25.00	-21.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
Operation Mode :LTE B7
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2535 MHz

Test Site :SAC 1
Test Date :2022-06-16
Temp./Humi. :24.3/63
Antenna Pol. :VERTICAL
Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
157.07	-75.82	-75.43	0.85	-1.24	-25.00	-50.82
237.58	-74.10	-79.01	6.53	-1.63	-25.00	-49.10
410.24	-73.33	-78.09	6.68	-1.92	-25.00	-48.33
622.67	-70.29	-73.90	6.05	-2.44	-25.00	-45.29
677.96	-69.27	-72.70	6.41	-2.98	-25.00	-44.27
725.49	-67.21	-70.69	6.22	-2.74	-25.00	-42.21
5070.00	-36.65	-54.65	12.22	-8.22	-25.00	-11.65
7605.00	-45.26	-46.82	11.32	-9.75	-25.00	-20.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B7
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2535 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
126.03	-73.56	-73.02	0.63	-1.17	-25.00	-48.56
194.90	-74.01	-78.66	6.11	-1.46	-25.00	-49.01
549.92	-71.01	-75.23	6.63	-2.41	-25.00	-46.01
635.28	-70.45	-74.08	5.98	-2.36	-25.00	-45.45
689.60	-69.97	-73.15	6.30	-3.12	-25.00	-44.97
722.58	-67.96	-71.64	6.39	-2.71	-25.00	-42.96
5070.00	-45.27	-55.27	12.22	-8.22	-25.00	-20.27
7605.00	-45.90	-47.47	11.32	-9.75	-25.00	-20.90


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
Operation Mode :LTE B7
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2560 MHz

Test Site :SAC 1
Test Date :2022-06-16
Temp./Humi. :24.3/63
Antenna Pol. :VERTICAL
Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
151.25	-75.30	-74.82	0.69	-1.17	-25.00	-50.30
233.70	-75.80	-80.97	6.78	-1.61	-25.00	-50.80
407.33	-74.29	-78.98	6.68	-1.99	-25.00	-49.29
550.89	-71.07	-75.26	6.63	-2.44	-25.00	-46.07
639.16	-70.21	-73.97	6.04	-2.27	-25.00	-45.21
718.70	-68.06	-71.79	6.48	-2.75	-25.00	-43.06
5120.00	-32.24	-55.69	12.14	-7.69	-25.00	-7.24
7680.00	-45.76	-47.42	11.56	-9.90	-25.00	-20.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B7
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2560 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
124.09	-73.63	-73.07	0.60	-1.16	-25.00	-48.63
399.57	-74.13	-78.60	6.66	-2.19	-25.00	-49.13
560.59	-71.07	-74.94	6.57	-2.70	-25.00	-46.07
626.55	-69.80	-73.37	6.03	-2.46	-25.00	-44.80
703.18	-68.52	-71.83	6.26	-2.96	-25.00	-43.52
726.46	-68.24	-71.68	6.19	-2.74	-25.00	-43.24
5120.00	-41.07	-55.52	12.14	-7.69	-25.00	-16.07
7680.00	-45.62	-47.28	11.56	-9.90	-25.00	-20.62


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :704 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
109.54	-74.39	-74.34	1.01	-1.06	-13.00	-61.39
161.92	-75.11	-74.95	1.12	-1.28	-13.00	-62.11
238.55	-74.19	-79.04	6.49	-1.64	-13.00	-61.19
588.72	-70.78	-74.22	6.25	-2.81	-13.00	-57.78
696.39	-68.56	-71.84	6.25	-2.97	-13.00	-55.56
725.49	-66.89	-70.37	6.22	-2.74	-13.00	-53.89
1408.00	-56.68	-60.50	7.83	-4.01	-13.00	-43.68
2112.00	-57.29	-62.05	9.68	-4.93	-13.00	-44.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :704 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-76.11	-77.08	1.97	-1.01	-13.00	-63.11
128.94	-75.09	-74.45	0.54	-1.18	-13.00	-62.09
152.22	-75.98	-75.49	0.69	-1.19	-13.00	-62.98
678.93	-71.92	-75.41	6.44	-2.96	-13.00	-58.92
697.36	-71.65	-74.95	6.25	-2.95	-13.00	-58.65
722.58	-69.60	-73.28	6.39	-2.71	-13.00	-56.60
1408.00	-56.78	-60.61	7.83	-4.01	-13.00	-43.78
2112.00	-55.98	-60.73	9.68	-4.93	-13.00	-42.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :707.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
157.07	-74.67	-74.28	0.85	-1.24	-13.00	-61.67
365.62	-75.48	-80.13	6.67	-2.02	-13.00	-62.48
584.84	-70.82	-74.28	6.27	-2.81	-13.00	-57.82
666.32	-70.49	-73.87	6.30	-2.91	-13.00	-57.49
724.52	-68.02	-71.56	6.26	-2.73	-13.00	-55.02
731.31	-68.46	-71.80	6.08	-2.74	-13.00	-55.46
1415.00	-53.11	-60.97	7.86	-4.00	-13.00	-40.11
2122.50	-52.81	-62.43	9.57	-4.96	-13.00	-39.81


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :707.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
111.48	-75.71	-75.61	0.97	-1.08	-13.00	-62.71
122.15	-75.83	-75.34	0.66	-1.15	-13.00	-62.83
358.83	-74.48	-79.22	6.74	-2.00	-13.00	-61.48
413.15	-73.71	-78.45	6.68	-1.95	-13.00	-60.71
633.34	-73.40	-76.99	5.99	-2.40	-13.00	-60.40
728.40	-69.18	-72.56	6.13	-2.76	-13.00	-56.18
1415.00	-56.10	-59.97	7.86	-4.00	-13.00	-43.10
2122.50	-57.06	-61.68	9.57	-4.96	-13.00	-44.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :711 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
167.74	-74.48	-74.97	1.79	-1.30	-13.00	-61.48
552.83	-71.01	-75.13	6.62	-2.50	-13.00	-58.01
584.84	-70.82	-74.28	6.27	-2.81	-13.00	-57.82
634.31	-70.07	-73.67	5.98	-2.38	-13.00	-57.07
682.81	-68.54	-71.95	6.40	-2.99	-13.00	-55.54
727.43	-67.94	-71.35	6.16	-2.75	-13.00	-54.94
1422.00	-52.92	-59.81	7.89	-4.00	-13.00	-39.92
2133.00	-51.80	-60.29	9.47	-4.98	-13.00	-38.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :711 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
125.06	-76.22	-75.72	0.66	-1.16	-13.00	-63.22
392.78	-74.53	-79.02	6.59	-2.11	-13.00	-61.53
544.10	-73.73	-78.00	6.64	-2.37	-13.00	-60.73
644.01	-73.11	-76.72	6.02	-2.41	-13.00	-60.11
687.66	-71.87	-75.10	6.32	-3.09	-13.00	-58.87
726.46	-69.04	-72.49	6.19	-2.74	-13.00	-56.04
1422.00	-56.24	-60.13	7.89	-4.00	-13.00	-43.24
2133.00	-55.76	-60.25	9.47	-4.98	-13.00	-42.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
109.54	-74.52	-74.47	1.01	-1.06	-13.00	-61.52
476.20	-74.20	-78.14	6.38	-2.43	-13.00	-61.20
542.16	-71.27	-75.52	6.61	-2.36	-13.00	-58.27
606.18	-70.71	-74.12	6.05	-2.64	-13.00	-57.71
649.83	-70.01	-73.44	6.08	-2.65	-13.00	-57.01
720.64	-68.09	-71.92	6.53	-2.70	-13.00	-55.09
1564.00	-57.67	-62.61	9.18	-4.25	-40.00	-17.67
2346.00	-54.65	-59.25	9.78	-5.18	-13.00	-41.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
97.90	-74.87	-75.61	1.75	-1.01	-13.00	-61.87
359.80	-74.48	-79.23	6.75	-1.99	-13.00	-61.48
520.82	-74.03	-78.20	6.46	-2.28	-13.00	-61.03
672.14	-72.08	-75.28	6.33	-3.13	-13.00	-59.08
704.15	-69.46	-72.76	6.28	-2.98	-13.00	-56.46
731.31	-69.35	-72.69	6.08	-2.74	-13.00	-56.35
1564.00	-58.02	-62.96	9.18	-4.25	-40.00	-18.02
2346.00	-53.67	-58.26	9.78	-5.18	-13.00	-40.67


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
766.84	-53.03	-53.30	3.07	-2.81	-35.00	-18.03
768.72	-54.05	-54.24	3.10	-2.91	-35.00	-19.05
771.20	-51.95	-52.09	3.12	-2.98	-35.00	-16.95
771.38	-52.17	-52.31	3.13	-2.98	-35.00	-17.17
773.02	-45.16	-45.31	3.14	-3.00	-35.00	-10.16
773.21	-45.61	-45.75	3.15	-3.00	-35.00	-10.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
766.91	-51.72	-51.98	3.07	-2.81	-35.00	-16.72
768.56	-51.23	-51.43	3.09	-2.90	-35.00	-16.23
768.69	-49.05	-49.24	3.10	-2.90	-35.00	-14.05
771.27	-46.83	-46.97	3.12	-2.98	-35.00	-11.83
773.10	-40.38	-40.53	3.14	-3.00	-35.00	-5.38
773.20	-41.10	-41.25	3.15	-3.00	-35.00	-6.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
795.11	-59.85	-60.61	3.89	-3.13	-35.00	-24.85
795.23	-59.64	-60.40	3.89	-3.13	-35.00	-24.64
799.56	-65.47	-66.36	4.03	-3.13	-35.00	-30.47
799.82	-62.85	-63.75	4.04	-3.13	-35.00	-27.85
800.30	-64.90	-65.82	4.05	-3.13	-35.00	-29.90
804.08	-64.74	-65.80	4.17	-3.10	-35.00	-29.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
795.30	-61.26	-62.02	3.90	-3.13	-35.00	-26.26
801.51	-58.20	-59.17	4.09	-3.12	-35.00	-23.20
802.60	-57.83	-58.84	4.12	-3.11	-35.00	-22.83
802.89	-55.76	-56.79	4.13	-3.11	-35.00	-20.76
803.13	-56.76	-57.79	4.14	-3.11	-35.00	-21.76
804.56	-56.60	-57.69	4.18	-3.10	-35.00	-21.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B14
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :793 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
109.54	-75.10	-75.04	1.01	-1.06	-13.00	-62.10
156.10	-75.39	-74.95	0.79	-1.23	-13.00	-62.39
603.27	-71.72	-75.11	6.03	-2.64	-13.00	-58.72
632.37	-70.33	-73.90	6.00	-2.43	-13.00	-57.33
693.48	-69.21	-72.44	6.27	-3.04	-13.00	-56.21
720.64	-68.20	-72.03	6.53	-2.70	-13.00	-55.20
1586.00	-57.22	-62.28	9.32	-4.25	-40.00	-17.22
2379.00	-56.03	-60.72	9.97	-5.29	-13.00	-43.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B14
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :793 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
123.12	-75.60	-75.15	0.71	-1.16	-13.00	-62.60
360.77	-75.10	-79.85	6.74	-1.99	-13.00	-62.10
403.45	-74.49	-79.06	6.67	-2.10	-13.00	-61.49
558.65	-74.41	-78.34	6.59	-2.66	-13.00	-61.41
634.31	-72.78	-76.39	5.98	-2.38	-13.00	-59.78
728.40	-68.76	-72.14	6.13	-2.76	-13.00	-55.76
1586.00	-57.83	-62.90	9.32	-4.25	-40.00	-17.83
2379.00	-55.21	-59.89	9.97	-5.29	-13.00	-42.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :709 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
151.25	-75.48	-75.00	0.69	-1.17	-13.00	-62.48
434.49	-74.42	-78.67	6.39	-2.14	-13.00	-61.42
467.47	-74.22	-78.17	6.32	-2.37	-13.00	-61.22
584.84	-70.78	-74.24	6.27	-2.81	-13.00	-57.78
630.43	-69.63	-73.16	6.01	-2.47	-13.00	-56.63
727.43	-67.77	-71.18	6.16	-2.75	-13.00	-54.77
1418.00	-53.17	-61.05	7.87	-3.99	-13.00	-40.17
2127.00	-57.47	-62.03	9.53	-4.97	-13.00	-44.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :709 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
97.90	-76.06	-76.80	1.75	-1.01	-13.00	-63.06
123.12	-74.89	-74.44	0.71	-1.16	-13.00	-61.89
359.80	-73.56	-78.32	6.75	-1.99	-13.00	-60.56
642.07	-72.81	-76.51	6.03	-2.33	-13.00	-59.81
703.18	-70.52	-73.83	6.26	-2.96	-13.00	-57.52
729.37	-68.48	-71.82	6.11	-2.77	-13.00	-55.48
1418.00	-57.12	-61.00	7.87	-3.99	-13.00	-44.12
2127.00	-56.87	-61.44	9.53	-4.97	-13.00	-43.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :710 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
108.57	-73.78	-73.88	1.17	-1.06	-13.00	-60.78
200.72	-75.51	-80.60	6.56	-1.47	-13.00	-62.51
533.43	-71.69	-76.10	6.56	-2.16	-13.00	-58.69
641.10	-70.61	-74.36	6.04	-2.29	-13.00	-57.61
698.33	-69.55	-72.87	6.24	-2.92	-13.00	-56.55
723.55	-68.58	-72.19	6.33	-2.72	-13.00	-55.58
1420.00	-52.70	-61.59	7.88	-3.99	-13.00	-39.70
2130.00	-52.66	-60.18	9.50	-4.97	-13.00	-39.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :710 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
97.90	-75.56	-76.30	1.75	-1.01	-13.00	-62.56
122.15	-75.76	-75.27	0.66	-1.15	-13.00	-62.76
394.72	-74.37	-78.79	6.56	-2.13	-13.00	-61.37
637.22	-73.41	-77.10	6.01	-2.31	-13.00	-60.41
686.69	-72.51	-75.77	6.32	-3.07	-13.00	-59.51
728.40	-69.86	-73.24	6.13	-2.76	-13.00	-56.86
1420.00	-57.10	-60.99	7.88	-3.99	-13.00	-44.10
2130.00	-56.24	-60.77	9.50	-4.97	-13.00	-43.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :711 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
108.57	-74.63	-74.73	1.17	-1.06	-13.00	-61.63
592.60	-70.74	-74.20	6.23	-2.77	-13.00	-57.74
649.83	-70.25	-73.68	6.08	-2.65	-13.00	-57.25
688.63	-69.52	-72.72	6.31	-3.10	-13.00	-56.52
703.18	-68.89	-72.20	6.26	-2.96	-13.00	-55.89
721.61	-68.10	-71.85	6.46	-2.71	-13.00	-55.10
1422.00	-52.12	-61.01	7.89	-4.00	-13.00	-39.12
2133.00	-52.04	-60.53	9.47	-4.98	-13.00	-39.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :711 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
93.05	-75.78	-76.78	1.99	-0.99	-13.00	-62.78
122.15	-75.16	-74.67	0.66	-1.15	-13.00	-62.16
396.66	-74.06	-78.50	6.59	-2.15	-13.00	-61.06
414.12	-73.80	-78.53	6.68	-1.95	-13.00	-60.80
696.39	-71.81	-75.09	6.25	-2.97	-13.00	-58.81
728.40	-69.73	-73.11	6.13	-2.76	-13.00	-56.73
1422.00	-56.83	-60.73	7.89	-4.00	-13.00	-43.83
2133.00	-57.32	-61.81	9.47	-4.98	-13.00	-44.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B18
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :822.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
156.10	-74.19	-73.76	0.79	-1.23	-13.00	-61.19
411.21	-74.58	-79.33	6.68	-1.93	-13.00	-61.58
597.45	-70.75	-74.17	6.10	-2.69	-13.00	-57.75
622.67	-70.53	-74.15	6.05	-2.44	-13.00	-57.53
697.36	-69.82	-73.12	6.25	-2.95	-13.00	-56.82
727.43	-68.30	-71.71	6.16	-2.75	-13.00	-55.30
1645.00	-58.49	-63.74	9.58	-4.33	-13.00	-45.49
2467.50	-55.53	-60.71	10.54	-5.36	-13.00	-42.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B18
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :822.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
123.12	-75.53	-75.08	0.71	-1.16	-13.00	-62.53
150.28	-76.08	-75.65	0.73	-1.16	-13.00	-63.08
384.05	-74.64	-79.22	6.63	-2.05	-13.00	-61.64
548.95	-73.94	-78.16	6.63	-2.41	-13.00	-60.94
640.13	-73.87	-77.66	6.05	-2.26	-13.00	-60.87
727.43	-69.00	-72.41	6.16	-2.75	-13.00	-56.00
1645.00	-56.91	-62.16	9.58	-4.33	-13.00	-43.91
2467.50	-55.36	-60.54	10.54	-5.36	-13.00	-42.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B19
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :837.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
109.54	-74.98	-74.92	1.01	-1.06	-13.00	-61.98
161.92	-75.40	-75.24	1.12	-1.28	-13.00	-62.40
588.72	-70.30	-73.74	6.25	-2.81	-13.00	-57.30
632.37	-69.57	-73.13	6.00	-2.43	-13.00	-56.57
686.69	-68.79	-72.05	6.32	-3.07	-13.00	-55.79
721.61	-67.93	-71.68	6.46	-2.71	-13.00	-54.93
1675.00	-57.74	-63.04	9.70	-4.40	-13.00	-44.74
2512.50	-55.56	-60.82	10.65	-5.39	-13.00	-42.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B19
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :837.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
122.15	-76.04	-75.55	0.66	-1.15	-13.00	-63.04
364.65	-75.17	-79.83	6.67	-2.01	-13.00	-62.17
399.57	-74.90	-79.36	6.66	-2.19	-13.00	-61.90
530.52	-74.46	-78.91	6.52	-2.08	-13.00	-61.46
638.19	-73.51	-77.24	6.02	-2.29	-13.00	-60.51
732.28	-69.25	-72.61	6.07	-2.71	-13.00	-56.25
1675.00	-57.37	-62.68	9.70	-4.40	-13.00	-44.37
2512.50	-56.61	-61.87	10.65	-5.39	-13.00	-43.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B25
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1860 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :VERTICAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
154.16	-75.26	-74.82	0.77	-1.21	-13.00	-62.26
467.47	-74.39	-78.34	6.32	-2.37	-13.00	-61.39
580.96	-70.73	-74.21	6.29	-2.81	-13.00	-57.73
648.86	-69.96	-73.42	6.07	-2.61	-13.00	-56.96
679.90	-69.70	-73.24	6.47	-2.93	-13.00	-56.70
727.43	-68.00	-71.41	6.16	-2.75	-13.00	-55.00
3720.00	-45.30	9.08	12.56	-6.45	-13.00	-32.30
5580.00	-46.49	14.69	13.00	-8.42	-13.00	-33.49


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B25
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1860 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
129.91	-73.43	-72.76	0.51	-1.18	-13.00	-60.43
449.04	-74.00	-78.05	6.29	-2.24	-13.00	-61.00
542.16	-71.76	-76.01	6.61	-2.36	-13.00	-58.76
636.25	-70.06	-73.72	6.00	-2.34	-13.00	-57.06
687.66	-69.55	-72.78	6.32	-3.09	-13.00	-56.55
720.64	-68.46	-72.29	6.53	-2.70	-13.00	-55.46
3720.00	-48.01	-61.12	12.56	-6.45	-13.00	-35.01
5580.00	-47.71	-56.30	13.00	-8.42	-13.00	-34.71


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B25
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1882.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :VERTICAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-75.02	-63.15	-11.21	-0.65	-13.00	-62.02
109.54	-74.93	-74.87	1.01	-1.06	-13.00	-61.93
548.95	-71.27	-75.50	6.63	-2.41	-13.00	-58.27
596.48	-70.99	-74.44	6.15	-2.70	-13.00	-57.99
680.87	-69.53	-73.03	6.45	-2.95	-13.00	-56.53
727.43	-67.13	-70.54	6.16	-2.75	-13.00	-54.13
3765.00	-45.93	-61.67	12.50	-6.76	-13.00	-32.93
5647.50	-47.89	-56.57	13.10	-8.41	-13.00	-34.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B25
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1882.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
130.88	-73.26	-72.53	0.47	-1.19	-13.00	-60.26
418.97	-73.64	-78.25	6.61	-2.00	-13.00	-60.64
542.16	-71.55	-75.80	6.61	-2.36	-13.00	-58.55
579.02	-70.94	-74.46	6.32	-2.79	-13.00	-57.94
640.13	-70.62	-74.41	6.05	-2.26	-13.00	-57.62
714.82	-67.78	-71.07	6.21	-2.92	-13.00	-54.78
3765.00	-49.76	-61.50	12.50	-6.76	-13.00	-36.76
5647.50	-48.43	-57.11	13.10	-8.41	-13.00	-35.43


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B25
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1905 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :VERTICAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
147.37	-74.64	-74.00	0.55	-1.20	-13.00	-61.64
534.40	-71.41	-75.81	6.58	-2.18	-13.00	-58.41
581.93	-70.65	-74.13	6.28	-2.81	-13.00	-57.65
635.28	-70.26	-73.88	5.98	-2.36	-13.00	-57.26
678.93	-69.40	-72.88	6.44	-2.96	-13.00	-56.40
717.73	-68.14	-71.76	6.41	-2.79	-13.00	-55.14
3810.00	-44.58	-61.49	12.46	-6.56	-13.00	-31.58
5715.00	-45.87	-56.34	13.04	-8.58	-13.00	-32.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
Operation Mode :LTE B25
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1905 MHz

Test Site :SAC 1
Test Date :2022-06-16
Temp./Humi. :24.3/63
Antenna Pol. :HORIZONTAL
Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
95.96	-74.73	-75.69	1.97	-1.01	-13.00	-61.73
132.82	-73.39	-72.73	0.57	-1.22	-13.00	-60.39
514.03	-72.87	-77.15	6.46	-2.19	-13.00	-59.87
570.29	-70.16	-74.01	6.53	-2.68	-13.00	-57.16
680.87	-69.70	-73.20	6.45	-2.95	-13.00	-56.70
728.40	-68.18	-71.55	6.13	-2.76	-13.00	-55.18
3810.00	-46.47	-59.37	12.46	-6.56	-13.00	-33.47
5715.00	-48.53	-56.99	13.04	-8.58	-13.00	-35.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B26
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :831.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
36.79	-73.57	-61.65	-11.28	-0.64	-13.00	-60.57
153.19	-75.07	-74.69	0.81	-1.20	-13.00	-62.07
232.73	-75.08	-80.35	6.88	-1.60	-13.00	-62.08
544.10	-71.41	-75.67	6.64	-2.37	-13.00	-58.41
710.94	-67.41	-70.48	6.16	-3.09	-13.00	-54.41
729.37	-67.18	-70.52	6.11	-2.77	-13.00	-54.18
1663.00	-57.80	-63.06	9.65	-4.40	-13.00	-44.80
2494.50	-55.18	-60.33	10.59	-5.43	-13.00	-42.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B26
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :831.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
121.18	-74.97	-74.58	0.76	-1.15	-13.00	-61.97
400.54	-73.56	-78.05	6.67	-2.18	-13.00	-60.56
548.95	-73.58	-77.81	6.63	-2.41	-13.00	-60.58
634.31	-72.98	-76.58	5.98	-2.38	-13.00	-59.98
692.51	-71.58	-74.79	6.28	-3.07	-13.00	-58.58
726.46	-68.71	-72.15	6.19	-2.74	-13.00	-55.71
1663.00	-57.97	-63.23	9.65	-4.40	-13.00	-44.97
2494.50	-55.95	-61.10	10.59	-5.43	-13.00	-42.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B26
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-72.64	-60.77	-11.21	-0.65	-13.00	-59.64
156.10	-74.79	-74.36	0.79	-1.23	-13.00	-61.79
576.11	-71.16	-74.79	6.39	-2.76	-13.00	-58.16
628.49	-69.55	-73.10	6.02	-2.47	-13.00	-56.55
694.45	-68.47	-71.72	6.27	-3.02	-13.00	-55.47
725.49	-67.73	-71.21	6.22	-2.74	-13.00	-54.73
1673.00	-57.32	-62.62	9.69	-4.40	-13.00	-44.32
2509.50	-55.37	-60.60	10.64	-5.41	-13.00	-42.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B26
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
124.09	-75.17	-74.61	0.60	-1.16	-13.00	-62.17
388.90	-74.57	-79.13	6.64	-2.07	-13.00	-61.57
555.74	-74.02	-78.05	6.61	-2.58	-13.00	-61.02
608.12	-73.74	-77.15	6.04	-2.63	-13.00	-60.74
693.48	-72.31	-75.54	6.27	-3.04	-13.00	-59.31
726.46	-69.38	-72.83	6.19	-2.74	-13.00	-56.38
1673.00	-57.56	-62.85	9.69	-4.40	-13.00	-44.56
2509.50	-55.75	-60.98	10.64	-5.41	-13.00	-42.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B26
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :841.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
155.13	-75.17	-74.69	0.74	-1.22	-13.00	-62.17
507.24	-72.46	-76.74	6.48	-2.20	-13.00	-59.46
547.98	-72.10	-76.34	6.64	-2.40	-13.00	-59.10
579.02	-70.02	-73.55	6.32	-2.79	-13.00	-57.02
679.90	-69.44	-72.97	6.47	-2.93	-13.00	-56.44
722.58	-67.53	-71.21	6.39	-2.71	-13.00	-54.53
1683.00	-57.39	-62.72	9.73	-4.40	-13.00	-44.39
2524.50	-55.27	-60.61	10.70	-5.37	-13.00	-42.27


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B26
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :841.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
96.93	-75.55	-76.31	1.77	-1.01	-13.00	-62.55
123.12	-75.97	-75.52	0.71	-1.16	-13.00	-62.97
388.90	-73.91	-78.47	6.64	-2.07	-13.00	-60.91
454.86	-73.54	-77.48	6.28	-2.35	-13.00	-60.54
700.27	-71.29	-74.63	6.23	-2.89	-13.00	-58.29
729.37	-69.13	-72.47	6.11	-2.77	-13.00	-56.13
1683.00	-57.79	-63.12	9.73	-4.40	-13.00	-44.79
2524.50	-55.68	-61.02	10.70	-5.37	-13.00	-42.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B26 Part90
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :819 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
153.19	-75.19	-74.80	0.81	-1.20	-13.00	-62.19
239.52	-75.30	-80.11	6.45	-1.64	-13.00	-62.30
469.41	-74.21	-78.21	6.35	-2.35	-13.00	-61.21
585.81	-70.69	-74.15	6.26	-2.81	-13.00	-57.69
637.22	-69.12	-72.81	6.01	-2.31	-13.00	-56.12
724.52	-66.53	-70.07	6.26	-2.73	-13.00	-53.53
1638.00	-58.60	-63.84	9.55	-4.31	-13.00	-45.60
2457.00	-55.09	-60.26	10.51	-5.34	-13.00	-42.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B26 Part90
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :819 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
122.15	-74.17	-73.68	0.66	-1.15	-13.00	-61.17
151.25	-75.96	-75.48	0.69	-1.17	-13.00	-62.96
402.48	-74.25	-78.80	6.67	-2.12	-13.00	-61.25
547.01	-73.36	-77.61	6.64	-2.39	-13.00	-60.36
632.37	-72.38	-75.95	6.00	-2.43	-13.00	-59.38
723.55	-69.44	-73.05	6.33	-2.72	-13.00	-56.44
1638.00	-58.46	-63.71	9.55	-4.31	-13.00	-45.46
2457.00	-55.38	-60.55	10.51	-5.34	-13.00	-42.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B30
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2310 MHz

Test Site :SAC 1
 Test Date :2022-07-11
 Temp./Humi. :25.4/64
 Antenna Pol. :VERTICAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
437.40	-74.10	-2.27	6.34	-2.21	-40.00	-34.10
524.70	-71.80	-0.03	6.52	-2.19	-40.00	-31.80
562.53	-71.04	1.52	6.52	-2.70	-40.00	-31.04
637.22	-70.30	3.37	6.01	-2.31	-40.00	-30.30
687.66	-69.00	4.50	6.32	-3.09	-40.00	-29.00
720.64	-68.15	5.75	6.53	-2.70	-40.00	-28.15
4620.00	-42.77	-47.67	12.48	-7.58	-40.00	-2.77
6930.00	-46.41	-48.75	11.84	-9.50	-40.00	-6.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B30
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2310 MHz

Test Site :SAC 1
 Test Date :2022-07-11
 Temp./Humi. :25.4/64
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
196.84	-72.14	-76.90	6.22	-1.46	-40.00	-32.14
524.70	-71.48	-75.81	6.52	-2.19	-40.00	-31.48
564.47	-71.20	-74.98	6.48	-2.69	-40.00	-31.20
624.61	-69.92	-73.51	6.04	-2.45	-40.00	-29.92
692.51	-68.70	-71.91	6.28	-3.07	-40.00	-28.70
729.37	-67.92	-71.26	6.11	-2.77	-40.00	-27.92
4620.00	-47.37	-52.27	12.48	-7.58	-40.00	-7.37
6930.00	-45.93	-48.27	11.84	-9.50	-40.00	-5.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
Operation Mode :LTE B38
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2580 MHz

Test Site :SAC 1
Test Date :2022-06-16
Temp./Humi. :24.3/63
Antenna Pol. :VERTICAL
Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
399.57	-74.75	-79.22	6.66	-2.19	-25.00	-49.75
472.32	-74.05	-78.04	6.36	-2.38	-25.00	-49.05
535.37	-70.84	-75.22	6.59	-2.21	-25.00	-45.84
638.19	-70.14	-73.87	6.02	-2.29	-25.00	-45.14
682.81	-69.10	-72.51	6.40	-2.99	-25.00	-44.10
729.37	-67.45	-70.79	6.11	-2.77	-25.00	-42.45
5160.00	-34.55	-55.84	12.28	-7.99	-25.00	-9.55
7740.00	-45.08	-47.13	11.60	-9.55	-25.00	-20.08


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2580 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
195.87	-72.67	-77.46	6.25	-1.46	-25.00	-47.67
398.60	-73.67	-78.13	6.63	-2.18	-25.00	-48.67
586.78	-70.49	-73.94	6.26	-2.81	-25.00	-45.49
641.10	-69.73	-73.47	6.04	-2.29	-25.00	-44.73
685.72	-69.18	-72.47	6.33	-3.05	-25.00	-44.18
726.46	-68.01	-71.45	6.19	-2.74	-25.00	-43.01
5160.00	-41.47	-55.76	12.28	-7.99	-25.00	-16.47
7740.00	-45.39	-47.44	11.60	-9.55	-25.00	-20.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2595 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :VERTICAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
130.88	-74.24	-73.52	0.47	-1.19	-25.00	-49.24
468.44	-74.20	-78.17	6.34	-2.36	-25.00	-49.20
546.04	-70.76	-75.02	6.65	-2.38	-25.00	-45.76
627.52	-69.94	-73.49	6.03	-2.47	-25.00	-44.94
700.27	-68.73	-72.07	6.23	-2.89	-25.00	-43.73
721.61	-67.73	-71.48	6.46	-2.71	-25.00	-42.73
5190.00	-34.61	-56.08	12.52	-8.06	-25.00	-9.61
7785.00	-45.18	-47.18	11.60	-9.60	-25.00	-20.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2595 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
127.00	-74.33	-73.66	0.50	-1.17	-25.00	-49.33
423.82	-73.55	-78.12	6.59	-2.02	-25.00	-48.55
537.31	-71.76	-76.07	6.58	-2.27	-25.00	-46.76
619.76	-70.35	-73.99	6.07	-2.43	-25.00	-45.35
684.75	-69.93	-73.25	6.34	-3.03	-25.00	-44.93
722.58	-67.66	-71.34	6.39	-2.71	-25.00	-42.66
5190.00	-43.51	-55.97	12.52	-8.06	-25.00	-18.51
7785.00	-44.31	-46.31	11.60	-9.60	-25.00	-19.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2610 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :VERTICAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
157.07	-73.93	-73.55	0.85	-1.24	-25.00	-48.93
512.09	-72.69	-77.01	6.47	-2.15	-25.00	-47.69
603.27	-71.01	-74.41	6.03	-2.64	-25.00	-46.01
648.86	-70.28	-73.73	6.07	-2.61	-25.00	-45.28
702.21	-67.86	-71.18	6.25	-2.93	-25.00	-42.86
725.49	-67.50	-70.99	6.22	-2.74	-25.00	-42.50
5220.00	-38.72	-55.48	12.72	-7.97	-25.00	-13.72
7830.00	-44.92	-46.38	11.48	-10.01	-25.00	-19.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2610 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
134.76	-74.12	-73.30	0.44	-1.25	-25.00	-49.12
199.75	-74.47	-79.52	6.51	-1.46	-25.00	-49.47
536.34	-71.01	-75.35	6.59	-2.24	-25.00	-46.01
628.49	-69.95	-73.50	6.02	-2.47	-25.00	-44.95
693.48	-69.11	-72.34	6.27	-3.04	-25.00	-44.11
717.73	-67.76	-71.38	6.41	-2.79	-25.00	-42.76
5220.00	-44.59	-56.34	12.72	-7.97	-25.00	-19.59
7830.00	-45.15	-46.61	11.48	-10.01	-25.00	-20.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2506 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :VERTICAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
236.61	-75.41	-80.36	6.57	-1.63	-25.00	-50.41
521.79	-72.20	-76.41	6.47	-2.26	-25.00	-47.20
582.90	-71.08	-74.55	6.28	-2.81	-25.00	-46.08
633.34	-70.99	-74.57	5.99	-2.40	-25.00	-45.99
679.90	-70.03	-73.56	6.47	-2.93	-25.00	-45.03
715.79	-68.08	-71.47	6.27	-2.87	-25.00	-43.08
5012.00	-38.02	-55.71	12.45	-7.76	-25.00	-13.02
7518.00	-46.17	-47.67	11.14	-9.63	-25.00	-21.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2506 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
126.03	-74.20	-73.66	0.63	-1.17	-25.00	-49.20
431.58	-73.72	-78.04	6.39	-2.08	-25.00	-48.72
517.91	-72.12	-76.31	6.45	-2.26	-25.00	-47.12
577.08	-70.74	-74.34	6.36	-2.77	-25.00	-45.74
637.22	-69.62	-73.31	6.01	-2.31	-25.00	-44.62
729.37	-67.77	-71.11	6.11	-2.77	-25.00	-42.77
5012.00	-45.55	-56.24	12.45	-7.76	-25.00	-20.55
7518.00	-47.07	-48.57	11.14	-9.63	-25.00	-22.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2593 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :VERTICAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
159.98	-74.99	-74.72	1.00	-1.27	-25.00	-49.99
471.35	-74.36	-78.37	6.36	-2.36	-25.00	-49.36
547.98	-71.61	-75.85	6.64	-2.40	-25.00	-46.61
613.94	-70.27	-73.80	6.09	-2.55	-25.00	-45.27
697.36	-69.74	-73.04	6.25	-2.95	-25.00	-44.74
722.58	-67.70	-71.38	6.39	-2.71	-25.00	-42.70
5186.00	-36.43	-54.84	12.49	-8.08	-25.00	-11.43
7779.00	-44.48	-46.58	11.60	-9.50	-25.00	-19.48


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2593 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
127.00	-74.04	-73.37	0.50	-1.17	-25.00	-49.04
204.60	-74.21	-79.38	6.65	-1.48	-25.00	-49.21
442.25	-74.16	-78.19	6.29	-2.26	-25.00	-49.16
582.90	-70.52	-73.99	6.28	-2.81	-25.00	-45.52
631.40	-70.46	-74.02	6.00	-2.45	-25.00	-45.46
718.70	-67.63	-71.36	6.48	-2.75	-25.00	-42.63
5186.00	-43.15	-55.55	12.49	-8.08	-25.00	-18.15
7779.00	-44.86	-46.96	11.60	-9.50	-25.00	-19.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2680 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :VERTICAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
156.10	-75.15	-74.72	0.79	-1.23	-25.00	-50.15
232.73	-74.68	-79.96	6.88	-1.60	-25.00	-49.68
440.31	-74.41	-78.44	6.29	-2.27	-25.00	-49.41
633.34	-70.45	-74.03	5.99	-2.40	-25.00	-45.45
697.36	-69.48	-72.78	6.25	-2.95	-25.00	-44.48
715.79	-68.27	-71.67	6.27	-2.87	-25.00	-43.27
5360.00	-36.98	-56.79	13.18	-8.38	-25.00	-11.98
8040.00	-46.37	-47.40	11.08	-10.05	-25.00	-21.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2680 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
97.90	-74.59	-75.33	1.75	-1.01	-25.00	-49.59
126.03	-73.88	-73.34	0.63	-1.17	-25.00	-48.88
402.48	-73.79	-78.34	6.67	-2.12	-25.00	-48.79
540.22	-70.40	-74.63	6.57	-2.34	-25.00	-45.40
655.65	-70.18	-73.84	6.18	-2.53	-25.00	-45.18
726.46	-67.51	-70.96	6.19	-2.74	-25.00	-42.51
5360.00	-42.66	-56.47	13.18	-8.38	-25.00	-17.66
8040.00	-45.89	-46.92	11.08	-10.05	-25.00	-20.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1720 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :VERTICAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
158.04	-75.03	-74.78	0.99	-1.25	-13.00	-62.03
516.94	-72.79	-77.00	6.45	-2.24	-13.00	-59.79
577.08	-71.04	-74.63	6.36	-2.77	-13.00	-58.04
627.52	-70.24	-73.80	6.03	-2.47	-13.00	-57.24
704.15	-68.24	-71.54	6.28	-2.98	-13.00	-55.24
722.58	-67.34	-71.02	6.39	-2.71	-13.00	-54.34
3440.00	-53.57	-59.41	12.50	-6.65	-13.00	-40.57
5160.00	-52.60	-56.89	12.28	-7.99	-13.00	-39.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1720 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
109.54	-73.86	-73.80	1.01	-1.06	-13.00	-60.86
132.82	-73.82	-73.17	0.57	-1.22	-13.00	-60.82
357.86	-73.33	-78.05	6.74	-2.02	-13.00	-60.33
581.93	-70.80	-74.27	6.28	-2.81	-13.00	-57.80
657.59	-70.68	-74.48	6.29	-2.48	-13.00	-57.68
720.64	-67.56	-71.39	6.53	-2.70	-13.00	-54.56
3440.00	-55.70	-61.55	12.50	-6.65	-13.00	-42.70
5160.00	-52.35	-56.64	12.28	-7.99	-13.00	-39.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :VERTICAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
108.57	-74.89	-75.00	1.17	-1.06	-13.00	-61.89
155.13	-75.03	-74.55	0.74	-1.22	-13.00	-62.03
581.93	-70.79	-74.26	6.28	-2.81	-13.00	-57.79
644.01	-70.38	-73.99	6.02	-2.41	-13.00	-57.38
703.18	-69.39	-72.70	6.26	-2.96	-13.00	-56.39
729.37	-67.79	-71.13	6.11	-2.77	-13.00	-54.79
3490.00	-48.45	-61.55	12.42	-6.33	-13.00	-35.45
5235.00	-48.57	-57.34	12.81	-8.04	-13.00	-35.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
122.15	-73.61	-73.11	0.66	-1.15	-13.00	-60.61
201.69	-74.38	-79.49	6.58	-1.47	-13.00	-61.38
546.04	-70.56	-74.82	6.65	-2.38	-13.00	-57.56
634.31	-69.23	-72.83	5.98	-2.38	-13.00	-56.23
709.00	-69.09	-72.16	6.18	-3.10	-13.00	-56.09
716.76	-68.22	-71.72	6.34	-2.83	-13.00	-55.22
3490.00	-49.24	-62.34	12.42	-6.33	-13.00	-36.24
5235.00	-48.87	-57.64	12.81	-8.04	-13.00	-35.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1770 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :VERTICAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
158.04	-75.07	-74.82	0.99	-1.25	-13.00	-62.07
366.59	-76.00	-80.65	6.67	-2.02	-13.00	-63.00
399.57	-75.25	-79.71	6.66	-2.19	-13.00	-62.25
577.08	-71.41	-75.00	6.36	-2.77	-13.00	-58.41
644.98	-70.34	-73.90	6.01	-2.45	-13.00	-57.34
716.76	-67.28	-70.79	6.34	-2.83	-13.00	-54.28
3540.00	-46.26	-60.93	12.24	-6.57	-13.00	-33.26
5310.00	-48.48	-56.50	13.12	-8.10	-13.00	-35.48


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1770 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :HORIZONTAL
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
121.18	-74.02	-73.63	0.76	-1.15	-13.00	-61.02
196.84	-74.21	-78.97	6.22	-1.46	-13.00	-61.21
236.61	-74.27	-79.22	6.57	-1.63	-13.00	-61.27
583.87	-70.45	-73.92	6.27	-2.81	-13.00	-57.45
686.69	-69.89	-73.15	6.32	-3.07	-13.00	-56.89
716.76	-67.80	-71.31	6.34	-2.83	-13.00	-54.80
3540.00	-50.98	-61.65	12.24	-6.57	-13.00	-37.98
5310.00	-49.17	-57.19	13.12	-8.10	-13.00	-36.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :673 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
155.13	-74.98	-74.50	0.74	-1.22	-13.00	-61.98
434.49	-73.47	-77.71	6.39	-2.14	-13.00	-60.47
551.86	-71.24	-75.40	6.62	-2.47	-13.00	-58.24
644.01	-70.12	-73.73	6.02	-2.41	-13.00	-57.12
696.39	-68.85	-72.14	6.25	-2.97	-13.00	-55.85
723.55	-66.69	-70.29	6.33	-2.72	-13.00	-53.69
1346.00	-52.36	-60.65	7.19	-3.90	-13.00	-39.36
2019.00	-57.24	-62.63	10.20	-4.81	-13.00	-44.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :673 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
123.12	-74.91	-74.46	0.71	-1.16	-13.00	-61.91
360.77	-73.72	-78.47	6.74	-1.99	-13.00	-60.72
405.39	-73.77	-78.40	6.67	-2.04	-13.00	-60.77
554.77	-73.82	-77.88	6.61	-2.55	-13.00	-60.82
683.78	-72.50	-75.87	6.37	-3.01	-13.00	-59.50
726.46	-69.21	-72.66	6.19	-2.74	-13.00	-56.21
1346.00	-56.47	-59.75	7.19	-3.90	-13.00	-43.47
2019.00	-57.74	-63.13	10.20	-4.81	-13.00	-44.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :680.5 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
108.57	-73.22	-73.32	1.17	-1.06	-13.00	-60.22
539.25	-71.29	-75.54	6.57	-2.32	-13.00	-58.29
585.81	-70.74	-74.20	6.26	-2.81	-13.00	-57.74
621.70	-70.12	-73.74	6.06	-2.44	-13.00	-57.12
706.09	-67.39	-70.62	6.26	-3.03	-13.00	-54.39
721.61	-67.95	-71.70	6.46	-2.71	-13.00	-54.95
1361.00	-58.01	-61.37	7.33	-3.97	-13.00	-45.01
2041.50	-56.93	-62.28	10.20	-4.85	-13.00	-43.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
Operation Mode :LTE B71
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :680.5 MHz

Test Site :SAC 1
Test Date :2022-06-16
Temp./Humi. :24.3/63
Antenna Pol. :Horizontal
Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
94.99	-76.37	-77.34	1.98	-1.00	-13.00	-63.37
122.15	-75.10	-74.61	0.66	-1.15	-13.00	-62.10
394.72	-73.35	-77.78	6.56	-2.13	-13.00	-60.35
571.26	-73.70	-77.52	6.51	-2.70	-13.00	-60.70
680.87	-72.76	-76.26	6.45	-2.95	-13.00	-59.76
729.37	-69.45	-72.80	6.11	-2.77	-13.00	-56.45
1361.00	-54.22	-60.59	7.33	-3.97	-13.00	-41.22
2041.50	-57.28	-62.63	10.20	-4.85	-13.00	-44.28


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :688 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Vertical
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
109.54	-75.53	-75.48	1.01	-1.06	-13.00	-62.53
155.13	-74.73	-74.25	0.74	-1.22	-13.00	-61.73
569.32	-71.37	-75.22	6.53	-2.68	-13.00	-58.37
637.22	-70.28	-73.98	6.01	-2.31	-13.00	-57.28
718.70	-67.24	-70.97	6.48	-2.75	-13.00	-54.24
728.40	-67.36	-70.74	6.13	-2.76	-13.00	-54.36
1376.00	-57.42	-60.94	7.51	-3.99	-13.00	-44.42
2064.00	-56.85	-62.08	10.09	-4.85	-13.00	-43.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2206000793ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :688 MHz

Test Site :SAC 1
 Test Date :2022-06-16
 Temp./Humi. :24.3/63
 Antenna Pol. :Horizontal
 Engineer :GN Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
112.45	-75.41	-75.27	0.94	-1.08	-13.00	-62.41
363.68	-74.61	-79.29	6.69	-2.01	-13.00	-61.61
443.22	-73.65	-77.69	6.29	-2.26	-13.00	-60.65
685.72	-71.98	-75.27	6.33	-3.05	-13.00	-58.98
720.64	-68.34	-72.17	6.53	-2.70	-13.00	-55.34
728.40	-68.62	-72.00	6.13	-2.76	-13.00	-55.62
1376.00	-57.79	-61.31	7.51	-3.99	-13.00	-44.79
2064.00	-57.33	-62.56	10.09	-4.85	-13.00	-44.33

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.