

# Appendix A: Test Results of Band 787-788 MHz for NB-IoT operation

<b>APPENDIX A: TEST RESULTS OF BAND 787-788 MHz FOR NB-IoT OPERATION .....</b>	<b>1</b>
APPENDIX A.1: RF POWER OUTPUT AND EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA FOR NB .....	2
Test Result .....	2
APPENDIX A.2: PEAK-TO-AVERAGE RATIO (CCDF) FOR NB.....	3
Test Result .....	3
Test Graphs.....	3
APPENDIX A.3: 26DB EMISSION BANDWIDTH AND OCCUPIED BANDWIDTH FOR NB .....	13
Test Result .....	13
Test Graphs.....	13
APPENDIX A.4: BAND EDGE FOR NB.....	19
Test Result .....	19
Test Graphs.....	20
APPENDIX A.5: CONDUCTED SPURIOUS EMISSION FOR NB .....	38
Test Result .....	38
Test Graphs.....	39
APPENDIX A.6: FREQUENCY STABILITY FOR NB .....	63
Test Result .....	63

## Appendix A.1: RF Power Output and Effective (Isotropic) Radiated Power Output Data for NB

### Test Result


Test Configuration		EARFCN	Frequency (MHz)	EARFCN	Frequency (MHz)	EARFCN	Frequency (MHz)	EARFCN	Frequency (MHz)
		134183	787.1	134184	787.2	134190	787.8	134191	787.9
Modulation: BPSK		Conducted Power (dBm)	E.R.P (dBm)	Conducted Power (dBm)	E.R.P (dBm)	Conducted Power (dBm)	E.R.P (dBm)	Conducted Power (dBm)	E.R.P (dBm)
3.75kHz	1RB0	6.06	6.05	20.79	20.78	20.72	20.71	6.06	6.05
	1RB47	6.01	6.00	20.71	20.70	20.72	20.71	6.00	5.99
15kHz	1RB0	6.39	6.38	20.66	20.65	20.66	20.65	6.42	6.41
	1RB11	6.33	6.32	20.63	20.62	20.53	20.52	6.36	6.35
Modulation: QPSK		Conducted Power (dBm)	E.R.P (dBm)	Conducted Power (dBm)	E.R.P (dBm)	Conducted Power (dBm)	E.R.P (dBm)	Conducted Power (dBm)	E.R.P (dBm)
3.75kHz	1RB0	6.07	6.06	20.84	20.83	20.61	20.60	6.10	6.09
	1RB47	6.01	6.00	20.79	20.78	20.79	20.78	6.04	6.03
15kHz	1RB0	6.40	6.39	20.74	20.73	20.68	20.67	6.42	6.41
	1RB11	6.33	6.32	20.63	20.62	20.64	20.63	6.35	6.34
	3RB3	6.52	6.51	20.53	20.52	20.54	20.53	6.55	6.54


## Appendix A.2: Peak-to-Average Ratio (CCDF) for NB


### Test Result



Band	OpMode	Bandwidth	Modulation	Channel	Tones	SCS	Result (dB)	Limit (dB)	Verdict
787-788M	Stand-Alone	NaN	BPSK	134183	1@0	3.75kHz	1.88	<=13	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	1.77	<=13	PASS
787-788M	Stand-Alone	NaN	BPSK	134183	1@47	3.75kHz	1.77	<=13	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@47	3.75kHz	1.94	<=13	PASS
787-788M	Stand-Alone	NaN	BPSK	134183	1@0	15kHz	1.62	<=13	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	1.62	<=13	PASS
787-788M	Stand-Alone	NaN	BPSK	134183	1@11	15kHz	1.59	<=13	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@11	15kHz	1.62	<=13	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	3@3	15kHz	3.91	<=13	PASS
787-788M	Stand-Alone	NaN	BPSK	134191	1@0	3.75kHz	2.17	<=13	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	1.68	<=13	PASS
787-788M	Stand-Alone	NaN	BPSK	134191	1@47	3.75kHz	2.03	<=13	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@47	3.75kHz	1.48	<=13	PASS
787-788M	Stand-Alone	NaN	BPSK	134191	1@0	15kHz	1.54	<=13	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	1.62	<=13	PASS
787-788M	Stand-Alone	NaN	BPSK	134191	1@11	15kHz	1.59	<=13	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@11	15kHz	1.68	<=13	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	3@3	15kHz	3.88	<=13	PASS

### Test Graphs































## Appendix A.3: 26dB Emission Bandwidth and Occupied Bandwidth for NB

### Test Result


Band	OpMode	Bandwidth	Modulation	Channel	Tones	SCS	26dB Bandwidth (MHz)	Occupied Bandwidth (MHz)	Verdict
787-788M	Stand-Alone	NaN	BPSK	134183	1@0	3.75kHz	0.03158	0.05697	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	0.03778	0.05317	PASS
787-788M	Stand-Alone	NaN	BPSK	134183	1@0	15kHz	0.11674	0.12754	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	0.12854	0.12874	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	12@0	15kHz	0.25507	0.18691	PASS
787-788M	Stand-Alone	NaN	BPSK	134191	1@0	3.75kHz	0.03698	0.05677	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	0.04118	0.05517	PASS
787-788M	Stand-Alone	NaN	BPSK	134191	1@0	15kHz	0.11774	0.12794	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	0.12853	0.12794	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	12@0	15kHz	0.24228	0.18391	PASS

### Test Graphs







Date: 25.FEB.2021 13:52:28




Date: 25.FEB.2021 14:09:44




Date: 25.FEB.2021 14:07:22



Date: 25.FEB.2021 14:14:16




Date: 25.FEB.2021 14:19:11




Date: 25.FEB.2021 14:21:21





Date: 25.FEB.2021 14:24:10



Date: 25.FEB.2021 14:26:11




## Appendix A.4: Band Edge for NB


### Test Result

Band	OpMode	Bandwidth	Modulation	Channel	Tones	SCS	Result (dBm)	Verdict
787-788M	Stand-Alone	NaN	BPSK	134183	1@0	3.75kHz	-24.13	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	-24.12	PASS
787-788M	Stand-Alone	NaN	BPSK	134183	1@47	3.75kHz	-54.43	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@47	3.75kHz	-54.35	PASS
787-788M	Stand-Alone	NaN	BPSK	134183	1@0	15kHz	-16.86	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	-17.49	PASS
787-788M	Stand-Alone	NaN	BPSK	134183	1@11	15kHz	-38.80	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@11	15kHz	-38.14	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	12@0	15kHz	-22.29	PASS
787-788M	Stand-Alone	NaN	BPSK	134184	1@0	3.75kHz	-40.76	PASS
787-788M	Stand-Alone	NaN	QPSK	134184	1@0	3.75kHz	-39.99	PASS
787-788M	Stand-Alone	NaN	BPSK	134184	1@47	3.75kHz	-48.19	PASS
787-788M	Stand-Alone	NaN	QPSK	134184	1@47	3.75kHz	-49.11	PASS
787-788M	Stand-Alone	NaN	BPSK	134184	1@0	15kHz	-48.00	PASS
787-788M	Stand-Alone	NaN	QPSK	134184	1@0	15kHz	-52.57	PASS
787-788M	Stand-Alone	NaN	BPSK	134184	1@11	15kHz	-56.68	PASS
787-788M	Stand-Alone	NaN	QPSK	134184	1@11	15kHz	-57.38	PASS
787-788M	Stand-Alone	NaN	QPSK	134184	12@0	15kHz	-41.90	PASS
787-788M	Stand-Alone	NaN	BPSK	134190	1@0	3.75kHz	-48.42	PASS
787-788M	Stand-Alone	NaN	QPSK	134190	1@0	3.75kHz	-48.29	PASS
787-788M	Stand-Alone	NaN	BPSK	134190	1@47	3.75kHz	-40.14	PASS
787-788M	Stand-Alone	NaN	QPSK	134190	1@47	3.75kHz	-41.09	PASS
787-788M	Stand-Alone	NaN	BPSK	134190	1@0	15kHz	-56.74	PASS
787-788M	Stand-Alone	NaN	QPSK	134190	1@0	15kHz	-56.64	PASS
787-788M	Stand-Alone	NaN	BPSK	134190	1@11	15kHz	-47.94	PASS
787-788M	Stand-Alone	NaN	QPSK	134190	1@11	15kHz	-52.52	PASS
787-788M	Stand-Alone	NaN	QPSK	134190	12@0	15kHz	-35.47	PASS
787-788M	Stand-Alone	NaN	BPSK	134191	1@0	3.75kHz	-45.72	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	-45.82	PASS
787-788M	Stand-Alone	NaN	BPSK	134191	1@47	3.75kHz	-30.51	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@47	3.75kHz	-29.87	PASS
787-788M	Stand-Alone	NaN	BPSK	134191	1@0	15kHz	-37.14	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	-39.30	PASS
787-788M	Stand-Alone	NaN	BPSK	134191	1@11	15kHz	-19.95	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@11	15kHz	-20.62	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	12@0	15kHz	-27.54	PASS


### Test Graphs




Date: 25.FEB.2021 14:34:22




Date: 25.FEB.2021 14:36:55



Date: 25.FEB.2021 14:38:24



Date: 25.FEB.2021 14:37:36




Date: 25.FEB.2021 14:39:56




Date: 25.FEB.2021 14:40:39






Date: 25.FEB.2021 14:45:26




Date: 25.FEB.2021 14:35:45







Date: 25.FEB.2021 14:51:28



Date: 25.FEB.2021 14:52:48




Date: 25.FEB.2021 14:52:05





Date: 25.FEB.2021 14:49:45




Date: 25.FEB.2021 14:48:52




Date: 25.FEB.2021 14:50:19







Date: 25.FEB.2021 15:08:45





Date: 25.FEB.2021 15:08:09



Date: 25.FEB.2021 15:09:10



Date: 25.FEB.2021 15:09:43





Date: 25.FEB.2021 15:06:16




Date: 25.FEB.2021 15:06:49







Date: 25.FEB.2021 15:03:37




Date: 25.FEB.2021 14:54:44



Date: 25.FEB.2021 14:55:30



Date: 25.FEB.2021 14:56:28



Date: 25.FEB.2021 14:55:56




Date: 25.FEB.2021 14:57:46



Date: 25.FEB.2021 14:58:15





Date: 25.FEB.2021 14:59:25




## Appendix A.5: Conducted Spurious Emission for NB Test Result


Band	OpMode	Bandwidth	Modulation	Channel	Tones	SCS	StartFreq (MHz)	StopFreq (MHz)	Result (dBm)	Limit (dBm)	Verdict
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	30	1000	-38.33	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	1000	5000	-41.45	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	5000	12000	-59.31	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	12000	26500	-57.78	-13	PASS
787-788M	Stand-Alone	NaN	BPSK	134183	1@0	15kHz	30	1000	-40.47	-13	PASS
787-788M	Stand-Alone	NaN	BPSK	134183	1@0	15kHz	1000	5000	-41.81	-13	PASS
787-788M	Stand-Alone	NaN	BPSK	134183	1@0	15kHz	5000	12000	-60.18	-13	PASS
787-788M	Stand-Alone	NaN	BPSK	134183	1@0	15kHz	12000	26500	-57.54	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	12@0	15kHz	30	1000	-36.86	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	12@0	15kHz	1000	5000	-41.87	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	12@0	15kHz	5000	12000	-60.14	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	12@0	15kHz	12000	26500	-57.29	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134184	1@0	3.75kHz	30	1000	-39.36	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134184	1@0	3.75kHz	1000	5000	-41.67	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134184	1@0	3.75kHz	5000	12000	-59.83	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134184	1@0	3.75kHz	12000	26500	-57.32	-13	PASS
787-788M	Stand-Alone	NaN	BPSK	134184	1@0	15kHz	30	1000	-36.18	-13	PASS
787-788M	Stand-Alone	NaN	BPSK	134184	1@0	15kHz	1000	5000	-41.87	-13	PASS
787-788M	Stand-Alone	NaN	BPSK	134184	1@0	15kHz	5000	12000	-59.65	-13	PASS
787-788M	Stand-Alone	NaN	BPSK	134184	1@0	15kHz	12000	26500	-57.08	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134184	12@0	15kHz	30	1000	-36.76	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134184	12@0	15kHz	1000	5000	-33.67	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134184	12@0	15kHz	5000	12000	-55.15	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134184	12@0	15kHz	12000	26500	-57.08	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134190	1@0	3.75kHz	30	1000	-39.64	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134190	1@0	3.75kHz	1000	5000	-41.67	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134190	1@0	3.75kHz	5000	12000	-59.76	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134190	1@0	3.75kHz	12000	26500	-57.13	-13	PASS
787-788M	Stand-Alone	NaN	BPSK	134190	1@0	15kHz	30	1000	-35.36	-13	PASS
787-788M	Stand-Alone	NaN	BPSK	134190	1@0	15kHz	1000	5000	-41.78	-13	PASS
787-788M	Stand-Alone	NaN	BPSK	134190	1@0	15kHz	5000	12000	-63.48	-13	PASS
787-788M	Stand-Alone	NaN	BPSK	134190	1@0	15kHz	12000	26500	-57.53	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134190	12@0	15kHz	30	1000	-35.23	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134190	12@0	15kHz	1000	5000	-36.84	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134190	12@0	15kHz	5000	12000	-53.50	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134190	12@0	15kHz	12000	26500	-57.09	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	30	1000	-41.41	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	1000	5000	-41.60	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	5000	12000	-59.76	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	12000	26500	-57.47	-13	PASS
787-788M	Stand-Alone	NaN	BPSK	134191	1@0	15kHz	30	1000	-39.47	-13	PASS
787-788M	Stand-Alone	NaN	BPSK	134191	1@0	15kHz	1000	5000	-41.71	-13	PASS
787-788M	Stand-Alone	NaN	BPSK	134191	1@0	15kHz	5000	12000	-60.01	-13	PASS
787-788M	Stand-Alone	NaN	BPSK	134191	1@0	15kHz	12000	26500	-57.27	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	12@0	15kHz	30	1000	-41.71	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	12@0	15kHz	1000	5000	-41.11	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	12@0	15kHz	5000	12000	-59.77	-13	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	12@0	15kHz	12000	26500	-57.44	-13	PASS

### Test Graphs








Date: 25.FEB.2021 16:20:00




Date: 25.FEB.2021 16:20:34









Date: 25.FEB.2021 16:32:20




Date: 25.FEB.2021 16:32:57




Date: 25.FEB.2021 16:27:29




Date: 25.FEB.2021 16:28:23




Date: 25.FEB.2021 16:28:58




Date: 25.FEB.2021 16:29:31




Date: 25.FEB.2021 17:12:04




Date: 25.FEB.2021 17:12:43




Date: 25.FEB.2021 17:13:26




Date: 25.FEB.2021 17:14:04




Date: 25.FEB.2021 17:27:43



Date: 25.FEB.2021 17:28:30




Date: 25.FEB.2021 17:29:18




Date: 25.FEB.2021 17:30:02







Date: 25.FEB.2021 17:19:28




Date: 25.FEB.2021 17:20:50




Date: 25.FEB.2021 17:24:15




Date: 25.FEB.2021 17:25:11




Date: 25.FEB.2021 17:35:55





Date: 25.FEB.2021 17:36:56




Date: 25.FEB.2021 17:37:29




Date: 25.FEB.2021 17:38:04







Date: 25.FEB.2021 17:51:49




Date: 25.FEB.2021 17:52:26




Date: 25.FEB.2021 17:46:43



Date: 25.FEB.2021 17:47:30







Date: 25.FEB.2021 17:48:08






Date: 25.FEB.2021 17:48:47














Date: 25.FEB.2021 16:53:50





Date: 25.FEB.2021 16:57:22



Date: 25.FEB.2021 17:07:18



Date: 25.FEB.2021 17:08:09



## Appendix A.6: Frequency Stability for NB Test Result

Voltage												
Band	OpMode	Bandwidth	Modulation	Channel	Tones	SCS	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	LV	NT	3.12	0.0039639	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	NV	NT	23.99	0.030479	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	HV	NT	-1.60	-0.0020307	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	LV	NT	-28.11	-0.0356771	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	NV	NT	5.75	0.0072979	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	HV	NT	38.07	0.0483674	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	LV	NT	-10.61	-0.0134799	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	NV	NT	-14.85	-0.0188667	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	HV	NT	18.07	0.0229344	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	LV	NT	-8.21	-0.0104201	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	NV	NT	36.62	0.046478	±2.5	PASS

Temperature												
Band	OpMode	Bandwidth	Modulation	Channel	Tones	SCS	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	NV	85	-38.72	-0.0491932	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	NV	80	8.4	0.0106721	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	NV	70	8.87	0.0112692	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	NV	60	-6.57	-0.0083471	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	NV	50	42.59	0.05411	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	NV	40	-14.91	-0.018943	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	NV	30	9.88	0.0125524	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	NV	20	-48.38	-0.0614661	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	NV	10	-1.27	-0.0016135	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	NV	0	-34.6	-0.0439588	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	NV	-10	13.48	0.0171262	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	NV	-20	4.92	0.0062508	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	NV	-30	-31.06	-0.0394613	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	3.75kHz	NV	-40	47.28	0.0600686	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	NV	85	16.21	0.0205737	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	NV	80	-48.69	-0.0617972	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	NV	70	12.23	0.0155223	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	NV	60	-27.52	-0.0349283	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	NV	50	25.99	0.0329864	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	NV	40	12.63	0.01603	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	NV	30	29.8	0.0378221	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	NV	20	-15.32	-0.0194441	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	NV	10	6.79	0.0086178	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	NV	0	37.62	0.0477472	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	NV	-10	-13.88	-0.0176164	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	NV	-20	-30.43	-0.0386217	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	NV	-30	-31.06	-0.0394212	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	3.75kHz	NV	-40	-15.94	-0.020231	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	NV	85	29.73	0.0377716	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	NV	80	-30.08	-0.0382162	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	NV	70	8.03	0.010202	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	NV	60	-27.88	-0.0354212	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	NV	50	6.72	0.0085377	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	NV	40	-43.76	-0.0555965	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	NV	30	-45.35	-0.0576166	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	NV	20	-28.68	-0.0364376	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	NV	10	-33.67	-0.0427773	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	NV	0	47.51	0.0603608	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	NV	-10	49.58	0.0629907	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	NV	-20	-45.12	-0.0573244	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	NV	-30	-49.72	-0.0631686	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134183	1@0	15kHz	NV	-40	40.75	0.0517723	±2.5	PASS

787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	NV	85	41.67	0.0528874	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	NV	80	26.46	0.0335829	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	NV	70	-43.90	-0.0557177	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	NV	60	-44.17	-0.0560604	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	NV	50	8.77	0.0111309	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	NV	40	-33.47	-0.04248	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	NV	30	13.00	0.0164996	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	NV	20	-0.40	-0.0005077	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	NV	10	-13.68	-0.0173626	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	NV	0	-47.36	-0.0601092	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	NV	-10	23.57	0.029915	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	NV	-20	-35.09	-0.0445361	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	NV	-30	4.46	0.0056606	±2.5	PASS
787-788M	Stand-Alone	NaN	QPSK	134191	1@0	15kHz	NV	-40	38.54	0.0489148	±2.5	PASS