

PCTEST

7185 Oakland Mills Road, Columbia, MD 21046 USA Tel. 410.290.6652 / Fax 410.290.6654 http://www.pctest.com



RF EXPOSURE EVALUATION Maximum Permissible Exposure [MPE]

Applicant Name:

Telit Communications S.p.A Viale Stazione di Prosecco 5/b 34010, Trieste, Italy Date of Testing:

03/11- 04/14/2021

Test Site/Location:

PCTEST Lab. Columbia, MD, USA

Test Report Serial No.: 1M2103100015-03.RI7

FCC ID: RI7ME310G1WW

APPLICANT: Telit Communication S.p.A

Application Type: Class II Permissive Change

FCC ID: RI7ME310G1WW
EUT Type: Data Terminal Module

FCC Classification: PCS Licensed Transmitter (PCB)

FCC Rule Part: FCC Part 1 (§1.1310) and Part 2 (§2.1091)

Test Procedure(s): KDB 447498 D01

Class II Permissive Change: Adding LTE Band 8 Frequencies

Original Grant Date: 05/19/2020

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in FCC KDB 447498 D01. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.







FCC ID: RI7ME310G1WW	Proud to be part of @ element	MAXIMUM PERMISSIBLE EXPOSURE REPORT	Telit wireless solutions	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogg 4 of F
1M2103100015-03.RI7	03/11- 04/14/2021	Data Terminal Module		Page 1 of 5



TABLE OF CONTENTS

1.0	RF E	EXPOSURE EVALUATION – MAXIMUM PERMISSIBLE EXPOSURE (MPE)	3
		Introduction	
		EUT Description	
		Procedure	
	1.4	Summary of Results	4
2.0		ICLUSION	

FCC ID: RI7ME310G1WW	Proud to be part of @ element	MAXIMUM PERMISSIBLE EXPOSURE REPORT	Telit wireless solutions	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:		Done 2 of F
1M2103100015-03.RI7	03/11- 04/14/2021	Data Terminal Module		Page 2 of 5

© 2021 PCTEST V9.0 02/01/2019



1.0 RF EXPOSURE EVALUATION - MAXIMUM PERMISSIBLE EXPOSURE (MPE)

1.1 Introduction

This document is prepared to show compliance with the RF Exposure requirements as required in §1.1310 of the FCC Rules and Regulations.

The limit for Maximum Permissible Exposure (MPE), specified in FCC §1.1310, is listed in Table 1-1. According to FCC §1.1310: the criteria listed in the following table shall be used to evaluate the environmental impact of human exposure to radio-frequency (RF) radiation as specified in §1.1307(b).

Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm²)	Average Time (Minutes)
(A	A) Limits For Occupa	ational / Control Exp	osures (f = frequenc	y)
30-300	61.4	0.163	1.0	6
300-1500			f/300	6
1500-100,000			5.0	6
(B) Lim	its For General Pop	ulation / Uncontrolle	ed Exposure (f = free	uency)
30-300	27.5	0.073	0.2	30
300-1500			f/1500	30
1500-100,000			1.0	30

Table 1-1. Limits for Maximum Permissible Exposure (MPE)

1.2 EUT Description

The EUT (FCC ID: RI7ME310G1WW) is an LTE modem. This MPE evaluation will only cover RF exposure for LTE Band 8 operation. RF Exposure is evaluated to the Mobile Device requirements for General Population/Uncontrolled Exposure.

FCC ID: RI7ME310G1WW	Proud to be part of @ element	MAXIMUM PERMISSIBLE EXPOSURE REPORT	Telit wireless solutions	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 2 of 5
1M2103100015-03.RI7	03/11- 04/14/2021	Data Terminal Module		Page 3 of 5

© 2021 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microflim, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



1.3 **Procedure**

The procedure used to determine the RF power density was based upon a calculation for determining compliance with the MPE requirements. The power generated by each transmitter used in this product was initially measured by a spectrum analyzer and the powers were recorded.

Through use of the Friis transmission formula, the following MPE evaluations are calculations based on maximum power and maximum antenna gain allowed to achieve power density compliance for the General Population Exposure case while remaining under the 1.5W categorical exclusion limit in 2.1091(c)(1)(i).

Friis Transmission Formula

Friis transmission formula: $P_d = (P_{out}*G) / (4\pi r^2)$

Where,

P_d = Power Density (mW/cm²) $\pi = 3.1416$

Pout = output power to antenna (mW) r = distance between observation point and center of the radiator (cm)

G = gain of antenna in linear scale

Frequency Limit Distance (cm), R = Power (dBm), P = TX Ant Gain (dBi), G =	897.5 0.598 20 25 8.9	MHz mW/cm^2 cm dBm dBi	316.23	mW
Power Density (S) = Minimum Distance =	0.488 18.1	mW/cm^2	(at 20cm)	

Table 1-2. Maximum Calculated MPE Data for 897.5MHz (General Population/Uncontrolled Exposure)

1.4 **Summary of Results**

Frequency Band [MHz]	Maximum Antenna Gain [dBi]	MPE @ 20cm (mW/cm²)	Test Result
897.5	8.9	20.0	PASS

Table 1-3. Maximum Permissible Exposure Summary Table

FCC ID: RI7ME310G1WW	Proud to be part of @ element	MAXIMUM PERMISSIBLE EXPOSURE REPORT	Telit wireless solutions	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 4 of F
1M2103100015-03.RI7	03/11- 04/14/2021	Data Terminal Module		Page 4 of 5

© 2021 PCTEST V9 0 02/01/2019



CONCLUSION 2.0

This device meets the mobile General Population limits with the antenna gains and at the distances specified in this report per §2.1091 of the FCC Rules and Regulations. An appropriate RF exposure compliance statement will be placed in the user's manual.

FCC ID: RI7ME310G1WW	Proud to be part of @ element	MAXIMUM PERMISSIBLE EXPOSURE REPORT	Telit wireless solutions	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo F of F
1M2103100015-03.RI7	03/11- 04/14/2021	Data Terminal Module		Page 5 of 5

V9.0 02/01/2019 © 2021 PCTEST