


Rhein Tech Laboratories, Inc.
360 Herndon Parkway
Suite 1400
Herndon, VA 20170
<http://www.rheintech.com>

Client: Luna iMonitoring
Model Name/#: iEFM, iTLM-1, iWPM-T
FCC ID: RIM-IMON
FCC: 15.247
IC: RSS-210

APPENDIX G: LABEL AND LABEL LOCATION

Please see the following pages for a sample of the FCC and Industry Canada Identification Label, and label location.



LUNA *i*Monitoring

Model: EFM
SN: 18800000

Telemetry
Equipment
for use in
Hazardous
Locations



Class I, Div. 1, Group C&D, T4, Exia. Tamb 60°C. Intrinsically Safe when installed per Control Drawing 100186-21.
WARNING – To prevent ignition of flammable or combustible atmospheres, read, understand, and adhere to the manufacturer's live maintenance procedures. Substitution of components may impair intrinsic safety.

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:
(1) This device will not cause harmful interference and
(2) This device must accept any interference received, including interference that may cause undesired operation.




FCC ID: RIM-IMON

IC ID: 4747A-IMON

Phone 1-540-557-5880
www.lunaimonitoring.com

1.53X2.69



LUNA *i*Monitoring

Model: TLM-1
SN: 16800000

Telemetry
Equipment
for use in
Hazardous
Locations



Class I, Div. 1, Group C&D, T4, Exia. Tamb 60°C. Intrinsically Safe when installed per Control Drawing 100186-21.
WARNING – To prevent ignition of flammable or combustible atmospheres, read, understand, and adhere to the manufacturer's live maintenance procedures. Substitution of components may impair intrinsic safety.

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:
(1) This device will not cause harmful interference and
(2) This device must accept any interference received, including interference that may cause undesired operation.




FCC ID: RIM-IMON

IC: 4747A-IMON

Phone 1-540-557-5880
www.lunaimonitoring.com

1.53X2.69



LUNA *i*Monitoring

Model: WPM-T
SN: 13800000

Telemetry
Equipment
for use in
Hazardous
Locations



Class I, Div. 1, Group C&D, T4, Exia. Tamb 60°C. Intrinsically Safe when installed per Control Drawing 100186-21.
WARNING – To prevent ignition of flammable or combustible atmospheres, read, understand, and adhere to the manufacturer's live maintenance procedures. Substitution of components may impair intrinsic safety.

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

- (1) This device will not cause harmful interference and
- (2) This device must accept any interference received, including interference that may cause undesired operation.



FCC ID: RIM-IMON

IC ID: 4747A-IMON

Phone 1-540-557-5880
www.lunaimonitoring.com

1.53X2.69



FCC ID LABEL LOCATION