

APPROVAL SHEET

PCB Antenna

2.4~2.5 / 5.15~5.85 GHz Working Frequency

Halogen Free Product

P/N: RFPCA371904IMLB301

Model: ZAT-600B

Customer :

Customer 's Part No. :

Approval No. :

Issue Date :

INPAQ TECHNOLOGY CO., LTD.

ADD : No. 11, Keyi St., Zhunan Township, Miaoli County 350402 , Taiwan (R.O.C.)

TEL : +886-37-585-555

FAX : +886-37-585-511

E-Mail : info@inpaq.com.tw

Table of Contents

1.Explanation of part number3

2.Electrical Specification.....3

3. Photo...4


3.Test Equipment.....5

 ● Test equipment specifications.....5

4. Drawing.....6

5. Test Report.....7~13

6. Package.....14

UNLESS OTHER SPECIFIED TOLERANCES ON : X=N/A X.X=N/A X.XX=N/A ANGLES=N/A HOLEDIA=N/A			INPAQ TECHNOLOGY CO., LTD.
SCALE : N/A	UNIT : mm		
DRAWN BY : PIPI	CHECKED BY : huiwenchan	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION	
DESIGNED BY : Wilson Wang	APPROVED BY : Brianchen		
TITLE : RFPCA371904IMLB301		DOCUMENT NO.	SPEC REV. P1

P/N : RFPCA371904IMLB301

Model: ZAT-600B

1. Explanation of part number :

RF	PCA	3719	04	I	M	L	B	3	01
Type Code	Product Code	Dimension (Unit: mm)	Cable Length (unit: cm)	Connector Brand	Type of Connector	Application	Project status	Wire Diameter	Project
RF Device	PCB Antenna	Per 2 digits of length, width e.g.: 0202 Length 2.85mm, Width 2mm	2 digits for cable length e.g.: 10 Length 10cm	A: N C:MCX D:IPEX III E: IPEX IV F: IPEX A13 H: Hirose I: IPEX M: MMCX S: SMA T: TNC U:MURATA N: None	A: Reverse Female B: Reverse Male F: Female M: Male N: None	0: 0GHz 3: 3GHz 5: 5 GHz 6: 6GHz A: 2.4GHz ISM band B: GSM 900/1800 dual band G: GPS band L: 2.4/5.x GHz tri-band N: NFC T:LTE band W: WCDMA band	B: MP T:During Test X: Pile Run	0:None 1:Ø0.81 3:Ø1.13 6:RG316 7:Ø1.37 8:RG178 9: Ø1.37 Low Loss	01~99 series number

2. Electrical Specification :

Item	Specification
Working Frequency Range	2.4~2.5 / 5.15~5.85 GHz
Return Loss	-10 dB
Peak Gain	2450 MHz @ 4.02 dBi (θ=24°, φ=78°) Band1: 5150 MHz @ 5.33 dBi (θ=32°, φ=38°) Band2: 5.26~5.32GHz @ 4.98 dBi (θ=32°, φ=44°) Band3: 5.5~5.7GHz @ 3.92 dBi (θ=34°, φ=52°) Band4: 5850 MHz @ 3.73 dBi (θ=36°, φ=54°)
VSWR	2 max.
Impedance	50 Ohm Nominal
Radiation	Omni-directional
Polarization	Linear Vertical
Operation Temperature	-20° C~+65° C

Remark: Peak gain = reading value + factor

UNLESS OTHER SPECIFIED TOLERANCES ON :
X=N/A X.X=N/A X.XX=N/A
ANGLES=N/A HOLEDIA=N/A



INPAQ TECHNOLOGY CO., LTD.

SCALE : N/A UNIT : mm
DRAWN BY : PIPI CHECKED BY : huiwenchan
DESIGNED BY : Wilson Wang APPROVED BY : Brian Chen

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

TITLE : RFPCA371904IMLB301


DOCUMENT NO. SPEC REV. P1

4. Test Equipment

Pattern Measurement:


- Chamber : Satimo
- Test Program: SPM V15
- Setup Photo:

System overview



Test equipment specifications

Vender	Model No.	Calibrated Date	Calibrated Until
Satimo	SG24	2022/11/29	2023/11/29
Keysight Network Analyzer	E5071C	2020/3/3	2023/3/3

UNLESS OTHER SPECIFIED TOLERANCES ON : X=N/A X.X=N/A X.XX=N/A ANGLES=N/A HOLEDIA=N/A		 INPAQ TECHNOLOGY CO., LTD.
SCALE : N/A	UNIT : mm	
DRAWN BY : PIPI	CHECKED BY : huiwenchan	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION
DESIGNED BY : Wilson Wang	APPROVED BY : Brianchen	
TITLE : RFPCA371904IMLB301	DOCUMENT NO.	SPEC REV. P1


Radiation Patterns

2G

X-Z Plane

Phi=0.00deg

Gain . dB



UNLESS OTHER SPECIFIED TOLERANCES ON :
 X=N/A X.X=N/A X.XX=N/A
 ANGLES=N/A HOLEDIA=N/A



INPAQ TECHNOLOGY CO., LTD.

SCALE : N/A UNIT : mm
 DRAWN BY : PIPI CHECKED BY : huiwenchan
 DESIGNED BY : Wilson Wang APPROVED BY : Brianchen

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION


TITLE : RFPCA371904IMLB301


DOCUMENT NO.	SPEC REV.
	P1

Y-Z Plane

Phi=90.00deg

Gain . dB





UNLESS OTHER SPECIFIED TOLERANCES ON :			INPAQ TECHNOLOGY CO., LTD.
X=N/A X.X=N/A X.XX=N/A ANGLES=N/A HOLEDIA=N/A			
SCALE : N/A	UNIT : mm	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION	
DRAWN BY : PIPI	CHECKED BY : huiwenchan		
DESIGNED BY : Wilson Wang	APPROVED BY : Brianchen		
TITLE : RFPCA371904IMLB301		DOCUMENT NO.	SPEC REV. P1

X-Y Plane

Theta=90.00deg

Gain . dB




UNLESS OTHER SPECIFIED TOLERANCES ON : X=N/A X.X=N/A X.XX=N/A ANGLES=N/A HOLEDIA=N/A		 INPAQ TECHNOLOGY CO., LTD.
SCALE : N/A	UNIT : mm	
DRAWN BY : PIPI	CHECKED BY : huiwenchan	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION
DESIGNED BY : Wilson Wang	APPROVED BY : Brianchen	
TITLE : RFPCA371904IMLB301		DOCUMENT NO.
		SPEC REV. P1


5G

X-Z Plane

Phi=0.00deg

Gain . dB





UNLESS OTHER SPECIFIED TOLERANCES ON : X=N/A X.X=N/A X.XX=N/A ANGLES=N/A HOLEDIA=N/A		 INPAQ TECHNOLOGY CO., LTD.
SCALE : N/A	UNIT : mm	
DRAWN BY : PIPI	CHECKED BY : huiwenchan	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION
DESIGNED BY : Wilson Wang	APPROVED BY : Brianchen	
TITLE : RFPCA371904IMLB301		DOCUMENT NO.
		SPEC REV. P1

Y-Z Plane

Phi=90.00deg

Gain . dB





UNLESS OTHER SPECIFIED TOLERANCES ON : X=N/A X.X=N/A X.XX=N/A ANGLES=N/A HOLEDIA=N/A		 INPAQ TECHNOLOGY CO., LTD.	
SCALE : N/A	UNIT : mm		
DRAWN BY : PIPI	CHECKED BY : huiwenchan	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION	
DESIGNED BY : Wilson Wang	APPROVED BY : Brianchen		
TITLE : RFPCA371904IMLB301		DOCUMENT NO.	SPEC REV. P1

X-Y Plane

Theta=90.00deg

Gain . dB



UNLESS OTHER SPECIFIED TOLERANCES ON : X=N/A X.X=N/A X.XX=N/A ANGLES=N/A HOLEDIA=N/A		 INPAQ TECHNOLOGY CO., LTD.
SCALE : N/A	UNIT : mm	
DRAWN BY : PIPI	CHECKED BY : huiwenchan	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION
DESIGNED BY : Wilson Wang	APPROVED BY : Brianchen	
TITLE : RFPCA371904IMLB301		DOCUMENT NO.
		SPEC REV. P1