

August 12, 2005

Test Site: HYUNDAI CALIBRATION & CERTIFICATION

TECHNOLOGIES CO., LTD.

FRN: 0005866421

TEL: +82 31 639 8518 FAX: +82 31 639 8525

http://www.hct.co.kr

APPLICANT: Innostream Inc.

FCC ID: RJAINNO-P11

FCC Rule Part(s): Part 22 / 24 / 2 Certification

Gentlemen:

Submitted herewith, on behalf of Innostream Inc., is an application for Part 24, 2 Certification of the following Dual- Mode GSM Phone:

Trade Name/Model(s): Innostream / INNO-P11

EUT Type: Dual- Mode GSM Phone (GSM850/GSM1900) – Prototype

GPRS class 8 and GPRS mode class B(GPRS and GSM, but not simultaneously)

Tx Frequency: 824.20 — 848.80 MHz (GSM850)

1850.20 — 1909.80 MHz (GSM1900)

Rx Frequency: 869.20 — 893.80 MHz (GSM850)

1930.20 — 1989.80 MHz (GSM1900)

Max. RF Output Power: 0.472 W ERP GSM850 (26.74 dBm) / 0.492 W EIRP GSM1900 (26.92 dBm)

Maximum SAR: 0.254W/kg GSM850 Head SAR; 0.0095W/kg GSM850 Body SAR;

0.381W/kg GSM1900 Head SAR; 0.0115W/kg GSM1900 Body SAR

Attached is the applicant's Letter of Authorization, Confidentiality Request, ESN Affidavit, measurement report test data and plots, RF Exposure measurement report and data, FCC ID label and location, test setup photographs, internal and external photographs, block diagram (confidential), circuit diagrams & description (confidential), operational description (confidential), parts list & tune-up procedure (confidential), and the user's manual.

Should you have any questions or comments concerning the above, please contact the undersigned.

Report prepared by: Ki-Soo Kim

Manager of Product Compliance Team