# The Measurement of Conducted Spurious Emissions

### **CONDUCTED SPURIOUS EMISSIONS MEASUREMENT**

## 1. LIMITS OF CONDUCTED SPURIOUS EMISSIONS EASUREMENT

Below 20dB of the highest emission level of operating band (in 100KHz Resolution Bandwidth, see Section 15.247(c)). Emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the limits specified in Section 15.209(a) (see Section 15.205(c)).

# 2. TEST INSTRUMENTS

Description & Manufacturer	Model No.	Serial No.	Calibrated Until
R&S SPECTRUM ANALYZER	FSP	1093.4495.30	Dec. 19, 2003
HIGH PASS FILTER	WHK3.1/18G- 10SS	SN4	Jun. 12, 2004

#### NOTE:

### 3. TEST PROCEDURE

#### 2.5GHz~13GHz:

The transmitter output was connected to the spectrum analyzer via a low lose cable and a high pass filter. Set both RBW and VBW of spectrum analyzer to 100 kHz with suitable frequency span including 100 kHz bandwidth from band edge. The band edges was measured and recorded.


#### 13GHz~25GHz:

The transmitter output was connected to the spectrum analyzer via a low lose cable. Set both RBW and VBW of spectrum analyzer to 100 kHz with suitable frequency span including 100 kHz bandwidth from band edge. The band edges was measured and recorded.

<sup>1.</sup> The calibration interval of the above test instruments is 12 months and the calibrations are traceable to NML/ROC and NIST/USA.

# 4. TEST SETUP

# 2.5GHz~13GHz:




# 13GHz~25GHz:




# 5. EUT OPERATING CONDITIONS


The software provided by client to enable the EUT under transmission condition continuously at lowest, middle and highest channel frequencies individually.


TEST RESULTS (A) – For 802.11b	
The spectrum plots are attached on the following 2 pages. the requirement in part 15.247(C),.15.205 and 15.209.	It shows compliance with






TEST RESULTS (A) – For 802.11g	
The spectrum plots are attached on the following 2 pages. the requirement in part 15.247(C),.15.205 and 15.209.	It shows compliance with







FOR FREQUENCY 5.15~5.35GHz TEST RESULTS (A) – For 802.11a, Normal mode			
It shows compliance with			




TEST RESULTS (A) – For 802.11a, Turbo	
The spectrum plots are attached on the following 1 page. the requirement in part 15.407 (E),.15.205 and 15.209.	It shows compliance with




FOR FREQUENCY 5.725~5.850GHz TEST RESULTS (A) – For 802.11a, Normal mode	
The spectrum plots are attached on the following 1 page. the requirement in part 15.247(C),15.205 and 15.209.	It shows compliance with




TEST RESULTS (A) – For 802.11a, Turbo	
The spectrum plots are attached on the following 1 page. the requirement in part 15.247(C),.15.205 and 15.209.	It shows compliance with





TEST RESULTS (B) – For 802.11b	
The spectrum plots are attached on the following 2 pages. the requirement in part 15.247(C),.15.205 and 15.209.	It shows compliance with






TEST RESULTS (B) – For 802.11g	
The spectrum plots are attached on the following 2 pages. the requirement in part 15.247(C),.15.205 and 15.209.	It shows compliance with







FOR FREQUENCY 5.15~5.35GHz TEST RESULTS (B) – For 802.11a, Normal mode	
The spectrum plots are attached on the following 1 page. the requirement in part 15.407 (E),15.205 and 15.209.	It shows compliance with



TEST RESULTS (B) – For 802.11a, Turbo	
The spectrum plots are attached on the following 1 page. the requirement in part 15.407 (E),.15.205 and 15.209.	It shows compliance with



FOR FREQUENCY 5.725~5.850GHz TEST RESULTS (B) – For 802.11a, Normal mode	
The spectrum plots are attached on the following 1 page. the requirement in part 15.247(C),15.205 and 15.209.	It shows compliance with



TEST RESULTS (B) – For 802.11a, Turbo	
The spectrum plots are attached on the following 1 page. the requirement in part 15.247(C),.15.205 and 15.209.	It shows compliance with

