


Job No.: star2017 #486	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/02/37
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 6 (802.11b)	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.100	93.68	-3.83	89.85			peak			
2	2437.100	86.40	-3.83	82.57			AVG			
3	4874.200	50.70	3.82	54.52	74.00	-19.48	peak			
4	4874.200	43.62	3.82	47.44	54.00	-6.56	AVG			

Job No.: star2017 #487	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/07/04
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 11 (802.11b)	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.124	92.58	-3.77	88.81			peak			
2	2462.124	87.10	-3.77	83.33			AVG			
3	4924.248	49.26	4.00	53.26	74.00	-20.74	peak			
4	4924.248	44.30	4.00	48.30	54.00	-5.70	AVG			

Job No.: star2017 #488	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/08/54
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 11 (802.11b)	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.124	100.87	-3.77	97.10			peak			
2	2462.124	93.40	-3.77	89.63			AVG			
3	4924.248	53.40	4.06	57.46	74.00	-16.54	peak			
4	4924.248	46.17	4.06	50.23	54.00	-3.77	AVG			

Job No.: star2017 #490	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/13/18
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 1 (802.11g)	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.059	89.99	-3.97	86.02			peak			
2	2412.059	81.47	-3.97	77.50			AVG			
3	4824.118	46.66	3.52	50.18	74.00	-23.82	peak			
4	4824.118	39.76	3.52	43.28	54.00	-10.72	AVG			

Job No.: star2017 #489	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/11/30
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 1 (802.11g)	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.059	96.09	-3.97	92.12			peak			
2	2412.059	89.10	-3.97	85.13			AVG			
3	4824.118	53.54	3.58	57.12	74.00	-16.88	peak			
4	4824.118	46.57	3.58	50.15	54.00	-3.85	AVG			

Job No.: star2017 #485	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/01/09
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 6 (802.11b)	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.100	99.98	-3.87	96.11			peak			
2	2437.100	91.70	-3.87	87.83			AVG			
3	4874.200	51.77	3.82	55.59	74.00	-18.41	peak			
4	4874.200	43.67	3.82	47.49	54.00	-6.51	AVG			

Job No.: star2017 #491	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/16/27
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 6 (802.11g)	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.121	88.14	-3.83	84.31			peak			
2	2437.121	81.47	-3.83	77.64			AVG			
3	4874.242	45.32	3.82	49.14	74.00	-24.86	peak			
4	4874.242	38.67	3.82	42.49	54.00	-11.51	AVG			

Job No.: star2017 #492	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/17/31
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 6 (802.11g)	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.121	92.49	-3.83	88.66			peak			
2	2437.121	83.10	-3.83	79.27			AVG			
3	4874.242	50.08	3.82	53.90	74.00	-20.10	peak			
4	4874.242	43.27	3.82	47.09	54.00	-6.91	AVG			

Job No.: star2017 #494	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/21/35
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 11 (802.11g)	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.124	88.57	-3.77	84.80			peak			
2	2462.124	81.27	-3.77	77.50			AVG			
3	4924.248	45.45	4.11	49.56	74.00	-24.44	peak			
4	4924.248	39.13	4.11	43.24	54.00	-10.76	AVG			

Job No.: star2017 #493	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/20/02
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 11 (802.11g)	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.124	92.17	-3.77	88.40			peak			
2	2462.124	84.00	-3.77	80.23			AVG			
3	4924.248	44.03	4.06	48.09	74.00	-25.91	peak			
4	4924.248	39.10	4.06	43.16	54.00	-10.84	AVG			

Job No.: star2017 #495	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/24/34
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 1 (802.11n)20MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.119	89.15	-3.93	85.22			peak			
2	2412.119	81.37	-3.93	77.44			AVG			
3	4824.238	45.63	3.58	49.21	74.00	-24.79	peak			
4	4824.238	38.47	3.58	42.05	54.00	-11.95	AVG			

Job No.: star2017 #496	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/25/56
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 1 (802.11n)20MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.159	94.41	-3.97	90.44			peak			
2	2412.159	86.40	-3.97	82.43			AVG			
3	4824.318	49.25	3.58	52.83	74.00	-21.17	peak			
4	4824.318	46.20	3.58	49.78	54.00	-4.22	AVG			

Job No.: star2017 #498	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/30/26
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 6 (802.11n)20MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.100	87.72	-3.87	83.85			peak			
2	2437.100	79.70	-3.87	75.83			AVG			
3	4874.200	46.20	3.75	49.95	74.00	-24.05	peak			
4	4874.200	39.42	3.75	43.17	54.00	-10.83	AVG			

Job No.: star2017 #497	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/28/08
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 6 (802.11n)20MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.100	94.44	-3.87	90.57			peak			
2	2437.100	86.47	-3.87	82.60			AVG			
3	4874.200	47.60	3.75	51.35	74.00	-22.65	peak			
4	4874.200	42.59	3.75	46.34	54.00	-7.66	AVG			

Job No.: star2017 #499	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/32/27
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 11 (802.11n)20MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.124	89.27	-3.77	85.50			peak			
2	2462.124	80.00	-3.77	76.23			AVG			
3	4924.248	44.34	4.18	48.52	74.00	-25.48	peak			
4	4924.248	38.74	4.18	42.92	54.00	-11.08	AVG			

Job No.: star2017 #500	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/33/58
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 11 (802.11n)20MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.124	90.91	-3.77	87.14			peak			
2	2462.124	82.17	-3.77	78.40			AVG			
3	4924.248	45.91	4.06	49.97	74.00	-24.03	peak			
4	4924.248	39.57	4.06	43.63	54.00	-10.37	AVG			

Job No.: star2017 #502	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/40/30
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 3 (802.11n)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2422.100	86.44	-3.93	82.51			peak			
2	2422.100	79.10	-3.93	75.17			AVG			
3	4844.200	48.57	3.63	52.20	74.00	-21.80	peak			
4	4844.200	43.17	3.63	46.80	54.00	-7.20	AVG			

Job No.: star2017 #501	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/38/52
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 3 (802.11n)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2422.100	91.60	-3.87	87.73			peak			
2	2422.100	82.14	-3.87	78.27			AVG			
3	4844.200	47.07	3.63	50.70	74.00	-23.30	peak			
4	4844.200	42.06	3.63	45.69	54.00	-8.31	AVG			

Job No.: star2017 #503	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/42/21
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 6 (802.11n)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.121	87.42	-3.83	83.59			peak			
2	2437.121	80.70	-3.83	76.87			AVG			
3	4874.242	44.13	3.88	48.01	74.00	-25.99	peak			
4	4874.242	38.14	3.88	42.02	54.00	-11.98	AVG			

Job No.: star2017 #504	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/44/06
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 6 (802.11n)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.121	92.69	-3.87	88.82			peak			
2	2437.121	84.17	-3.87	80.30			AVG			
3	4874.242	44.80	3.75	48.55	74.00	-25.45	peak			
4	4874.242	39.10	3.75	42.85	54.00	-11.15	AVG			

Job No.: star2017 #506	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/48/31
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 9 (802.11n)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2452.124	90.46	-3.80	86.66			peak			
2	2452.124	83.17	-3.80	79.37			AVG			
3	4904.248	46.96	3.94	50.90	74.00	-23.10	peak			
4	4904.248	40.26	3.94	44.20	54.00	-9.80	AVG			

Job No.: star2017 #505	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 17/04/14/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19/46/59
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX Channel 9 (802.11n)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170411



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2452.124	91.66	-3.77	87.89			peak			
2	2452.124	83.17	-3.77	79.40			AVG			
3	4904.248	46.74	4.00	50.74	74.00	-23.26	peak			
4	4904.248	39.47	4.00	43.47	54.00	-10.53	AVG			

12.99% OCCUPIED BANDWIDTH

12.1. Block Diagram of Test Setup



12.2. EUT Configuration on Measurement

The following equipment is installed on the emission measurement to meet the commission requirements and operating regulations in a manner which tends to maximize its emission characteristics in normal application.

12.3. Operating Condition of EUT

12.3.1. Setup the EUT and simulator as shown as Section 12.1.

12.3.2. Turn on the power of all equipment.

12.3.3. Let the EUT work in TX modes measure it. The transmit frequency are 2412-2462 and 2422-2452MHz. We select 2412MHz, 2437MHz, 2462MHz and 2422MHz, 2437MHz, 2452MHz TX frequency to transmit.

12.4. Test Procedure

12.4.1. The transmitter output was connected to the spectrum analyzer through a low loss cable. The transmitter shall be operated at its maximum carrier power measured under normal test conditions. The span of the analyzer shall be set to capture all products of the modulation process, including the emission skirts.

12.4.2. The resolution bandwidth (RBW) shall be in the range of 1% to 5% of the occupied bandwidth (OBW) and video bandwidth (VBW) shall be approximately 3x RBW.

12.4.3. A peak, or peak hold, may be used in place of the sampling detector as this may produce a wider bandwidth than the actual bandwidth (worst-case measurement). Use of a peak hold may be necessary to determine the occupied bandwidth if the device is not transmitting continuously.

12.4.4. Set SPA "Meas" function, Select "Occupied Bandwidth" function, Select "99% Power Bandwidth". The frequency of the upper and lower markers indicating the edges of the transmitters "99% Power" emission bandwidth shall be recorded to automate by SPA.

12.5.Measurement Result

The test was performed with 802.11b		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
Low	2412	15.608
Middle	2437	15.583
High	2462	15.653


The test was performed with 802.11g		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
Low	2412	17.073
Middle	2437	16.928
High	2462	17.093

The test was performed with 802.11n (Bandwidth: 20 MHz)		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
Low	2412	18.028
Middle	2437	17.903
High	2462	17.893


The test was performed with 802.11n (Bandwidth: 40 MHz)		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
Low	2422	37.215
Middle	2437	36.945
High	2452	36.575

The spectrum analyzer plots are attached as below.


802.11b Channel Low 2412MHz




802.11b Channel Middle 2437MHz




802.11b Channel High 2462MHz




802.11g Channel Low 2412MHz




802.11g Channel Middle 2437MHz




802.11g Channel High 2462MHz




802.11n Channel Low 2412MHz (20MHz)




802.11n Channel Middle 2437MHz(20MHz)




802.11n Channel High 2462MHz(20MHz)




802.11n Channel Low 2422MHz (40MHz)



802.11n Channel Middle 2437MHz(40MHz)



802.11n Channel High 2452MHz(40MHz)




13. ANTENNA REQUIREMENT

13.1. The Requirement

According to Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

13.2. Antenna Construction

Device is equipped with permanent attached antenna, which isn't displaced by other antenna. The Antenna gain of EUT is 0dBi. Therefore, the equipment complies with the antenna requirement of Section 15.203.



Antenna