


Job No.: STAR2017 #544
 Standard: FCC Class B 3M Radiated
 Test item: Radiation Test
 Temp.(C)/Hum.(%) 25 C / 55 %
 EUT: UFO Panoramic WiFi HD Camera
 Mode: TX 5260MHz(802.11ac)20MHz
 Model: PT-180H
 Manufacturer: Chuango

Polarization: Vertical
 Power Source: AC 120V/60Hz
 Date: 2017/04/15
 Time: 18:03:25
 Engineer Signature: star
 Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5260.715	92.63	5.00	97.63			peak			
2	5260.715	83.14	5.00	88.14			AVG			
3	10520.003	44.75	11.72	56.47	74.00	-17.53	peak			
4	10520.003	36.52	11.72	48.24	54.00	-5.76	AVG			

Job No.: STAR2017 #546

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5320MHz(802.11ac)20MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:07:34

Engineer Signature: star

Distance: 3m


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5320.253	88.93	5.09	94.02			peak			
2	5320.253	79.55	5.09	84.64			AVG			
3	10640.338	41.94	11.77	53.71	74.00	-20.29	peak			
4	10640.338	33.72	11.77	45.49	54.00	-8.51	AVG			

Job No.: STAR2017 #545 Standard: FCC Class B 3M Radiated Test item: Radiation Test Temp.(C)/Hum.(%) 25 C / 55 % EUT: UFO Panoramic WiFi HD Camera Mode: TX 5320MHz(802.11ac)20MHz Model: PT-180H Manufacturer: Chuango	Polarization: Vertical Power Source: AC 120V/60Hz Date: 2017/04/15 Time: 18:06:09 Engineer Signature: star Distance: 3m
--	--


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5320.253	92.54	5.09	97.63			peak			
2	5320.253	82.47	5.09	87.56			AVG			
3	10640.961	44.56	11.82	56.38	74.00	-17.62	peak			
4	10640.961	35.63	11.82	47.45	54.00	-6.55	AVG			

Job No.: STAR2017 #547	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 18:09:22
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5500MHz(802.11ac)20MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5500.362	89.62	5.31	94.93			peak			
2	5500.362	80.45	5.31	85.76			AVG			
3	11000.144	44.43	12.29	56.72	74.00	-17.28	peak			
4	11000.144	36.97	12.29	49.26	54.00	-4.74	AVG			

Job No.: STAR2017 #548	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 18:10:37
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5500MHz(802.11ac)20MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5500.362	90.94	5.31	96.25			peak			
2	5500.362	80.59	5.31	85.90			AVG			
3	11000.144	46.42	12.29	58.71	74.00	-15.29	peak			
4	11000.144	38.90	12.29	51.19	54.00	-2.81	AVG			

Job No.: STAR2017 #550

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5700MHz(802.11ac)20MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:13:19

Engineer Signature: star

Distance: 3m


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5700.350	89.46	5.63	95.09			peak			
2	5700.350	80.43	5.63	86.06			AVG			
3	11400.264	39.80	12.94	52.74	74.00	-21.26	peak			
4	11400.264	32.69	12.94	45.63	54.00	-8.37	AVG			

Job No.: STAR2017 #549	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 18:12:12
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5700MHz(802.11ac)20MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5700.350	91.63	5.63	97.26			peak			
2	5700.350	83.74	5.63	89.37			AVG			
3	11400.234	42.28	12.90	55.18	74.00	-18.82	peak			
4	11400.234	34.98	12.90	47.88	54.00	-6.12	AVG			

Job No.: STAR2017 #551 Standard: FCC Class B 3M Radiated Test item: Radiation Test Temp.(C)/Hum.(%) 25 C / 55 % EUT: UFO Panoramic WiFi HD Camera Mode: TX 5745MHz(802.11ac)20MHz Model: PT-180H Manufacturer: Chuango	Polarization: Horizontal Power Source: AC 120V/60Hz Date: 2017/04/15 Time: 18:14:50 Engineer Signature: star Distance: 3m
--	--

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5745.824	89.27	5.67	94.94			peak			
2	5745.824	81.52	5.67	87.19			AVG			
3	11490.391	38.55	12.98	51.53	74.00	-22.47	peak			
4	11490.391	32.69	12.98	45.67	54.00	-8.33	AVG			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2017 #552	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 18:15:51
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5745MHz(802.11ac)20MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5745.824	90.92	5.67	96.59			peak			
2	5745.824	81.68	5.67	87.35			AVG			
3	11490.391	43.82	12.98	56.80	74.00	-17.20	peak			
4	11490.391	35.69	12.98	48.67	54.00	-5.33	AVG			

Job No.: STAR2017 #554	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 18:18:38
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5825MHz(802.11ac)20MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5825.915	87.75	5.80	93.55			peak			
2	5825.915	78.47	5.80	84.27			AVG			
3	11650.189	42.43	13.20	55.63	74.00	-18.37	peak			
4	11650.189	34.59	13.20	47.79	54.00	-6.21	AVG			

Job No.: STAR2017 #553

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5825MHz(802.11ac)20MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:17:28

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5825.200	91.38	5.77	97.15			peak			
2	5825.200	83.14	5.77	88.91			AVG			
3	11650.189	43.21	13.20	56.41	74.00	-17.59	peak			
4	11650.189	36.58	13.20	49.78	54.00	-4.22	AVG			

Job No.: STAR2017 #555

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5190MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:22:32

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5190.741	91.30	4.86	96.16			peak			
2	5190.741	82.47	4.86	87.33			AVG			
3	14095.689	31.56	18.04	49.60	74.00	-24.40	peak			
4	14095.689	22.40	18.04	40.44	54.00	-13.56	AVG			

Job No.: STAR2017 #556

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5190MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:23:39

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5190.741	94.60	4.86	99.46			peak			
2	5190.741	85.14	4.86	90.00			AVG			
3	15292.613	31.23	19.33	50.56	74.00	-23.44	peak			
4	15292.613	23.46	19.33	42.79	54.00	-11.21	AVG			

Job No.: STAR2017 #558

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5230MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:27:50

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5230.214	91.97	4.95	96.92			peak			
2	5230.214	82.69	4.95	87.64			AVG			
3	13068.302	32.61	16.64	49.25	74.00	-24.75	peak			
4	13068.302	34.17	16.64	50.81	54.00	-3.19	AVG			

Job No.: STAR2017 #557

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5230MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:25:53

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5230.442	91.39	4.98	96.37			peak			
2	5230.442	83.14	4.98	88.12			AVG			
3	15607.400	30.89	19.39	50.28	74.00	-23.72	peak			
4	15607.400	20.68	19.39	40.07	54.00	-13.93	AVG			

Job No.: STAR2017 #559

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5270MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:29:21

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5270.033	92.81	5.03	97.84			peak			
2	5270.033	83.94	5.03	88.97			AVG			
3	12917.030	34.14	16.33	50.47	74.00	-23.53	peak			
4	12917.030	25.22	16.33	41.55	54.00	-12.45	AVG			

Job No.: STAR2017 #560

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5270MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:30:33

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5270.033	91.89	5.03	96.92			peak			
2	5270.033	82.67	5.03	87.70			AVG			
3	12730.400	34.40	15.76	50.16	74.00	-23.84	peak			
4	12730.400	26.57	15.76	42.33	54.00	-11.67	AVG			

Job No.: STAR2017 #562

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5310MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:45:59

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5310.801	91.15	5.07	96.22			peak			
2	5310.801	82.40	5.07	87.47			AVG			
3	15607.400	30.73	19.39	50.12	74.00	-23.88	peak			
4	15607.400	21.69	19.39	41.08	54.00	-12.92	AVG			

Job No.: STAR2017 #561

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5310MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:44:49

Engineer Signature: star

Distance: 3m


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5310.801	90.71	5.07	95.78			peak			
2	5310.801	81.47	5.07	86.54			AVG			
3	16115.207	30.24	19.74	49.98	74.00	-24.02	peak			
4	16115.207	22.69	19.74	42.43	54.00	-11.57	AVG			

Job No.: STAR2017 #563	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 18:47:14
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5510MHz(802.11n)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5510.362	89.74	5.31	95.05			peak			
2	5510.362	80.40	5.31	85.71			AVG			
3	11020.763	39.95	12.33	52.28	74.00	-21.72	peak			
4	11020.763	33.69	12.33	46.02	54.00	-7.98	AVG			

Job No.: STAR2017 #564	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 18:48:11
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5510MHz(802.11n)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5510.362	91.05	5.31	96.36			peak			
2	5510.362	83.47	5.31	88.78			AVG			
3	11020.763	43.08	12.33	55.41	74.00	-18.59	peak			
4	11020.763	35.69	12.33	48.02	54.00	-5.98	AVG			

Job No.: STAR2017 #566

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5670MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:50:33

Engineer Signature: star

Distance: 3m


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5670.924	88.07	5.61	93.68			peak			
2	5670.924	79.47	5.61	85.08			AVG			
3	11340.234	39.72	12.90	52.62	74.00	-21.38	peak			
4	11340.234	32.69	12.90	45.59	54.00	-8.41	AVG			

Job No.: STAR2017 #565	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 18:49:46
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5670MHz(802.11n)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5670.546	91.03	5.58	96.61			peak			
2	5670.546	82.47	5.58	88.05			AVG			
3	11340.234	41.20	12.90	54.10	74.00	-19.90	peak			
4	11340.234	33.69	12.90	46.59	54.00	-7.41	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #567	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 18:52:44
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5755MHz(802.11n)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5755.345	89.23	5.68	94.91			peak			
2	5755.345	82.47	5.68	88.15			AVG			
3	11510.614	41.51	13.02	54.53	74.00	-19.47	peak			
4	11510.614	34.69	13.02	47.71	54.00	-6.29	AVG			

Job No.: STAR2017 #568

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5755MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:53:42

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5755.345	91.33	5.68	97.01			peak			
2	5755.345	83.10	5.68	88.78			AVG			
3	11510.934	43.58	13.06	56.64	74.00	-17.36	peak			
4	11510.934	36.39	13.06	49.45	54.00	-4.55	AVG			

Job No.: STAR2017 #570

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5795MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:56:22

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5795.915	89.03	5.72	94.75			peak			
2	5795.915	81.55	5.72	87.27			AVG			
3	11590.866	41.43	13.14	54.57	74.00	-19.43	peak			
4	11590.866	32.79	13.14	45.93	54.00	-8.07	AVG			

Job No.: STAR2017 #569

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5795MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:55:22

Engineer Signature: star

Distance: 3m


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5795.915	90.95	5.72	96.67			peak			
2	5795.915	83.04	5.72	88.76			AVG			
3	11590.352	40.62	13.10	53.72	74.00	-20.28	peak			
4	11590.352	33.62	13.10	46.72	54.00	-7.28	AVG			

Job No.: STAR2017 #571	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19:00:57
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5190MHz(802.11ac)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5190.793	91.64	4.88	96.52			peak			
2	5190.793	83.40	4.88	88.28			AVG			
3	12329.252	35.27	14.55	49.82	74.00	-24.18	peak			
4	12329.252	27.14	14.55	41.69	54.00	-12.31	AVG			

Job No.: STAR2017 #572	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19:01:46
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5190MHz(802.11ac)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5190.741	92.64	4.86	97.50			peak			
2	5190.741	83.47	4.86	88.33			AVG			
3	14095.689	30.85	18.04	48.89	74.00	-25.11	peak			
4	14095.689	22.67	18.04	40.71	54.00	-13.29	AVG			

Job No.: STAR2017 #574

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5230MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:05:28

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5230.442	90.38	4.98	95.36			peak			
2	5230.442	82.93	4.98	87.91			AVG			
3	10535.961	37.53	11.82	49.35	74.00	-24.65	peak			
4	10535.961	29.48	11.82	41.30	54.00	-12.70	AVG			

Job No.: STAR2017 #573

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5230MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:03:06

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5230.442	88.10	4.98	93.08			peak			
2	5230.442	79.45	4.98	84.43			AVG			
3	13376.181	32.61	16.85	49.46	74.00	-24.54	peak			
4	13376.181	24.76	16.85	41.61	54.00	-12.39	AVG			

Job No.: STAR2017 #575

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5270MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:06:52

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5270.033	88.41	5.03	93.44			peak			
2	5270.033	80.57	5.03	85.60			AVG			
3	14095.689	31.31	18.04	49.35	74.00	-24.65	peak			
4	14095.689	23.42	18.04	41.46	54.00	-12.54	AVG			

Job No.: STAR2017 #576

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5270MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:07:48

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5270.395	88.98	5.04	94.02			peak			
2	5270.395	80.14	5.04	85.18			AVG			
3	13221.345	33.27	16.75	50.02	74.00	-23.98	peak			
4	13221.345	24.69	16.75	41.44	54.00	-12.56	AVG			

Job No.: STAR2017 #578

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5310MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:10:18

Engineer Signature: star

Distance: 3m


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5310.801	91.30	5.07	96.37			peak			
2	5310.801	83.06	5.07	88.13			AVG			
3	12917.030	33.76	16.33	50.09	74.00	-23.91	peak			
4	12917.030	24.67	16.33	41.00	54.00	-13.00	AVG			

Job No.: STAR2017 #577 Standard: FCC Class B 3M Radiated Test item: Radiation Test Temp.(C)/Hum.(%) 25 C / 55 % EUT: UFO Panoramic WiFi HD Camera Mode: TX 5310MHz(802.11ac)40MHz Model: PT-180H Manufacturer: Chuango	Polarization: Vertical Power Source: AC 120V/60Hz Date: 2017/04/15 Time: 19:09:08 Engineer Signature: star Distance: 3m
--	--

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5310.801	91.41	5.07	96.48			peak			
2	5310.801	83.42	5.07	88.49			AVG			
3	16115.207	22.34	19.74	42.08	74.00	-31.92	peak			
4	16115.207	30.19	19.74	49.93	54.00	-4.07	peak			

Job No.: STAR2017 #579

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5510MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:12:17

Engineer Signature: star

Distance: 3m


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5510.270	89.23	5.33	94.56			peak			
2	5510.270	80.41	5.33	85.74			AVG			
3	11020.144	42.63	12.29	54.92	74.00	-19.08	peak			
4	11020.144	34.26	12.29	46.55	54.00	-7.45	AVG			

Job No.: STAR2017 #580	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19:13:24
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5510MHz(802.11ac)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5510.362	93.20	5.31	98.51			peak			
2	5510.362	85.14	5.31	90.45			AVG			
3	11020.763	45.23	12.33	57.56	74.00	-16.44	peak			
4	11020.763	37.89	12.33	50.22	54.00	-3.78	AVG			

Job No.: STAR2017 #582

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5670MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:16:12

Engineer Signature: star

Distance: 3m


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5670.924	88.91	5.61	94.52			peak			
2	5670.924	80.14	5.61	85.75			AVG			
3	11340.300	41.97	12.87	54.84	74.00	-19.16	peak			
4	11340.300	33.25	12.87	46.12	54.00	-7.88	AVG			

Job No.: STAR2017 #581	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 19:15:03
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5670MHz(802.11ac)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5670.924	91.45	5.61	97.06			peak			
2	5670.924	83.15	5.61	88.76			AVG			
3	11340.461	41.84	12.82	54.66	74.00	-19.34	peak			
4	11340.300	37.61	12.87	50.48	54.00	-3.52	AVG			

Job No.: STAR2017 #583

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5755MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:17:59

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5755.824	86.55	5.67	92.22			peak			
2	5755.824	76.21	5.67	81.88			AVG			
3	11510.614	43.04	13.02	56.06	74.00	-17.94	peak			
4	11510.614	35.69	13.02	48.71	54.00	-5.29	AVG			

Job No.: STAR2017 #584

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5755MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:19:07

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5755.345	89.22	5.68	94.90			peak			
2	5755.345	81.09	5.68	86.77			AVG			
3	11510.614	44.38	13.02	57.40	74.00	-16.60	peak			
4	11510.614	37.14	13.02	50.16	54.00	-3.84	AVG			

Job No.: STAR2017 #586

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5795MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:21:40

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5795.533	89.76	5.75	95.51			peak			
2	5795.533	82.00	5.75	87.75			AVG			
3	11590.352	42.35	13.10	55.45	74.00	-18.55	peak			
4	11590.352	34.69	13.10	47.79	54.00	-6.21	AVG			

Job No.: STAR2017 #585

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5795MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:20:32

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5795.533	88.16	5.75	93.91			peak			
2	5795.533	80.67	5.75	86.42			AVG			
3	11590.866	41.42	13.14	54.56	74.00	-19.44	peak			
4	11590.866	32.69	13.14	45.83	54.00	-8.17	AVG			

Job No.: STAR2017 #588

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5210MHz(802.11ac)80MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:34:37

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5210.732	92.08	4.84	96.92			peak			
2	5210.732	83.71	4.84	88.55			AVG			
3	9768.031	38.02	11.45	49.47	74.00	-24.53	peak			
4	9768.031	31.61	11.45	43.06	54.00	-10.94	AVG			

Job No.: STAR2017 #587

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5210MHz(802.11ac)80MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:33:05

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5210.029	92.69	4.93	97.62			peak			
2	5210.029	84.10	4.93	89.03			AVG			
3	14260.764	30.90	18.98	49.88	74.00	-24.12	peak			
4	14260.764	21.69	18.98	40.67	54.00	-13.33	AVG			