


Job No.: STAR2017 #544
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5260MHz(802.11ac)20MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 18:03:25
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5260.715 | 92.63 | 5.00 | 97.63 | | | peak | | | |
| 2 | 5260.715 | 83.14 | 5.00 | 88.14 | | | AVG | | | |
| 3 | 10520.003 | 44.75 | 11.72 | 56.47 | 74.00 | -17.53 | peak | | | |
| 4 | 10520.003 | 36.52 | 11.72 | 48.24 | 54.00 | -5.76 | AVG | | | |

Job No.: STAR2017 #546

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5320MHz(802.11ac)20MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:07:34

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447




| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5320.253 | 88.93 | 5.09 | 94.02 | | | peak | | | |
| 2 | 5320.253 | 79.55 | 5.09 | 84.64 | | | AVG | | | |
| 3 | 10640.338 | 41.94 | 11.77 | 53.71 | 74.00 | -20.29 | peak | | | |
| 4 | 10640.338 | 33.72 | 11.77 | 45.49 | 54.00 | -8.51 | AVG | | | |

Job No.: STAR2017 #545
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5320MHz(802.11ac)20MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 18:06:09
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5320.253 | 92.54 | 5.09 | 97.63 | | | peak | | | |
| 2 | 5320.253 | 82.47 | 5.09 | 87.56 | | | AVG | | | |
| 3 | 10640.961 | 44.56 | 11.82 | 56.38 | 74.00 | -17.62 | peak | | | |
| 4 | 10640.961 | 35.63 | 11.82 | 47.45 | 54.00 | -6.55 | AVG | | | |

Job No.: STAR2017 #547

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5500MHz(802.11ac)20MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:09:22

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5500.362 | 89.62 | 5.31 | 94.93 | | | peak | | | |
| 2 | 5500.362 | 80.45 | 5.31 | 85.76 | | | AVG | | | |
| 3 | 11000.144 | 44.43 | 12.29 | 56.72 | 74.00 | -17.28 | peak | | | |
| 4 | 11000.144 | 36.97 | 12.29 | 49.26 | 54.00 | -4.74 | AVG | | | |

Job No.: STAR2017 #548

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5500MHz(802.11ac)20MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:10:37

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5500.362 | 90.94 | 5.31 | 96.25 | | | peak | | | |
| 2 | 5500.362 | 80.59 | 5.31 | 85.90 | | | AVG | | | |
| 3 | 11000.144 | 46.42 | 12.29 | 58.71 | 74.00 | -15.29 | peak | | | |
| 4 | 11000.144 | 38.90 | 12.29 | 51.19 | 54.00 | -2.81 | AVG | | | |

Job No.: STAR2017 #550

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5700MHz(802.11ac)20MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:13:19

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5700.350 | 89.46 | 5.63 | 95.09 | | | peak | | | |
| 2 | 5700.350 | 80.43 | 5.63 | 86.06 | | | AVG | | | |
| 3 | 11400.264 | 39.80 | 12.94 | 52.74 | 74.00 | -21.26 | peak | | | |
| 4 | 11400.264 | 32.69 | 12.94 | 45.63 | 54.00 | -8.37 | AVG | | | |

Job No.: STAR2017 #549

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5700MHz(802.11ac)20MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:12:12

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447




| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5700.350 | 91.63 | 5.63 | 97.26 | | | peak | | | |
| 2 | 5700.350 | 83.74 | 5.63 | 89.37 | | | AVG | | | |
| 3 | 11400.234 | 42.28 | 12.90 | 55.18 | 74.00 | -18.82 | peak | | | |
| 4 | 11400.234 | 34.98 | 12.90 | 47.88 | 54.00 | -6.12 | AVG | | | |

Job No.: STAR2017 #551
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5745MHz(802.11ac)20MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 18:14:50
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447




| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5745.824 | 89.27 | 5.67 | 94.94 | | | peak | | | |
| 2 | 5745.824 | 81.52 | 5.67 | 87.19 | | | AVG | | | |
| 3 | 11490.391 | 38.55 | 12.98 | 51.53 | 74.00 | -22.47 | peak | | | |
| 4 | 11490.391 | 32.69 | 12.98 | 45.67 | 54.00 | -8.33 | AVG | | | |

Job No.: STAR2017 #552
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5745MHz(802.11ac)20MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 18:15:51
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5745.824 | 90.92 | 5.67 | 96.59 | | | peak | | | |
| 2 | 5745.824 | 81.68 | 5.67 | 87.35 | | | AVG | | | |
| 3 | 11490.391 | 43.82 | 12.98 | 56.80 | 74.00 | -17.20 | peak | | | |
| 4 | 11490.391 | 35.69 | 12.98 | 48.67 | 54.00 | -5.33 | AVG | | | |

Job No.: STAR2017 #554

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5825MHz(802.11ac)20MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:18:38

Engineer Signature: star

Distance: 3m


Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5825.915 | 87.75 | 5.80 | 93.55 | | | peak | | | |
| 2 | 5825.915 | 78.47 | 5.80 | 84.27 | | | AVG | | | |
| 3 | 11650.189 | 42.43 | 13.20 | 55.63 | 74.00 | -18.37 | peak | | | |
| 4 | 11650.189 | 34.59 | 13.20 | 47.79 | 54.00 | -6.21 | AVG | | | |

| | |
|-----------------------------------|----------------------------|
| Job No.: STAR2017 #553 | Polarization: Vertical |
| Standard: FCC Class B 3M Radiated | Power Source: AC 120V/60Hz |
| Test item: Radiation Test | Date: 2017/04/15 |
| Temp.(C)/Hum.(%) 25 C / 55 % | Time: 18:17:28 |
| EUT: UFO Panoramic WiFi HD Camera | Engineer Signature: star |
| Mode: TX 5825MHz(802.11ac)20MHz | Distance: 3m |
| Model: PT-180H | |
| Manufacturer: Chuango | |

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5825.200 | 91.38 | 5.77 | 97.15 | | | peak | | | |
| 2 | 5825.200 | 83.14 | 5.77 | 88.91 | | | AVG | | | |
| 3 | 11650.189 | 43.21 | 13.20 | 56.41 | 74.00 | -17.59 | peak | | | |
| 4 | 11650.189 | 36.58 | 13.20 | 49.78 | 54.00 | -4.22 | AVG | | | |

Job No.: STAR2017 #555

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5190MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:22:32

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5190.741 | 91.30 | 4.86 | 96.16 | | | peak | | | |
| 2 | 5190.741 | 82.47 | 4.86 | 87.33 | | | AVG | | | |
| 3 | 14095.689 | 31.56 | 18.04 | 49.60 | 74.00 | -24.40 | peak | | | |
| 4 | 14095.689 | 22.40 | 18.04 | 40.44 | 54.00 | -13.56 | AVG | | | |

Job No.: STAR2017 #556

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5190MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:23:39

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447




| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5190.741 | 94.60 | 4.86 | 99.46 | | | peak | | | |
| 2 | 5190.741 | 85.14 | 4.86 | 90.00 | | | AVG | | | |
| 3 | 15292.613 | 31.23 | 19.33 | 50.56 | 74.00 | -23.44 | peak | | | |
| 4 | 15292.613 | 23.46 | 19.33 | 42.79 | 54.00 | -11.21 | AVG | | | |

Job No.: STAR2017 #558
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5230MHz(802.11n)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 18:27:50
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5230.214 | 91.97 | 4.95 | 96.92 | | | peak | | | |
| 2 | 5230.214 | 82.69 | 4.95 | 87.64 | | | AVG | | | |
| 3 | 13068.302 | 32.61 | 16.64 | 49.25 | 74.00 | -24.75 | peak | | | |
| 4 | 13068.302 | 34.17 | 16.64 | 50.81 | 54.00 | -3.19 | AVG | | | |

Job No.: STAR2017 #557

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5230MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:25:53

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5230.442 | 91.39 | 4.98 | 96.37 | | | peak | | | |
| 2 | 5230.442 | 83.14 | 4.98 | 88.12 | | | AVG | | | |
| 3 | 15607.400 | 30.89 | 19.39 | 50.28 | 74.00 | -23.72 | peak | | | |
| 4 | 15607.400 | 20.68 | 19.39 | 40.07 | 54.00 | -13.93 | AVG | | | |

Job No.: STAR2017 #559

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5270MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:29:21

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5270.033 | 92.81 | 5.03 | 97.84 | | | peak | | | |
| 2 | 5270.033 | 83.94 | 5.03 | 88.97 | | | AVG | | | |
| 3 | 12917.030 | 34.14 | 16.33 | 50.47 | 74.00 | -23.53 | peak | | | |
| 4 | 12917.030 | 25.22 | 16.33 | 41.55 | 54.00 | -12.45 | AVG | | | |

Job No.: STAR2017 #560

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5270MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:30:33

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5270.033 | 91.89 | 5.03 | 96.92 | | | peak | | | |
| 2 | 5270.033 | 82.67 | 5.03 | 87.70 | | | AVG | | | |
| 3 | 12730.400 | 34.40 | 15.76 | 50.16 | 74.00 | -23.84 | peak | | | |
| 4 | 12730.400 | 26.57 | 15.76 | 42.33 | 54.00 | -11.67 | AVG | | | |

Job No.: STAR2017 #562

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5310MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:45:59

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5310.801 | 91.15 | 5.07 | 96.22 | | | peak | | | |
| 2 | 5310.801 | 82.40 | 5.07 | 87.47 | | | AVG | | | |
| 3 | 15607.400 | 30.73 | 19.39 | 50.12 | 74.00 | -23.88 | peak | | | |
| 4 | 15607.400 | 21.69 | 19.39 | 41.08 | 54.00 | -12.92 | AVG | | | |

Job No.: STAR2017 #561

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5310MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:44:49

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5310.801 | 90.71 | 5.07 | 95.78 | | | peak | | | |
| 2 | 5310.801 | 81.47 | 5.07 | 86.54 | | | AVG | | | |
| 3 | 16115.207 | 30.24 | 19.74 | 49.98 | 74.00 | -24.02 | peak | | | |
| 4 | 16115.207 | 22.69 | 19.74 | 42.43 | 54.00 | -11.57 | AVG | | | |

Job No.: STAR2017 #563

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5510MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:47:14

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5510.362 | 89.74 | 5.31 | 95.05 | | | peak | | | |
| 2 | 5510.362 | 80.40 | 5.31 | 85.71 | | | AVG | | | |
| 3 | 11020.763 | 39.95 | 12.33 | 52.28 | 74.00 | -21.72 | peak | | | |
| 4 | 11020.763 | 33.69 | 12.33 | 46.02 | 54.00 | -7.98 | AVG | | | |

Job No.: STAR2017 #564

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5510MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:48:11

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5510.362 | 91.05 | 5.31 | 96.36 | | | peak | | | |
| 2 | 5510.362 | 83.47 | 5.31 | 88.78 | | | AVG | | | |
| 3 | 11020.763 | 43.08 | 12.33 | 55.41 | 74.00 | -18.59 | peak | | | |
| 4 | 11020.763 | 35.69 | 12.33 | 48.02 | 54.00 | -5.98 | AVG | | | |

Job No.: STAR2017 #566

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5670MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:50:33

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5670.924 | 88.07 | 5.61 | 93.68 | | | peak | | | |
| 2 | 5670.924 | 79.47 | 5.61 | 85.08 | | | AVG | | | |
| 3 | 11340.234 | 39.72 | 12.90 | 52.62 | 74.00 | -21.38 | peak | | | |
| 4 | 11340.234 | 32.69 | 12.90 | 45.59 | 54.00 | -8.41 | AVG | | | |

Job No.: STAR2017 #565

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5670MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:49:46

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5670.546 | 91.03 | 5.58 | 96.61 | | | peak | | | |
| 2 | 5670.546 | 82.47 | 5.58 | 88.05 | | | AVG | | | |
| 3 | 11340.234 | 41.20 | 12.90 | 54.10 | 74.00 | -19.90 | peak | | | |
| 4 | 11340.234 | 33.69 | 12.90 | 46.59 | 54.00 | -7.41 | AVG | | | |

Job No.: STAR2017 #567

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5755MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:52:44

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5755.345 | 89.23 | 5.68 | 94.91 | | | peak | | | |
| 2 | 5755.345 | 82.47 | 5.68 | 88.15 | | | AVG | | | |
| 3 | 11510.614 | 41.51 | 13.02 | 54.53 | 74.00 | -19.47 | peak | | | |
| 4 | 11510.614 | 34.69 | 13.02 | 47.71 | 54.00 | -6.29 | AVG | | | |

Job No.: STAR2017 #568

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5755MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:53:42

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5755.345 | 91.33 | 5.68 | 97.01 | | | peak | | | |
| 2 | 5755.345 | 83.10 | 5.68 | 88.78 | | | AVG | | | |
| 3 | 11510.934 | 43.58 | 13.06 | 56.64 | 74.00 | -17.36 | peak | | | |
| 4 | 11510.934 | 36.39 | 13.06 | 49.45 | 54.00 | -4.55 | AVG | | | |

Job No.: STAR2017 #570

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5795MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:56:22

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5795.915 | 89.03 | 5.72 | 94.75 | | | peak | | | |
| 2 | 5795.915 | 81.55 | 5.72 | 87.27 | | | AVG | | | |
| 3 | 11590.866 | 41.43 | 13.14 | 54.57 | 74.00 | -19.43 | peak | | | |
| 4 | 11590.866 | 32.79 | 13.14 | 45.93 | 54.00 | -8.07 | AVG | | | |

Job No.: STAR2017 #569

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5795MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 18:55:22

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5795.915 | 90.95 | 5.72 | 96.67 | | | peak | | | |
| 2 | 5795.915 | 83.04 | 5.72 | 88.76 | | | AVG | | | |
| 3 | 11590.352 | 40.62 | 13.10 | 53.72 | 74.00 | -20.28 | peak | | | |
| 4 | 11590.352 | 33.62 | 13.10 | 46.72 | 54.00 | -7.28 | AVG | | | |



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #571
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5190MHz(802.11ac)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 19:00:57
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5190.793 | 91.64 | 4.88 | 96.52 | | | peak | | | |
| 2 | 5190.793 | 83.40 | 4.88 | 88.28 | | | AVG | | | |
| 3 | 12329.252 | 35.27 | 14.55 | 49.82 | 74.00 | -24.18 | peak | | | |
| 4 | 12329.252 | 27.14 | 14.55 | 41.69 | 54.00 | -12.31 | AVG | | | |



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #572

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5190MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:01:46

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447




| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5190.741 | 92.64 | 4.86 | 97.50 | | | peak | | | |
| 2 | 5190.741 | 83.47 | 4.86 | 88.33 | | | AVG | | | |
| 3 | 14095.689 | 30.85 | 18.04 | 48.89 | 74.00 | -25.11 | peak | | | |
| 4 | 14095.689 | 22.67 | 18.04 | 40.71 | 54.00 | -13.29 | AVG | | | |

Job No.: STAR2017 #574
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5230MHz(802.11ac)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 19:05:28
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447




| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5230.442 | 90.38 | 4.98 | 95.36 | | | peak | | | |
| 2 | 5230.442 | 82.93 | 4.98 | 87.91 | | | AVG | | | |
| 3 | 10535.961 | 37.53 | 11.82 | 49.35 | 74.00 | -24.65 | peak | | | |
| 4 | 10535.961 | 29.48 | 11.82 | 41.30 | 54.00 | -12.70 | AVG | | | |

Job No.: STAR2017 #573
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5230MHz(802.11ac)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 19:03:06
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447




| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5230.442 | 88.10 | 4.98 | 93.08 | | | peak | | | |
| 2 | 5230.442 | 79.45 | 4.98 | 84.43 | | | AVG | | | |
| 3 | 13376.181 | 32.61 | 16.85 | 49.46 | 74.00 | -24.54 | peak | | | |
| 4 | 13376.181 | 24.76 | 16.85 | 41.61 | 54.00 | -12.39 | AVG | | | |

Job No.: STAR2017 #575
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5270MHz(802.11ac)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 19:06:52
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5270.033 | 88.41 | 5.03 | 93.44 | | | peak | | | |
| 2 | 5270.033 | 80.57 | 5.03 | 85.60 | | | AVG | | | |
| 3 | 14095.689 | 31.31 | 18.04 | 49.35 | 74.00 | -24.65 | peak | | | |
| 4 | 14095.689 | 23.42 | 18.04 | 41.46 | 54.00 | -12.54 | AVG | | | |

Job No.: STAR2017 #576

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5270MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:07:48

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5270.395 | 88.98 | 5.04 | 94.02 | | | peak | | | |
| 2 | 5270.395 | 80.14 | 5.04 | 85.18 | | | AVG | | | |
| 3 | 13221.345 | 33.27 | 16.75 | 50.02 | 74.00 | -23.98 | peak | | | |
| 4 | 13221.345 | 24.69 | 16.75 | 41.44 | 54.00 | -12.56 | AVG | | | |

Job No.: STAR2017 #578

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5310MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:10:18

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5310.801 | 91.30 | 5.07 | 96.37 | | | peak | | | |
| 2 | 5310.801 | 83.06 | 5.07 | 88.13 | | | AVG | | | |
| 3 | 12917.030 | 33.76 | 16.33 | 50.09 | 74.00 | -23.91 | peak | | | |
| 4 | 12917.030 | 24.67 | 16.33 | 41.00 | 54.00 | -13.00 | AVG | | | |

Job No.: STAR2017 #577

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5310MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:09:08

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5310.801 | 91.41 | 5.07 | 96.48 | | | peak | | | |
| 2 | 5310.801 | 83.42 | 5.07 | 88.49 | | | AVG | | | |
| 3 | 16115.207 | 22.34 | 19.74 | 42.08 | 74.00 | -31.92 | peak | | | |
| 4 | 16115.207 | 30.19 | 19.74 | 49.93 | 54.00 | -4.07 | peak | | | |

Job No.: STAR2017 #579

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5510MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:12:17

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5510.270 | 89.23 | 5.33 | 94.56 | | | peak | | | |
| 2 | 5510.270 | 80.41 | 5.33 | 85.74 | | | AVG | | | |
| 3 | 11020.144 | 42.63 | 12.29 | 54.92 | 74.00 | -19.08 | peak | | | |
| 4 | 11020.144 | 34.26 | 12.29 | 46.55 | 54.00 | -7.45 | AVG | | | |

Job No.: STAR2017 #580

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5510MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:13:24

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5510.362 | 93.20 | 5.31 | 98.51 | | | peak | | | |
| 2 | 5510.362 | 85.14 | 5.31 | 90.45 | | | AVG | | | |
| 3 | 11020.763 | 45.23 | 12.33 | 57.56 | 74.00 | -16.44 | peak | | | |
| 4 | 11020.763 | 37.89 | 12.33 | 50.22 | 54.00 | -3.78 | AVG | | | |

Job No.: STAR2017 #582

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5670MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:16:12

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5670.924 | 88.91 | 5.61 | 94.52 | | | peak | | | |
| 2 | 5670.924 | 80.14 | 5.61 | 85.75 | | | AVG | | | |
| 3 | 11340.300 | 41.97 | 12.87 | 54.84 | 74.00 | -19.16 | peak | | | |
| 4 | 11340.300 | 33.25 | 12.87 | 46.12 | 54.00 | -7.88 | AVG | | | |

Job No.: STAR2017 #581

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5670MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:15:03

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447




| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5670.924 | 91.45 | 5.61 | 97.06 | | | peak | | | |
| 2 | 5670.924 | 83.15 | 5.61 | 88.76 | | | AVG | | | |
| 3 | 11340.461 | 41.84 | 12.82 | 54.66 | 74.00 | -19.34 | peak | | | |
| 4 | 11340.300 | 37.61 | 12.87 | 50.48 | 54.00 | -3.52 | AVG | | | |

Job No.: STAR2017 #583
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5755MHz(802.11ac)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 19:17:59
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5755.824 | 86.55 | 5.67 | 92.22 | | | peak | | | |
| 2 | 5755.824 | 76.21 | 5.67 | 81.88 | | | AVG | | | |
| 3 | 11510.614 | 43.04 | 13.02 | 56.06 | 74.00 | -17.94 | peak | | | |
| 4 | 11510.614 | 35.69 | 13.02 | 48.71 | 54.00 | -5.29 | AVG | | | |

Job No.: STAR2017 #584

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5755MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:19:07

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5755.345 | 89.22 | 5.68 | 94.90 | | | peak | | | |
| 2 | 5755.345 | 81.09 | 5.68 | 86.77 | | | AVG | | | |
| 3 | 11510.614 | 44.38 | 13.02 | 57.40 | 74.00 | -16.60 | peak | | | |
| 4 | 11510.614 | 37.14 | 13.02 | 50.16 | 54.00 | -3.84 | AVG | | | |

Job No.: STAR2017 #586

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5795MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:21:40

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447




| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5795.533 | 89.76 | 5.75 | 95.51 | | | peak | | | |
| 2 | 5795.533 | 82.00 | 5.75 | 87.75 | | | AVG | | | |
| 3 | 11590.352 | 42.35 | 13.10 | 55.45 | 74.00 | -18.55 | peak | | | |
| 4 | 11590.352 | 34.69 | 13.10 | 47.79 | 54.00 | -6.21 | AVG | | | |

Job No.: STAR2017 #585
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5795MHz(802.11ac)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 19:20:32
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5795.533 | 88.16 | 5.75 | 93.91 | | | peak | | | |
| 2 | 5795.533 | 80.67 | 5.75 | 86.42 | | | AVG | | | |
| 3 | 11590.866 | 41.42 | 13.14 | 54.56 | 74.00 | -19.44 | peak | | | |
| 4 | 11590.866 | 32.69 | 13.14 | 45.83 | 54.00 | -8.17 | AVG | | | |

Job No.: STAR2017 #588

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5210MHz(802.11ac)80MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:34:37

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|-------------|------------------|-------------|-----------------|----------------|-------------|----------|-------------|---------------|--------|
| 1 | 5210.732 | 92.08 | 4.84 | 96.92 | | | peak | | | |
| 2 | 5210.732 | 83.71 | 4.84 | 88.55 | | | AVG | | | |
| 3 | 9768.031 | 38.02 | 11.45 | 49.47 | 74.00 | -24.53 | peak | | | |
| 4 | 9768.031 | 31.61 | 11.45 | 43.06 | 54.00 | -10.94 | AVG | | | |

Job No.: STAR2017 #587

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5210MHz(802.11ac)80MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 19:33:05

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



| No. | Freq. (MHz) | Reading (dBuV/m) | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Degree (deg.) | Remark |
|-----|----------------|---------------------|----------------|--------------------|-------------------|----------------|----------|----------------|------------------|--------|
| 1 | 5210.029 | 92.69 | 4.93 | 97.62 | | | peak | | | |
| 2 | 5210.029 | 84.10 | 4.93 | 89.03 | | | AVG | | | |
| 3 | 14260.764 | 30.90 | 18.98 | 49.88 | 74.00 | -24.12 | peak | | | |
| 4 | 14260.764 | 21.69 | 18.98 | 40.67 | 54.00 | -13.33 | AVG | | | |