



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #635
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5500MHz(802.11ac)20MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:33:46
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21825.461	70.49	-19.50	50.99	74.00	-23.01	peak			

Job No.: STAR2017 #636
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5500MHz(802.11ac)20MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:34:23
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25179.757	70.61	-19.35	51.26	74.00	-22.74	peak			

Job No.: STAR2017 #638
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5700MHz(802.11ac)20MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:35:27
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24829.658	70.66	-19.37	51.29	74.00	-22.71	peak			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #637
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5700MHz(802.11ac)20MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:35:01
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26000.000	71.01	-19.32	51.69	74.00	-22.31	peak			

Job No.: STAR2017 #639

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5745MHz(802.11ac)20MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 20:36:06

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24412.360	69.91	-19.38	50.53	74.00	-23.47	peak			

Job No.: STAR2017 #640
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5745MHz(802.11ac)20MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:36:29
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21809.383	69.83	-19.49	50.34	74.00	-23.66	peak			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #642
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5825MHz(802.11ac)20MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:37:27
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21254.061	70.34	-19.51	50.83	74.00	-23.17	peak			

Job No.: STAR2017 #641

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5825MHz(802.11ac)20MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 20:36:59

Engineer Signature: star

Distance: 3m


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24135.102	69.55	-19.39	50.16	74.00	-23.84	peak			

Job No.: STAR2017 #643	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 20:38:15
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5190MHz(802.11n)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24774.826	70.45	-19.36	51.09	74.00	-22.91	peak			

Job No.: STAR2017 #644

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5190MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 20:38:38

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	19107.149	69.67	-19.60	50.07	74.00	-23.93	peak			

Job No.: STAR2017 #646

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5230MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 20:41:59

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26000.000	70.97	-19.32	51.65	74.00	-22.35	peak			

Job No.: STAR2017 #645

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5230MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 20:39:16

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24967.269	70.46	-19.36	51.10	74.00	-22.90	peak			

Job No.: STAR2017 #647

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5270MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 20:42:34

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	19184.749	69.86	-19.60	50.26	74.00	-23.74	peak			

Job No.: STAR2017 #648
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5270MHz(802.11n)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:43:03
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21833.504	69.53	-19.49	50.04	74.00	-23.96	peak			

Job No.: STAR2017 #649
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5310MHz(802.11n)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:44:02
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	20553.227	70.29	-19.54	50.75	74.00	-23.25	peak			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #650

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5310MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 20:44:26

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24902.956	70.53	-19.36	51.17	74.00	-22.83	peak			

Job No.: STAR2017 #651
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5510MHz(802.11n)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:44:56
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24893.782	70.02	-19.37	50.65	74.00	-23.35	peak			

Job No.: STAR2017 #652
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5510MHz(802.11n)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:45:20
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24976.471	70.50	-19.36	51.14	74.00	-22.86	peak			

Job No.: STAR2017 #654

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5670MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 20:46:09

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24912.134	70.51	-19.36	51.15	74.00	-22.85	peak			

Job No.: STAR2017 #653

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5670MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 20:45:48

Engineer Signature: star

Distance: 3m


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25226.188	70.84	-19.34	51.50	74.00	-22.50	peak			

Job No.: STAR2017 #655	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 20:46:40
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5755MHz(802.11n)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24921.315	70.12	-19.36	50.76	74.00	-23.24	peak			

Job No.: STAR2017 #656
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5755MHz(802.11n)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:47:13
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21817.421	69.70	-19.49	50.21	74.00	-23.79	peak			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #659	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 20:48:22
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5795MHz(802.11n)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24921.315	70.27	-19.36	50.91	74.00	-23.09	peak			

Job No.: STAR2017 #658

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5795MHz(802.11n)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 20:47:45

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25244.785	70.36	-19.35	51.01	74.00	-22.99	peak			

Job No.: STAR2017 #660
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5190MHz(802.11ac)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:48:57
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25980.847	70.37	-19.32	51.05	74.00	-22.95	peak			

Job No.: STAR2017 #661

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5190MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 20:49:21

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25142.673	70.22	-19.35	50.87	74.00	-23.13	peak			

Job No.: STAR2017 #662
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5230MHz(802.11ac)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:50:04
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	20697.621	70.41	-19.54	50.87	74.00	-23.13	peak			

Job No.: STAR2017 #663
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5230MHz(802.11ac)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:50:36
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24720.115	70.31	-19.37	50.94	74.00	-23.06	peak			

Job No.: STAR2017 #664
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5270MHz(802.11ac)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:51:03
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21906.028	70.17	-19.48	50.69	74.00	-23.31	peak			

Job No.: STAR2017 #665

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5270MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 20:51:45

Engineer Signature: star

Distance: 3m


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21914.101	69.72	-19.49	50.23	74.00	-23.77	peak			

Job No.: STAR2017 #667	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 20:52:44
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5310MHz(802.11ac)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	


Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21745.191	70.38	-19.50	50.88	74.00	-23.12	peak			

Job No.: STAR2017 #666	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2017/04/15
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 20:52:12
EUT: UFO Panoramic WiFi HD Camera	Engineer Signature: star
Mode: TX 5310MHz(802.11ac)40MHz	Distance: 3m
Model: PT-180H	
Manufacturer: Chuango	

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24117.322	70.05	-19.39	50.66	74.00	-23.34	peak			

Job No.: STAR2017 #668
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5510MHz(802.11ac)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:53:14
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	20682.374	70.47	-19.54	50.93	74.00	-23.07	peak			

Job No.: STAR2017 #669

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5510MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 20:53:42

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	20751.073	69.62	-19.54	50.08	74.00	-23.92	peak			

Job No.: STAR2017 #671
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5670MHz(802.11ac)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:54:42
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	20500.284	69.61	-19.55	50.06	74.00	-23.94	peak			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #670
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5670MHz(802.11ac)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:54:15
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24412.360	69.95	-19.38	50.57	74.00	-23.43	peak			

Job No.: STAR2017 #672
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5755MHz(802.11ac)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:55:13
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25207.606	69.99	-19.35	50.64	74.00	-23.36	peak			

Job No.: STAR2017 #673

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5755MHz(802.11ac)40MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 20:55:38

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	22125.047	69.98	-19.48	50.50	74.00	-23.50	peak			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #675
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5795MHz(802.11ac)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:56:41
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24893.782	70.12	-19.37	50.75	74.00	-23.25	peak			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2017 #674
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5795MHz(802.11ac)40MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:56:11
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24902.956	69.97	-19.36	50.61	74.00	-23.39	peak			

Job No.: STAR2017 #676
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5210MHz(802.11ac)80MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:57:45
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	23494.576	70.26	-19.42	50.84	74.00	-23.16	peak			

Job No.: STAR2017 #677

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5210MHz(802.11ac)80MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 20:58:20

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25263.395	70.24	-19.35	50.89	74.00	-23.11	peak			

Job No.: STAR2017 #679
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5290MHz(802.11ac)80MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:59:20
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21214.941	69.87	-19.52	50.35	74.00	-23.65	peak			

Job No.: STAR2017 #678
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: UFO Panoramic WiFi HD Camera
Mode: TX 5290MHz(802.11ac)80MHz
Model: PT-180H
Manufacturer: Chuango

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2017/04/15
Time: 20:58:54
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24884.611	70.42	-19.37	51.05	74.00	-22.95	peak			

Job No.: STAR2017 #680

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5690MHz(802.11ac)80MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 20:59:49

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21745.191	70.02	-19.50	50.52	74.00	-23.48	peak			

Job No.: STAR2017 #681

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5690MHz(802.11ac)80MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 21:00:14

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18737.635	69.13	-19.62	49.51	74.00	-24.49	peak			

Job No.: STAR2017 #683

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5775MHz(802.11ac)80MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 21:01:08

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21316.804	70.01	-19.51	50.50	74.00	-23.50	peak			

Job No.: STAR2017 #682

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: UFO Panoramic WiFi HD Camera

Mode: TX 5775MHz(802.11ac)80MHz

Model: PT-180H

Manufacturer: Chuango

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2017/04/15

Time: 21:00:45

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20170447



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21906.028	69.82	-19.48	50.34	74.00	-23.66	peak			

Test mode: 802.11a,N,ac(20MHz)


TX Frequency: 5180MHz, 5240MHz, 5260MHz, 5320MHz, 5500MHz, 5700MHz, 5745MHz, 5825MHz

The EUT is tested radiation emission at each test mode in three axes. The worst emissions are reflected in the following plots

Common Information

Test Site: SMQ EMC Lab.
 Environment Conditions:
 Antenna Polarization: Horizontal
 Operator Name:
 Comment:


Copy of FCC Electric Field Strength 26-40GHz



Common Information

Test Site: SMQ EMC Lab.
 Environment Conditions:
 Antenna Polarization: Vertical
 Operator Name:
 Comment:

Copy of FCC Electric Field Strength 26-40GHz



Test mode: 802.11N,ac(40MHz)


TX Frequency: 5190MHz, 5230MHz, 5270MHz, 5310MHz, 5510MHz, 5670MHz, 5755MHz, 5795MHz

The EUT is tested radiation emission at each test mode in three axes. The worst emissions are reflected in the following plots

Common Information

Test Site: SMQ EMC Lab.
 Environment Conditions:
 Antenna Polarization: Horizontal
 Operator Name:
 Comment:


Copy of FCC Electric Field Strength 26-40GHz



Common Information

Test Site: SMQ EMC Lab.
 Environment Conditions:
 Antenna Polarization: Vertical
 Operator Name:
 Comment:

Copy of FCC Electric Field Strength 26-40GHz



Test mode: 802.11ac(80MHz)

TX Frequency: 5210MHz, 5290MHz, 5530MHz, 5775MHz


The EUT is tested radiation emission at each test mode in three axes.

The worst emissions are reflected in the following plots

Common Information

Test Site: SMQ EMC Lab.
 Environment Conditions:
 Antenna Polarization: Horizontal
 Operator Name:
 Comment:

Copy of FCC Electric Field Strength 26-40GHz



Common Information

Test Site: SMQ EMC Lab.
 Environment Conditions:
 Antenna Polarization: Vertical
 Operator Name:
 Comment:

Copy of FCC Electric Field Strength 26-40GHz

