


Appendix B

RF power output conducted

FCC part 15.247

Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	



Comment A: Output power=-4 dBm; verdict: PASS
Date: 5.JUL.2007 11:07:34

Measurement diagram


ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247

Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 39 / 2441 MHz
Comment 3	



Comment A: Output power=-4.32 dBm; verdict: PASS
Date: 5. JUL. 2007 12:53:15

Measurement diagram


ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247

Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 78 / 2480 MHz
Comment 3	



Comment A: Output power=-4.87 dBm; verdict: PASS
Date: 5. JUL. 2007 12:55:30

Measurement diagram


ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247

Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vmin
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	



Comment A: Output power=-4.09 dBm; verdict: PASS
Date: 5.JUL.2007 11:19:26


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247
Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vmin
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 39 / 2441 MHz
Comment 3	



Comment A: Output power=-4.25 dBm; verdict: PASS
Date: 5.JUL.2007 12:51:04


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247**Peak output power conducted**

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vmin
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 78 / 2480 MHz
Comment 3	



Comment A: Output power=-4.91 dBm; verdict: PASS
Date: 5.JUL.2007 13:01:20

Measurement diagram


ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247

Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vmax
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	



Comment A: Output power=-4.03 dBm; verdict: PASS

Date: 5.JUL.2007 11:21:46

Measurement diagram


ETS Product Service AG

Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247**Peak output power conducted**

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vmax
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 39 / 2441 MHz
Comment 3	



Comment A: Output power=-4.33 dBm; verdict: PASS
Date: 5.JUL.2007 12:50:07

Measurement diagram


ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247

Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vmax
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 78 / 2480 MHz
Comment 3	



Comment A: Output power=-4.87 dBm; verdict: PASS
Date: 5.JUL.2007 12:59:52

Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

Appendix C


RF power output radiated (EIRP)

Appendix D

20 dB bandwidth

**FCC part 15.247
20 dB bandwidth**

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(a)
Comment 1	20 dB bandwidth
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	



Comment A: 20 dB bandwidth: 877.3 KHz
Date: 5. JUL. 2007 13:32:30


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247
20 dB bandwidth

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(a)
Comment 1	20 dB bandwidth
Comment 2	Channel.: 39 / 2441 MHz
Comment 3	



Comment A: 20 dB bandwidth: 877.3 KHz

Date: 5.JUL.2007 13:35:06


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247
20 dB bandwidth

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(a)
Comment 1	20 dB bandwidth
Comment 2	Channel: 78 / 2480 MHz
Comment 3	



Comment A: 20 dB bandwidth: 877.3 kHz
Date: 5.JUL.2007 13:36:52


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

RSS Gen
Occupied Bandwidth

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	4.4.1 Occupied Bandwidth
Comment 1	Channel: 0 / 2402 MHz
Comment 2	A spectrum analyzer with an integrated 99% power bandwidth function is used
Comment 3	



Comment A: Occupied bandwidth: 872.9 KHz
Date: 5.JUL.2007 14:52:05

Measurement diagram


ETS Product Service AG

Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**RSS Gen
Occupied Bandwidth**

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	4.4.1 Occupied Bandwidth
Comment 1	Channel.: 39 / 2441 MHz
Comment 2	A spectrum analyzer with an integrated 99% power bandwidth function is used
Comment 3	



Comment A: Occupied bandwidth: 872.9 KHz
Date: 5.JUL.2007 14:54:38


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**RSS Gen
Occupied Bandwidth**

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	4.4.1 Occupied Bandwidth
Comment 1	Channel: 78 / 2480 MHz
Comment 2	A spectrum analyzer with an integrated 99% power bandwidth function is used
Comment 3	



Comment A: Occupied bandwidth: 872.9 KHz
Date: 5.JUL.2007 14:56:21

Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN


Page 1 of 1

Appendix E

Time of occupancy (dwell time)

FCC part 15.247**Time of occupancy (dwell time)**

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(a)
Comment 1	Time of occupancy
Comment 2	Channel: 39 / 2441 MHz (Hopping mode)
Comment 3	63 events * 2.915 ms result: 183.65 ms



Comment A: Burst length=2.91552 ms

Date: 5.JUL.2007 14:41:28

Measurement diagram

ETS Product Service AG


Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247

Duty cycle

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(b)
Comment 1	Duty cycle
Comment 2	Channel: 39 / 2441 MHz
Comment 3	



Comment A: Duty cycle=0.47

Date: 5.JUL.2007 14:35:35

Measurement diagram

ETS Product Service AG

Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1


Appendix F

Number of hopping frequencies

FCC part 15.247

Number of hopping frequencies

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	Channel.: 0-13
Comment 3	



Comment A: Number of hopping frequencies

Date: 5.JUL.2007 14:18:45

Measurement diagram

ETS Product Service AG


Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247

Number of hopping frequencies

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	Channel.: 14-38
Comment 3	



Comment A: Number of hopping frequencies

Date: 5.JUL.2007 14:23:59

Measurement diagram

ETS Product Service AG


Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247

Number of hopping frequencies

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	Channel.:39-63
Comment 3	



Comment A: Number of hopping frequencies

Date: 5.JUL.2007 14:26:40


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247**Number of hopping frequencies**

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	Channel.: 64-78
Comment 3	



Date: 5.JUL.2007 14:28:39

Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN


Page 1 of 1

Appendix G

Carrier frequency separation

FCC part 15.247**Carrier frequency separation**

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(b)
Comment 1	Carrier frequency separation
Comment 2	Channel.: 39/40 / 2441/2442 MHz
Comment 3	Hopping mode



Comment A: Limit: > two-thirds of the 20 dB bandwidth ; Result: Pass

Date: 5.JUL.2007 14:08:11

Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

Appendix H

Spurious emission conducted


Appendix I

Spurious emission radiated

Carrier power (Field Strength)

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.441GHz, Emax: 94.68dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 34.429MHz, Emax: 32.42dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 199.659MHz, Emax: 32.48dBμV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 432.465MHz, Emax: 33.52dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 599.198MHz, Emax: 35.68dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 3.970GHz, Emax: 42.90dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 3.875GHz, Emax: 43.28dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.802GHz, Emax: 50.65dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.802GHz, Emax: 50.88dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.575GHz, Emax: 39.69dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.431GHz, Emax: 39.53dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.234GHz, Emax: 41.47dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 13.924GHz, Emax: 41.62dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 24.577GHz, Emax: 48.61dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 24.177GHz, Emax: 47.92dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 197.275MHz, Emax: 32.77dBμV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 199.659MHz, Emax: 32.76dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 528.657MHz, Emax: 33.82dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 432.465MHz, Emax: 32.49dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 3.869GHz, Emax: 42.70dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 3.991GHz, Emax: 43.84dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.882GHz, Emax: 48.71dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.882GHz, Emax: 50.44dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.583GHz, Emax: 39.31dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.230GHz, Emax: 39.23dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.595GHz, Emax: 40.88dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.375GHz, Emax: 40.98dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 24.425GHz, Emax: 47.23dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 24.615GHz, Emax: 47.90dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 34.088MHz, Emax: 31.91dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 200.000MHz, Emax: 33.07dBuV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 672.946MHz, Emax: 34.70dB μ V/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 432.465MHz, Emax: 32.44dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 3.903GHz, Emax: 42.52dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 3.881GHz, Emax: 42.91dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.954GHz, Emax: 47.54dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.962GHz, Emax: 50.32dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.142GHz, Emax: 39.52dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.519GHz, Emax: 39.89dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.886GHz, Emax: 41.35dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.415GHz, Emax: 40.80dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 24.501GHz, Emax: 47.38dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C

Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 24.615GHz, Emax: 47.04dBµV/m, RBW: 1MHz




Appendix J

Band-edge compliance

FCC part 15.247**Band-edge compliance of RF conducted emissions**

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(c)
Comment 1	Band-edge compliance
Comment 2	Channel: 0 / 2402 MHz
Comment 3	Single frequency mode



Date: 5.JUL.2007 13:39:27


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247**Band-edge compliance of RF conducted emissions**

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(c)
Comment 1	Band-edge compliance
Comment 2	Channel: 78 / 2480 MHz
Comment 3	Single frequency mode



Comment A: Limit: Marker Delta value >20 dB; Result: PASS

Date: 5.JUL.2007 13:41:07


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247**Band-edge compliance of RF conducted emissions**

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(c)
Comment 1	Band-edge compliance
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	Hopping mode



Comment A: Limit: Marker Delta value >20 dB; Result: PASS

Date: 5.JUL.2007 13:45:56

Measurement diagram

ETS Product Service AG


Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247

Band-edge compliance of RF conducted emissions

EUT	Bluetooth Handsfree Car Kit
Model	EGOTalk
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(c)
Comment 1	Band-edge compliance
Comment 2	Channel.: 78 / 2480 MHz
Comment 3	Hopping mode



Comment A: Limit: Marker Delta value >20 dB; Result: PASS

Date: 5.JUL.2007 13:57:03

Measurement diagram

ETS Product Service AG

Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

Appendix K

AC power line conducted emissions


Appendix L

Receiver radiated emissions

Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / 2441 MHz
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:166.273MHz Emax:32.36dBµV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / 2441 MHz
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:198.297MHz Emax:33.29dBµV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / 2441 MHz
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:595.992MHz Emax:32.64dBuV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / 2441 MHz
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:895.792MHz Emax:31.53dBµV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / 2441 MHz
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.
Comment 2: Freq: 3.910GHz Emax: 42.64dBμV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / 2441 MHz
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.
Comment 2: Freq: 3.838GHz Emax: 42.5 dBμV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / 2441 MHz
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.
Comment 2: Freq: 7.768GHz Emax: 45.54dBμV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / 2441 MHz
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.
Comment 2: Freq: 6.774GHz Emax: 46.11dBμV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN

Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / 2441 MHz
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.
Comment 2: Freq:11.166GHz Emax:39.41dBμV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN

Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Talk
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / 2441 MHz
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.
Comment 2: Freq:10.725GHz Emax:39.69dBµV/m RBW: 1 MHz

