



Appendix B

RF power output conducted

FCC part 15.247
Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	

	Marker 1 [T1]	RBW	1 MHz	RF Att	30 dB
	Ref Lvl	0.68 dBm	VBW	1 MHz	
	10 dBm	2.40179659 GHz	SWT	5 ms	Unit dBm




Comment A: Output power=0.68 dBm; verdict: PASS
 Date: 2. JUL. 2007 08:49:16

Measurement diagram

FCC part 15.247
Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 39 / 2441 MHz
Comment 3	

	Marker 1 [T1]	RBW	1 MHz	RF Att	30 dB
	Ref Lvl	0.08 dBm	VBW	1 MHz	
	10 dBm	2.44082465 GHz	SWT	5 ms	Unit dBm




Comment A: Output power=0.08 dBm; verdict: PASS
Date: 2. JUL. 2007 08:52:18

Measurement diagram

FCC part 15.247
Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 78 / 2480 MHz
Comment 3	

	Marker 1 [T1]	RBW	1 MHz	RF Att	30 dB
	Ref Lvl	0.03 dBm	VBW	1 MHz	
	10 dBm	2.47979659 GHz	SWT	5 ms	Unit dBm




Comment A: Output power=0.03 dBm; verdict: PASS
 Date: 2. JUL. 2007 08:54:10

• Measurement diagram

FCC part 15.247
Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vmin
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	

	Marker 1 [T1]	RBW	1 MHz	RF Att	30 dB
	Ref Lvl	0.60 dBm	VBW	1 MHz	
	10 dBm	2.40181062 GHz	SWT	5 ms	Unit dBm



Comment A: Output power=0.6 dBm; verdict: PASS
 Date: 2.JUL.2007 09:00:54


Measurement diagram

FCC part 15.247

Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vmin
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 39 / 2441 MHz
Comment 3	

	Marker 1 [T1]	RBW	1 MHz	RF Att	30 dB
	Ref Lvl	0.07 dBm	VBW	1 MHz	
	10 dBm	2.44081062 GHz	SWT	5 ms	Unit dBm





Comment A: Output power=0.07 dBm; verdict: PASS
 Date: 2.JUL.2007 08:58:59

Measurement diagram

FCC part 15.247
Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vmin
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 78 / 2480 MHz
Comment 3	

	Marker 1 [T1]	RBW	1 MHz	RF Att	30 dB
	Ref Lvl	0.02 dBm	VBW	1 MHz	
	10 dBm	2.47981062 GHz	SWT	5 ms	Unit dBm




Comment A: Output power=0.02 dBm; verdict: PASS
 Date: 2. JUL. 2007 08:56:57

Measurement diagram

FCC part 15.247
Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vmax
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	

	Marker 1 [T1]	RBW	1 MHz	RF Att	30 dB
	Ref Lvl	0.58 dBm	VBW	1 MHz	
	10 dBm	2.40179659 GHz	SWT	5 ms	Unit dBm



Comment A: Output power=0.58 dBm; verdict: PASS
 Date: 2.JUL.2007 09:02:03


Measurement diagram

FCC part 15.247

Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vmax
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 39 / 2441 MHz
Comment 3	

	Marker 1 [T1]	RBW	1 MHz	RF Att	30 dB
	Ref Lvl	0.04 dBm	VBW	1 MHz	
	10 dBm	2.44079659 GHz	SWT	5 ms	Unit dBm




Comment A: Output power=0.04 dBm; verdict: PASS
 Date: 2.JUL.2007 09:03:25

Measurement diagram

FCC part 15.247
Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vmax
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 78 / 2480 MHz
Comment 3	

	Marker 1 [T1]	RBW	1 MHz	RF Att	30 dB
	Ref Lvl	-0.01 dBm	VBW	1 MHz	
	10 dBm	2.47979659 GHz	SWT	5 ms	Unit dBm



Comment A: Output power=-0.01 dBm; verdict: PASS
 Date: 2.JUL.2007 09:08:53

Measurement diagram

Appendix C

RF power output radiated (EIRP)


Appendix D

20 dB bandwidth

**FCC part 15.247
20 dB bandwidth**

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(a)
Comment 1	20 dB bandwidth
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	

	Delta 1 [T1]	RBW	10 kHz	RF Att	30 dB
	Ref Lvl	-1.16 dB	VBW	10 kHz	
	10 dBm	939.02525050 kHz	SWT	56 ms	Unit dBm




Date: 2.JUL.2007 09:29:08

Measurement diagram

**FCC part 15.247
20 dB bandwidth**

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(a)
Comment 1	20 dB bandwidth
Comment 2	Channel.: 39 / 2441 MHz
Comment 3	

	Delta 1 [T1]	RBW	10 kHz	RF Att	30 dB
Ref Lvl	-1.00 dB	VBW	10 kHz		
10 dBm	939.02525050 kHz	SWT	56 ms	Unit	dBm




Comment A: 20 dB bandwidth: 939 KHz
Date: 2.JUL.2007 09:32:19

Measurement diagram

FCC part 15.247
20 dB bandwidth

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(a)
Comment 1	20 dB bandwidth
Comment 2	Channel.: 78 / 2480 MHz
Comment 3	

	Delta 1 [T1]	RBW	10 kHz	RF Att	30 dB
	Ref Lvl	-0.01 dB	VBW	10 kHz	
	10 dBm	947.82525050 kHz	SWT	56 ms	Unit dBm




Comment A: 20 dB bandwidth: 947.8 KHz
Date: 2.JUL.2007 09:34:11

Measurement diagram

**RSS Gen
Occupied Bandwidth**

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	4.4.1 Occupied Bandwidth
Comment 1	Channel.: 0 / 2402 MHz
Comment 2	A spectrum analyzer with an integrated 99% power bandwidth function is used
Comment 3	




Comment A: Occupied bandwidth: 872.9 KHz
Date: 2. JUL. 2007 09:36:45

Measurement diagram

**RSS Gen
Occupied Bandwidth**

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	4.4.1 Occupied Bandwidth
Comment 1	Channel.: 39 / 2441 MHz
Comment 2	A spectrum analyzer with an integrated 99% power bandwidth function is used
Comment 3	



Comment A: Occupied bandwidth: 872.9 KHz
Date: 2.JUL.2007 09:38:53


Measurement diagram

ETS Product Service AG

Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

**RSS Gen
Occupied Bandwidth**

EUT Bluetooth Handsfree Car Kit
 Model EGO Look
 Approval Holder Funkwerk Dabendorf GmbH
 Temperature / Voltage 23°C / Vnom
 Test Site / Operator ETS Product Service AG / Mr. Hoppe
 Test Specification 4.4.1 Occupied Bandwidth
 Comment 1 Channel.: 78 / 2480 MHz
 Comment 2 A spectrum analyzer with an integrated 99% power bandwidth function is used
 Comment 3



Comment A: Occupied bandwidth: 877.4 KHz
 Date: 2.JUL.2007 09:40:33

Measurement diagram


Appendix E


Time of occupancy (dwell time)

FCC part 15.247

Time of occupancy (dwell time)

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(a)
Comment 1	Time of occupancy
Comment 2	Channel.: 39 / 2441 MHz (Hopping mode)
Comment 3	63 events * 2.914 ms result: 183.582 ms

	Delta 1 [T1]	RBW	1 MHz	RF Att	40 dB
	Ref Lvl	0.26 dB	VBW	1 MHz	
	20 dBm	2.913901 ms	SWT	4 ms	Unit




Comment A: Burst length=2.9139 ms
 Date: 2. JUL. 2007 11:28:04

Measurement diagram

FCC part 15.247
Duty cycle

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(b)
Comment 1	Duty cycle
Comment 2	Channel.: 39 / 2441 MHz
Comment 3	



Comment A: Duty cycle=0.46
Date: 2.JUL.2007 10:15:04


Measurement diagram

Appendix F

Number of hopping frequencies

FCC part 15.247
Number of hopping frequencies

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	Channel.: 0-13
Comment 3	




Comment A: Number of hopping frequencies
 Date: 2.JUL.2007 10:39:27

Measurement diagram

FCC part 15.247
Number of hopping frequencies

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	Channel.: 14-38
Comment 3	




Comment A: Number of hopping frequencies
 Date: 2.JUL.2007 11:03:02

Measurement diagram

FCC part 15.247
Number of hopping frequencies

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	Channel.:39-63
Comment 3	




Comment A: Number of hopping frequencies
 Date: 2. JUL. 2007 11:13:19

Measurement diagram

FCC part 15.247
Number of hopping frequencies

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	Channel.: 64-78
Comment 3	



Comment A: Number of hopping frequencies
 Date: 2.JUL.2007 11:15:37

Measurement diagram

Appendix G


Carrier frequency separation

**FCC part 15.247
Carrier frequency separation**

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(b)
Comment 1	Carrier frequency separation
Comment 2	Channel.: 39/40 / 2441/2442 MHz
Comment 3	Hopping mode



	Delta 1 [T1]	RBW	100 kHz	RF Att	30 dB
Ref Lvl	0.01 dB	VBW	100 kHz		
10 dBm	1.00080160 MHz	SWT	5 ms	Unit	dBm



Comment A: Limit: > two-thirds of the 20 dB bandwidth ; Result: Pass
Date: 2.JUL.2007 10:26:22

Measurement diagram

Appendix H

Spurious emission conducted


Appendix I

Spurious emission radiated

Carrier power (Field Strength)

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.480GHz, Emax: 102.24dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 49.078MHz, Emax: 45.05dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 49.078MHz, Emax: 35.27dBµV/m, REW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 341.082MHz, Emax: 36.92dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 688.978MHz, Emax: 37.98dBµV/m, REW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 2.397GHz, Emax: 45.24dB μ V/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Lock
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 2.748GHz, Emax: 48.52dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.802GHz, Emax: 57.20dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Lock
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, average detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.802GHz, Emax: 43.85dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.802GHz, Emax: 57.29dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, average detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.802GHz, Emax: 42.73dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.078GHz, Emax: 39.27dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 9.603GHz, Emax: 38.74dBµV/m, REW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.465GHz, Emax: 41.32dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.505GHz, Emax: 40.56dBµV/m, REW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 24.596GHz, Emax: 47.80dBµV/m, REW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 24.615GHz, Emax: 47.20dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 49.078MHz, Emax: 45.05dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 49.078MHz, Emax: 35.47dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 344.289MHz, Emax: 37.29dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Lock
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 688.978MHz, Emax: 38.21dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 2.748GHz, Emax: 42.92dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Lock
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 2.748GHz, Emax: 48.68dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.882GHz, Emax: 59.82dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, average detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.882GHz, Emax: 46.00dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.882GHz, Emax: 56.02dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, average detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.882GHz, Emax: 42.64dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.102GHz, Emax: 39.74dBµV/m, REW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 9.764GHz, Emax: 42.10dBµV/m, REW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.164GHz, Emax: 40.86dBuV/m, REW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.255GHz, Emax: 41.22dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 24.596GHz, Emax: 48.11dBµV/m, REW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2441 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 24.577GHz, Emax: 48.15dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 49.078MHz, Emax: 45.15dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 49.078MHz, Emax: 36.10dBµV/m, REW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 389.178MHz, Emax: 41.05dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 688.978MHz, Emax: 38.28dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 3.872GHz, Emax: 43.59dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 2.748GHz, Emax: 49.06dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.954GHz, Emax: 58.51dBµV/m, REW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, average detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.954GHz, Emax: 39.83dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.802GHz, Emax: 57.29dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2402 MHz
Test Specification: according to §15.247, average detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.802GHz, Emax: 42.73dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.439GHz, Emax: 39.17dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 9.916GHz, Emax: 42.20dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 13.733GHz, Emax: 40.61dBµV/m, REW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.475GHz, Emax: 40.53dBµV/m, REW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 24.482GHz, Emax: 46.99dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C

Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC / Pmax / 2480 MHz
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 24.539GHz, Emax: 48.16dBµV/m, REW: 1MHz




Appendix J

Band-edge compliance

FCC part 15.247
Band-edge compliance of RF conducted emissions

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(c)
Comment 1	Band-edge compliance
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	Single frequency mode

	Delta 1 [T1]	RBW	50 kHz	RF Att	30 dB
Ref Lvl	-42.32 dB	VBW	50 kHz		
10 dBm	-2.01402806 MHz	SWT	5 ms	Unit	dBm




Comment A: Limit: Marker Delta value >20 dB; Result: PASS
 Date: 2.JUL.2007 09:43:08

Measurement diagram

FCC part 15.247
Band-edge compliance of RF conducted emissions

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(c)
Comment 1	Band-edge compliance
Comment 2	Channel.: 78 / 2480 MHz
Comment 3	Single frequency mode

	Delta 1 [T1]	RBW	50 kHz	RF Att	30 dB
	Ref Lvl	-45.64 dB	VBW	50 kHz	
	10 dBm	3.99799599 MHz	SWT	5 ms	Unit dBm




Comment A: Limit: Marker Delta value >20 dB; Result: PASS
 Date: 2.JUL.2007 09:45:42

Measurement diagram

FCC part 15.247
Band-edge compliance of RF conducted emissions

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(c)
Comment 1	Band-edge compliance
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	Hopping mode

	Delta 1 [T1]	RBW	50 kHz	RF Att	30 dB
	Ref Lvl		VBW	50 kHz	
	10 dBm	-2.16432866 MHz	SWT	5 ms	Unit dBm




Comment A: Limit: Marker Delta value >20 dB; Result: PASS
 Date: 2.JUL.2007 10:11:41

Measurement diagram

FCC part 15.247
Band-edge compliance of RF conducted emissions

EUT	Bluetooth Handsfree Car Kit
Model	EGO Look
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Hoppe
Test Specification	FCC part 15 section 247(c)
Comment 1	Band-edge compliance
Comment 2	Channel.: 78 / 2480 MHz
Comment 3	Hopping mode

	Delta 1 [T1]	RBW	50 kHz	RF Att	30 dB
	Ref Lvl	-47.71 dB	VBW	50 kHz	
	10 dBm	3.97795591 MHz	SWT	5 ms	Unit dBm



Comment A: Limit: Marker Delta value >20 dB; Result: PASS
 Date: 2.JUL.2007 09:55:03

Measurement diagram

Appendix K

AC power line conducted emissions


Appendix L

Receiver radiated emissions

Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look / 2441 MHz
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 49.078MHz Emax:39.55dBµV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look / 2441 MHz
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:49.078MHz Emax:34.95dBuV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look / 2441 MHz
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:344.289MHz Emax:37.88dBuV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look / 2441 MHz
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq: 688.978MHz Emax:38.51dBµV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look / 2441 MHz
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.
Comment 2: Freq:2.749GHz Emax:45.04dBµV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look / 2441 MHz
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.
Comment 2: Freq:2.749GHz Emax:50.39dBµV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look / 2441 MHz
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.
Comment 2: Freq:6.774GHz Emax:46.81dBµV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look / 2441 MHz
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.
Comment 2: Freq: 6.653GHz Emax: 45.90dBµV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN

Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look / 2441 MHz
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.
Comment 2: Freq:10.645GHz Emax:39.94dBµV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN

Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO Look / 2441 MHz
Test Site / Operator: ETS / Mr. Hoppe
Test Condition: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.
Comment 2: Freq:11.471GHz Emax:39.66dBµV/m RBW: 1 MHz

