


Appendix B

RF power output conducted

FCC part 15.247

Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	



Comment A: Output power=-1.45 dBm; verdict: PASS


Date: 4.OCT.2007 12:51:16

Measurement diagram

FCC part 15.247

Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 39 / 2441 MHz
Comment 3	



Comment A: Output power=-1.85 dBm; verdict: PASS
Date: 4.OCT.2007 12:55:25

Measurement diagram


ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247

Peak output power conducted

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(b)
Comment 1	Peak output power
Comment 2	Channel.: 78 / 2480 MHz
Comment 3	



Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

Appendix C


RF power output radiated (EIRP)

Appendix D

20 dB bandwidth

FCC part 15.247
20 dB bandwidth

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(a)
Comment 1	20 dB bandwidth
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	



Comment A: 20 dB bandwidth: 886.1 KHz
Date: 4.OCT.2007 13:01:51


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247
20 dB bandwidth

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(a)
Comment 1	20 dB bandwidth
Comment 2	Channel.: 39 / 2441 MHz
Comment 3	



Comment A: 20 dB bandwidth: 886.1 KHz
Date: 4.OCT.2007 13:04:20


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247
20 dB bandwidth

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(a)
Comment 1	20 dB bandwidth
Comment 2	Channel.: 78 / 2480 MHz
Comment 3	



Comment A: 20 dB bandwidth: 886.1 KHz
Date: 4.OCT.2007 13:06:30


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

RSS Gen
Occupied Bandwidth

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	4.4.1 Occupied Bandwidth
Comment 1	Channel.: 0 / 2402 MHz
Comment 2	A spectrum analyzer with an integrated 99% power bandwidth function is used
Comment 3	



Comment A: Occupied bandwidth: 872.9 KHz
 Date: 4.OCT.2007 15:18:18


Measurement diagram

ETS Product Service AG
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

RSS Gen
Occupied Bandwidth

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	4.4.1 Occupied Bandwidth
Comment 1	Channel.: 39 / 2441 MHz
Comment 2	A spectrum analyzer with an integrated 99% power bandwidth function is used
Comment 3	



Comment A: Occupied bandwidth: 872.9 KHz
Date: 4.OCT.2007 15:16:53


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

RSS Gen
Occupied Bandwidth

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	4.4.1 Occupied Bandwidth
Comment 1	Channel.: 78 / 2480 MHz
Comment 2	A spectrum analyzer with an integrated 99% power bandwidth function is used
Comment 3	



Comment A: Occupied bandwidth: 868.5 KHz

Date: 4.OCT.2007 15:19:16

Measurement diagram

ETS Product Service AG

Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN


Page 1 of 1

Appendix E

Time of occupancy (dwell time)

FCC part 15.247**Time of occupancy (dwell time)**

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(a)
Comment 1	Time of occupancy
Comment 2	Channel.: 39 / 2441 MHz (Hopping mode)
Comment 3	63 events * 2.930 ms result: 184.6 ms



Comment A: Burst length=2.92993 ms
Date: 4.OCT.2007 14:42:01


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247**Duty cycle**

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(b)
Comment 1	Duty cycle
Comment 2	Channel.: 39 / 2441 MHz
Comment 3	



Comment A: Duty cycle=0.47

Date: 4.OCT.2007 14:40:13

Measurement diagram

ETS Product Service AG

Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1


Appendix F

Number of hopping frequencies

FCC part 15.247

Number of hopping frequencies

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	Channel.: 0-13
Comment 3	



Comment A: Number of hopping frequencies

Date: 4.OCT.2007 14:44:31


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247**Number of hopping frequencies**

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	Channel.: 14-38
Comment 3	



Comment A: Number of hopping frequencies

Date: 4.OCT.2007 14:55:39

Measurement diagram


ETS Product Service AG

Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247
Number of hopping frequencies

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	Channel.:39-63
Comment 3	



Comment A: Number of hopping frequencies
Date: 4.OCT.2007 15:01:49


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247**Number of hopping frequencies**

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(a)
Comment 1	Number of hopping frequencies
Comment 2	Channel.: 64-78
Comment 3	



Comment A: Number of hopping frequencies

Date: 4.OCT.2007 15:04:07

Measurement diagram

ETS Product Service AG

Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN


Page 1 of 1

Appendix G

Carrier frequency separation

FCC part 15.247
Carrier frequency separation

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(b)
Comment 1	Carrier frequency separation
Comment 2	Channel.: 39/40 / 2441/2442 MHz
Comment 3	Hopping mode



Comment A: Limit: > two-thirds of the 20 dB bandwidth ; Result: Pass
Date: 4.OCT.2007 14:36:06

Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

Appendix H

Spurious emission conducted


Appendix I

Spurious emission radiated

Carrier power (Field Strength)

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2402 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.402GHz, Emax: 87.73dBµV/m, REW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2402 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 199.320MHz, Emax: 33.32dBµV/m, RBW: 100kHz



Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C

Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2402 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 198.300MHz, Emax: 31.84dBµV/m, RBW: 100kHz



FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2402 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 561.600MHz, Emax: 37.04dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2402 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 843.200MHz, Emax: 36.04dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2402 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 3.202GHz, Emax: 43.13dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2402 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 3.202GHz, Emax: 42.42dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2402 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.800GHz, Emax: 52.22dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2402 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.800GHz, Emax: 46.18dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2402 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.456GHz, Emax: 43.26dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2402 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.960GHz, Emax: 43.25dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2402 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 16.960GHz, Emax: 46.03dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2402 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 14.720GHz, Emax: 46.41dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2402 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.348GHz, Emax: 55.73dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2402 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.234GHz, Emax: 56.02dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 198.300MHz, Emax: 33.90dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 193.880MHz, Emax: 32.00dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 561.600MHz, Emax: 37.04dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 841.600MHz, Emax: 35.10dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 3.254GHz, Emax: 41.66dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 3.254GHz, Emax: 42.10dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.880GHz, Emax: 53.30dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.880GHz, Emax: 50.39dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.376GHz, Emax: 42.84dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.352GHz, Emax: 43.42dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 16.960GHz, Emax: 45.48dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 16.930GHz, Emax: 47.30dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.253GHz, Emax: 56.38dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.386GHz, Emax: 56.63dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2480 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 198.640MHz, Emax: 33.14dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2480 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 195.920MHz, Emax: 31.66dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2480 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 561.600MHz, Emax: 37.70dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2480 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 843.200MHz, Emax: 35.86dBµV/m, RBW: 100kHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2480 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 3.305GHz, Emax: 42.69dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2480 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, amplif.
Comment 2: Freq: 1.655GHz, Emax: 43.36dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2480 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.960GHz, Emax: 57.17dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2480 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, average detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.960GHz, Emax: 33.23dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2480 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.960GHz, Emax: 57.42dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2480 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247, average detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 4.960GHz, Emax: 33.41dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.376GHz, Emax: 42.84dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 11.352GHz, Emax: 43.42dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 16.960GHz, Emax: 45.48dBuV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to S15.247, peak detector
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.+HP.
Comment 2: Freq: 16.930GHz, Emax: 47.30dBμV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.253GHz, Emax: 56.38dBµV/m, RBW: 1MHz



Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C

Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.386GHz, Emax: 56.63dBμV/m, RBW: 1MHz




Appendix J

Band-edge compliance

FCC part 15.247**Band-edge compliance of RF conducted emissions**

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(c)
Comment 1	Band-edge compliance
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	Single frequency mode



Comment A: Limit: Marker Delta value >20 dB; Result: PASS

Date: 4.OCT.2007 13:08:12

Measurement diagram


ETS Product Service AG

Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247**Band-edge compliance of RF conducted emissions**

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(c)
Comment 1	Band-edge compliance
Comment 2	Channel.: 78 / 2480 MHz
Comment 3	Single frequency mode



Comment A: Limit: Marker Delta value >20 dB; Result: PASS

Date: 4.OCT.2007 13:13:41

Measurement diagram


ETS Product Service AG

Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247**Band-edge compliance of RF conducted emissions**

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(c)
Comment 1	Band-edge compliance
Comment 2	Channel.: 0 / 2402 MHz
Comment 3	Hopping mode



Comment A: Limit: Marker Delta value >20 dB; Result: PASS

Date: 4.OCT.2007 13:17:11

Measurement diagram

ETS Product Service AG


Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC part 15.247

Band-edge compliance of RF conducted emissions

EUT	Bluetooth Handsfree Car Kit
Model	EGO CUP
Approval Holder	Funkwerk Dabendorf GmbH
Temperature / Voltage	23°C / Vnom
Test Site / Operator	ETS Product Service AG / Mr. Treffke
Test Specification	FCC part 15 section 247(c)
Comment 1	Band-edge compliance
Comment 2	Channel: 78 / 2480 MHz
Comment 3	Hopping mode



Comment A: Limit: Marker Delta value >20 dB; Result: PASS

Date: 4.OCT.2007 13:21:24

Measurement diagram

ETS Product Service AG

Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

Appendix K

AC power line conducted emissions


Appendix L

Receiver radiated emissions

Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:179.940MHz Emax:33.84dBμV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:194.560MHz Emax:31.98dBµV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq: 561.600MHz Emax: 38.33dBμV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq: 843.200MHz Emax: 36.53dBµV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.
Comment 2: Freq:3.874GHz Emax:41.78dBμV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.
Comment 2: Freq: 1.624GHz Emax: 42.64dBμV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN

Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.
Comment 2: Freq:7.992GHz Emax:44.43dBμV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN

Approval Holder: Funkwerk Dabendorf GmbH
EUT: Bluetooth Handsfree Car Kit
Model: EGO CUP / 2441 MHz
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 25°C / Unom.: 13.2 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: BBHA9120D, ampl.
Comment 2: Freq: 7.816GHz Emax:44.66dB μ V/m RBW: 1 MHz

