Applicant/Grantee       CastleNet Technology Inc.         FCC ID:       RK9-BTC08R800         Section 15.212 Modular Transmitters         Request for Modular Approval       Request for Limited Modular Approval         Requirements       EUT Conditions         Single Modular Approval Requirements       Device is equipped with Metal shiel         1       The radio elements of the modular transmitter must have their own       Device is equipped with Metal shiel	Comply (Y/N)
Request for Modular Approval         Request for Limited Modular Approval           Requirements         EUT Conditions           Single Modular Approval Requirements         Device is equipped with Metal shield	Comply (Y/N)
Requirements     EUT Conditions       Single Modular Approval Requirements       1     The radio elements of the modular   Device is equipped with Metal shield	Comply (Y/N)
Requirements     EUT Conditions       Single Modular Approval Requirements       1     The radio elements of the modular   Device is equipped with Metal shield	Comply (Y/N)
1 The radio elements of the modular Device is equipped with Metal shiel	lding Ves
1 The radio elements of the modular Device is equipped with Metal shiel	lding Ves
transmitter must have their own to cover RE section. Defer to extern	
	al
shielding. The physical crystal and photos.	
tuning capacitors may be located	
external to the shielded radio elements.	
2 The modular transmitter must have All inputs to the modules are buffer	
buffered modulation/data inputs (if such through logic or microprocessor inp	outs.
inputs are provided) to ensure that the IC:CSR8510(BC8)	
module will comply with Part 15	
requirements under conditions of	
excessive data rates or over-modulation.	
3 The modular transmitter must have its The transmitter has its own power	Yes
own power supply regulation.supply regulator.ICCCP 0510 WI	
IC: CSR8510 WLCSP	
4 The modular transmitter must comply Device is equipped with unique anter	
with the antenna and transmission (u.FL(v)-LP-040) connector. Refer	to
system requirements of Sections 15.203, external photos.	
15.204(b) and 15.204(c). The antenna must either be permanently attached or	
employ a "unique" antenna coupler (at	
all connections between the module and	
the antenna, including the cable). The	
"professional installation" provision of	
Section 15.203 is not applicable to	
modules but can apply to limited	
modular approvals under paragraph (b)	
of this section.	
5 The modular transmitter must be tested EUT was tested in a stand alone	Yes
in a stand-alone configuration, <i>i.e.</i> , the configuration via an extender card.	
module must not be inside another Please see section photographs of te	
device during testing for compliance configuration in the test report, the	EUT
with Part 15 requirements. Unless the was plugged in this extender card.	
transmitter module will be battery	
powered, it must comply with the AC	
line conducted requirements found in Section 15 207 AC or DC power lines	
Section 15.207. AC or DC power lines and data input/output lines connected to	
the module must not contain ferrites,	
unless they will be marketed with the	
module (see Section 15.27(a)). The	
length of these lines shall be the length	
typical of actual use or, if that length is	
unknown, at least 10 centimeters to	
insure that there is no coupling between	

	the case of the module and supporting		
	equipment. Any accessories, peripherals,		
	or support equipment connected to the		
	module during testing shall be		
	unmodified and commercially available		
	(see Section 15.31(i)).		
6	The modular transmitter must be	Two proposed FCC ID label format are	Yes
0	equipped with either a permanently	included in the filing. One label is to be	100
	affixed label or must be capable of	placed on the module and the other label	
	<b>▲</b>	_ <b>⊥</b>	
	electronically displaying its FCC	is to be placed on the outside of system.	
	identification number.	Refer to FCC ID label format and	
	(A) If using a permanently affixed label, the	location file.	
	modular transmitter must be labeled with its own FCC identification number, and, if the FCC		
	identification number is not visible when the		
	module is installed inside another device, then		
	the outside of the device into which the module is		
	installed must also display a label referring to		
	the enclosed module. This exterior label can use		
	wording such as the following: "Contains		
	<i>Transmitter Module</i> <i>FCC ID: XYZMODEL1" or "Contains FCC ID:</i>		
	XYZMODEL1." Any similar wording		
	that expresses the same meaning may be used.		
	The Grantee may either provide such a label, an		
	example of which must be included in the		
	application for equipment		
	authorization, or, must provide adequate		
	instructions along with the module which explain		
	this requirement. In the latter case, a copy of		
	these instructions must be included in the application for equipment authorization.		
	<i>(B) If the modular transmitter uses an electronic</i>		
	display of the FCC identification number, the		
	information must be readily accessible and		
	visible on the modular transmitter or on the		
	device in which it is installed. If the module is		
	installed inside another device, then the outside		
	of the device into which the module is installed		
	must display a label referring to the enclosed module. This exterior label can use wording such		
	as the following:		
	"Contains FCC certified transmitter module(s)."		
	Any similar wording that expresses the same		
	meaning may be used. The user manual must		
	include instructions on how to access the		
	electronic display. A copy of these instructions		
	must be included in the application for		
7	equipment authorization.	Defer to "Ilear's Conida" F-1:1:4	Vec
7	The modular transmitter must comply	Refer to "User's Guide" Exhibit.	Yes
	with any specific rules or operating		
	requirements that		
	ordinarily apply to a complete		
	transmitter and the manufacturer must		
	provide adequate instructions along with		
	the module to explain any such		
	requirements. A copy of these		
	instructions must be included in the		
L	·		

	application for equipment authorization.		
8	The modular transmitter must comply	The EUT is complied with all applicable	Yes
	with any applicable RF exposure	RF exposure requirements. RF Exposure	
	requirements in its final configuration.	is addressed in the RF exposure	
		exhibition.	

A **limited modular approval** may be granted for single or split modular transmitters that do not comply with all of the above requirements, *e.g.*, shielding, minimum signaling amplitude, buffered modulation/data inputs, or power supply regulation, if the manufacturer can demonstrate by alternative means in the application for equipment authorization that the modular transmitter meets all the applicable Part 15 requirements under the operating conditions in which the transmitter will be used. Limited modular approval also may be granted in those instances where compliance with RF exposure rules is demonstrated only for particular product configurations. The applicant for certification must state how control of the end product into which the module will be installed will be maintained such that full compliance of the end product is always ensured.

Judy Sung Signature

Name/Title: Judy sung / Assistant Applicant: CastleNet Technology Inc. ADDRESS: No.64, Chung-Shan Rd.Tu-Cheng City ,Taipei Hsien, Taiwan 236 TEL: 02-22673858 FAX: 02-22691137 Email: sung-judy@castlenet.com.tw