

## **RF EXPOSURE REPORT**

	OF
Applicant:	CastleNet Technology Inc.
	No. 14, Ln. 141, Sec. 3, Beishen Rd., Shenkeng Dist.,
	New Taipei City 22244, Taiwan (R.O.C.)
Product Name:	Wireless Cable Gateway
Brand Name:	Castlenet
Model No.:	CBV384Z4
Model Difference:	N/A
Report Number:	E2/2021/30063
FCC ID:	RK9-CBV384Z4
FCC Rule Part	Part 2.1091
Issue Date:	Apr. 07, 2021

### We hereby certify that:

The above equipment was verified by SGS Taiwan Ltd. The evaluation in this report is in compliance with the above rule(s).

The results of this report relate only to the sample identified in this report.

John Te

Approved By:

John Yeh / Asst. Manager



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.seg.com.lwfTerms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1 No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 台灣檢驗科技股份有限公司 www.sas.com.tw



Revision History								
Report Number Revision Description Issue Date Remark								
E2/2021/30063	Rev.00	Original.	Apr. 07, 2021	Revised By: Yuri Tsai				

## Note:

### 1 · Disclaimer

Antenna information is provided by the applicant, test results of this report are applicable to the sample EUT received.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解并另有說明,近報告結果僅到測試之体品員頁,同時近樣品售保留90天。今報告未题本公司書面計可,个可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fuller extent of the low. fullest extent of the law.

SGS Taiwan Ltd. 1 No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 台灣檢驗科技股份有限公司 www.sgs.com.tw



# **Table of Contents**

1	DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)	4
2	FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)	6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## **DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)**

#### 1.1 General:

Product Name:	Wireless Cable Gateway
Brand Name:	Castlenet
Model No.:	CBV384Z4
Model Difference:	N/A
Hardware Version:	N/A
Software Version:	N/A
Power Supply:	12Vdc from AC/DC Adapter

#### 1.2 Antenna Information:

#### 1.2.1 WLAN 5GHz

Ant. Type	Ch0/Ch1/Ch2/Ch3	Supplier	Part No.	Freq.(MHz)	Peak Gain (dBi)	Worst Antenna Gain
РСВ	Ch0	AnJie	CBV384Z4-AC2800	5250~5350	2.86	
PCD	CHU	AIDIE	CDV304Z4-AC2000	5470~5725	2.73	
РСВ	Ch1	AnJie	CBV384Z4-AC2800	5250~5350	2.86	
PCD	CIII	AIDIE	CDV304Z4-AC2000	5470~5725	2.82	
РСВ	Ch2	AnJie	CBV384Z4-AC2800	5250~5350	2.95	
FCD	GHZ	AIDIE	CDV304Z4-AC2000	5470~5725	2.73	
РСВ	Ch3	AnJie	CBV384Z4-AC2800	5250~5350	2.97	V
FCD	Ch3 Anjie		CDV304Z4-AC2000	5470~5725	2.96	V

Note: Investigation has been done to determine the worst case scenario for the above antennas demonstrated with measurements in this report.

For MIMO mode, higher antenna gains are chosen to ensure higher directional gain is evaluated as below.

Ant. Type	Supplier	Part No.	Freq.(MHz)	Peak Gain (dBi)
PCB AnJie	CBV384Z4-AC2800	5250~5350	8.93	
PUD	AIDIE	CDV304Z4-AC2000	5470~5725	8.83

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and Conditions and for electronic format the company subject to Terms and Conditions for Electronic Documents at <u>http://www.subject to Terms and Conditions</u> and <u>http://www.su</u> sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

> SGS Taiwan Ltd. 1 No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sas.com.tw

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### 1.3 **Rated Power**

#### 1.3.1 WLAN 5GHz

802.11	Freq. Range (MHz)	Modulation Technology	Max. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Worst Case
	5250~5350	OFDM -	21.94	2.97	24.91	
а	5470~5725		21.98	2.96	24.94	
n HT20	5250~5350		20.29	8.93	29.22	
ac VHT20	5470~5725		20.34	8.83	29.17	
n HT40	5250~5350		20.39	8.93	29.32	
ac VHT40	5470~5725		20.55	8.83	29.38	V
ac VHT80	5250~5350		20.37	8.93	29.30	
	5470~5725		20.41	8.83	29.24	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解決分有說明,近報告結果僅到測試之体結員頁,问時过樣給僅除留90天。4. 報告未整本公司書面計可,个可部份復襲。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 」No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw 台灣檢驗科技股份有限公司



## 2 FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)

## 2.1 FCC Standard Applicable

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1091 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

Frequency Range	Electric Field	Magnetic Field	Power Density	Averaging Time					
(MHz)	Strength (V/m)	Strength (A/m) (mW/cm <sup>2</sup> )		(minute)					
	Limits for General Population/Uncontrolled Exposure								
0.3-1.34	614	1.63	*(100)	30					
1.34-30	824/f	2.19/f	*(180/f <sup>2</sup> )	30					
30-300	27.5	0.073	0.2	30					
300-1500	/	/	f/1500	30					
1500-15000	1	/	1.0	30					

f = frequency in MHz

\* = Plane-wave equipment power density

Prediction of MPE limit at a given distance  $S=PG/4\pi R^2$ 

Where: S = Power density

P = Power input to antenna

- G = Power gain of the antenna in the direction of interest relative to an isotropic radiator
- R = Distance to the center of radiation of the antenna

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### 2.2 **Power Density Calculation (Worst Case)**

### FCC Standalone MPE

Operation Mode	Evaluation Frequency (MHz)	Operation Distance (cm)	Max. output Power (dBm)	Antenna Gain (dBi)	Max. output Power EIRP (mW)	(PD)	Limit (mW/cm²)	Pass / Fail	Power Density / Limit
	. ,					$(mW/cm^2)$	1 000	Daga	
WLAN 5G	5510.00	20	20.55	8.83	866.96	0.173	1.000	Pass	0.173

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format This occurrent is issued by the Company subject to its General Conditions on Service printed overlear, available on request or accessible at <u>http://www.sgs.com.tw/ rems-and-conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/ rems-and-conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1 No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw 台灣檢驗科技股份有限公司