

0604600

hp

REF -20.0 dBm

#AT 0 dB

MKR 100.20 msec

.11 dB

Duty Cycle

$$= \frac{2 \times [(5 \times 0.9 \text{ms}) + (5 \times 0.45 \text{ms})]}{100 \text{ms}}$$

PEAK  
LOG  
10  
dB/

$$= \frac{13.5 \text{ms}}{100 \text{ms}}$$


$$= 0.135$$

Average Factor

$$= 20 \log 0.135$$

$$= -17.4 \text{ dB}$$

WA SB  
SC FG  
CORR



CENTER 433.920 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 120 msec

0604600

7/0

REF -20.0 dBm #ΔT 0 dB

PEAK  
LOG  
10  
dB/

WA SB  
SC FS  
CORR



CENTER 433.920 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 15.0 msec

0604600

tr

REF -20.0 dBm


#AT 0 dB

PEAK

LOG

10

dB/



WA SB

SC FS

CORR

CENTER 433.920 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 1.50 sec

0604600.

hp

MKR 4.9500 sec


REF -20.0 dBm

#AT 0 dB

-34.32 dBm

PEAK  
LOG  
10  
dB/

WA SB  
SC VS  
CORR



CENTER 433.920 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 15.0 sec