


# DS-2075 TX SCH



Title		
Size	Number	Revision
A4	<b>2075TX</b>	
Date:	29-Sep-2004	Sheet of
File:	F:\yuheping\RD\2075A\2075A.ddb	Drawn By:

No.	component name	model	quartity	remark
1	PCB	1.6×83×42mm	1	2075-A
2	IC	A2051                      DIP16pin	1	U1
3	IC	MA60H221-s7K SSOP28pin	1	U2
4	IC	RH5RH401PR                      SOT-89	1	U3
5	IC	ELM9330AP                      SOT-89	1	U4
6	LED	HLMP-ED80-KP000	1	LED
7	code	H=9mm	1	EN
8	audion	MA729                      0805	2	D1 , D2
9	crystal                      frequency genrator	76.8KHZ	1	X1
10	crystal                      frequency genrator	27.042MHZ	1	X2
11	crystal                      frequency genrator	18MHZ	1	X3
12	electrolyte capacitance	1.8uH                      1210	1	L1
13	electrolyte capacitance	0.82uH                      1210	1	L2
14	electrolyte capacitance	220uH                      RL0406-221K	2	L3, L4
15	resistance	4.7M                      0603	1	R1
	resistance	NC                      0603	0	R2
16	resistance	15K                      0603	1	R3
	resistance	1K                      0603	3	R4,R5,R6
17	lacker capacitance	22 pF                      0603	3	C1, C2, C10
18	lacker capacitance	104                      0603	5	C3, C6, C13, C16, C18
19	lacker capacitance	33 pF                      0603	1	C4
20	lacker capacitance	22 pF                      0603	1	C5
21	lacker capacitance	NC	0	C8
22	lacker capacitance	10pF                      0603	1	C9
23	lacker capacitance	75pF                      0603	1	C7
24	lacker capacitance	NC	0	C11
25	lacker capacitance	22pF                      0603	1	C12
26	electrolyte capacitance	10uF                      1206	1	C15
27	electrolyte capacitance	47uF                      1210	3	C14, C17, C19
28	switch	DSD-ST	2	L, R
29	switch	ZIPPY	1	M,

