

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan

District, Shenzhen, Guangdong, China 518057

Telephone: +86 (0) 755 2601 2053 Fax: +86 (0) 755 2671 0594 Report No.: SZEM121200682901

Email: ee.shenzhen@sgs.com Page: 1 of 103

# **FCC REPORT**

**Application No:** SZEM1212006829RF

**Applicant:** Create New Technology (HK) Limited **Manufacturer:** Create New Technology (HK) Limited

Product Name: Tvpad Model No.(EUT): M233

Add Model No. M235, M236 FCC ID: RPSGC452768

Standards: 47 CFR Part 15, Subpart C (2011)

**Date of Receipt:** 2012-12-19

**Date of Test:** 2012-12-28 to 2013-03-06

**Date of Issue:** 2013-04-01

Test Result: PASS \*

. \* In the configuration tested, the EUT complied with the standards specified above.

#### Authorized Signature:



Jack Zhang EMC Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. All test results in this report can be traceable to National or International Standards.



Report No.: SZEM121200682901

Page: 2 of 103

# 2 Test Summary

Test Item	Test Requirement	Test method	Result	
Antenna Requirement	47 CFR Part 15, Subpart C Section	ANSI C63.10 2009	PASS	
	15.203/15.247 (c)	7 11 10 1 0 0 0 1 1 0 2 0 0 0	. 7 . 6 6	
AC Power Line	47 CFR Part 15, Subpart C Section			
Conducted	15.207	ANSI C63.10 2009	PASS	
Emission	10.207			
Conducted Peak Output	47 CFR Part 15, Subpart C Section	KDB558074 D01	PASS	
Power	15.247 (b)(3)	NDB336074 D01	PASS	
6dB Occupied	47 CFR Part 15, Subpart C Section	KDB558074 D01	PASS	
Bandwidth	15.247 (a)(2)	NDB330074 D01	1 700	
Power Spectral Density	47 CFR Part 15, Subpart C Section 15.247 (e)	KDB558074 D01	PASS	
Band-edge for RF	47 CFR Part 15, Subpart C Section	KDB558074 D01	PASS	
Conducted Emissions	15.247(d)	NDB336074 D01	FAGG	
RF Conducted Spurious	47 CFR Part 15, Subpart C Section	KDB558074 D01	PASS	
Emissions	15.247(d)	NDB336074 D01	PASS	
Radiated Spurious	47 CFR Part 15, Subpart C Section	ANSI C63.10 2009	DAGG	
Emissions	15.205/15.209	ANSI 003.10 2009	PASS	
Band Edge (Radiated	47 CFR Part 15, Subpart C Section	ANSI C63.10 2009	PASS	
Emission)	15.205/15.209	ANSI 003.10 2009	PA00	

Remark:

Model No.: M233, M235, M236

Only the model M233 was tested, since the electrical circuit design, layout, components used and internal wiring were identical for the above models, with difference being item number and shape.

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 3 of 103

# 3 Contents

			Page
1	COV	VER PAGE	1
2	TES	ST SUMMARY	2
3	CON	NTENTS	3
_	001		
4	GEN	NERAL INFORMATION	4
	4.1 4.2 4.3 4.4 4.5 4.6 4.7 4.8 4.9 4.10	CLIENT INFORMATION GENERAL DESCRIPTION OF EUT TEST ENVIRONMENT AND MODE DESCRIPTION OF SUPPORT UNITS TEST LOCATION. TEST FACILITY DEVIATION FROM STANDARDS ABNORMALITIES FROM STANDARD CONDITIONS. OTHER INFORMATION REQUESTED BY THE CUSTOMER EQUIPMENT LIST	4 7 7 8 8 8
5	TES	ST RESULTS AND MEASUREMENT DATA	12
	5.1 5.2 5.3 5.4 5.5	ANTENNA REQUIREMENT  CONDUCTED EMISSIONS  CONDUCTED PEAK OUTPUT POWER  6DB OCCUPY BANDWIDTH  POWER SPECTRAL DENSITY  PAND FROM FOR DE CONDUCTED EMISSIONS.	13 19 28 36
	5.6 5.7 5.8 5.8.1 5.8.2 5.9	BAND-EDGE FOR RF CONDUCTED EMISSIONS.  RF CONDUCTED SPURIOUS EMISSIONS.  RADIATED SPURIOUS EMISSIONS.  1 Radiated emission below 1GHz.  2 Transmitter emission above 1GHz.  BAND EDGE (RADIATED EMISSION)	49 56 59



Report No.: SZEM121200682901

Page: 4 of 103

## 4 General Information

## 4.1 Client Information

Applicant:	Create New Technology (HK) Limited			
Address of Applicant:	FLAT/RM 704 7/F BRIGHT WAY TOWER 33 MONG KOK ROAD			
	Hong Kong			
Manufacturer:	Create New Technology (HK) Limited			
Address of Manufacturer:	FLAT/RM 704 7/F BRIGHT WAY TOWER 33 MONG KOK ROAD			
	Hong Kong			

# 4.2 General Description of EUT

Product Name:	Tvpad
Model No.:	M233, M235, M236
Operation Frequency:	IEEE 802.11b/g/n(HT20): 2412MHz to 2462MHz
	IEEE 802.11n(HT40): 2422MHz to 2452MHz
Channel Numbers:	IEEE 802.11b/g, IEEE 802.11n HT20: 11 Channels
	IEEE 802.11n HT40: 7 Channels
Channel Separation:	5MHz
Type of Modulation:	IEEE for 802.11b: DSSS(CCK,DQPSK,DBPSK)
	IEEE for 802.11g: OFDM(64QAM, 16QAM, QPSK, BPSK)
	IEEE for 802.11n(T20 and T40) : OFDM
	(64QAM, 16QAM, QPSK,BPSK)
Sample Type:	mobile production
Antenna Type:	Integral
Antenna Gain:	1.42dBi





Report No.: SZEM121200682901

Page: 5 of 103

Power Supply:	Adapter:	SPPS	
		Power Supply	
		Model: SA/12PA/05FEU050200	
	Input:100-240v~50/60HZ		
		Output:5.0V === 2A	
		KPTEC	
		AC ADAPTER	
	MODEL:K15S050200U		
		INPUT:100-240V~50/60Hz 0.5A	
		OUTPUT:5.0V ==== 2.0A	
	Battery:	Remote control DC 3V 2*1.5V batteries "AAA"	
Test Voltage:	120V~60Hz		
HDMI Cable:	140 cm		
AV Cable:	145 cm		
DC Cable:	145 cm		

Operation Frequency each of channel(802.11b/g/n HT20)										
Channel	Fr	equency	Channe	I Frequency	Channel	Fre	Frequency		nel	Frequency
1	24	412MHz	4	2427MHz	7	2442MHz		10	)	2457MHz
2	24	417MHz	5	2432MHz	8	244	17MHz	11		2462MHz
3	24	422MHz	6	2437MHz	9	245	2452MHz			
Operation F	requ	iency each	of channe	el(802.11n HT40	)					
Channel Frequency				Channel	Frequen	су	Chan	nel	F	requency
1		2422	ИНz	4	2437MHz		7 2		2452MHz	
2		2427	MHz	5	2442MF	lz				
3		24321	MHz	6	2447MH	lz				

#### Note:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

#### For 802.11b/g/n (HT20):

Channel	Frequency
The Lowest channel	2412MHz
The Middle channel	2437MHz
The Highest channel	2462MHz



Report No.: SZEM121200682901

Page: 6 of 103

For 802.11n (HT40):

Channel	Frequency
The Lowest channel	2422MHz
The Middle channel	2437MHz
The Highest channel	2452MHz



Report No.: SZEM121200682901

Page: 7 of 103

## 4.3 Test Environment and Mode

Operating Environment:	
Temperature:	26.0 °C
Humidity:	50 % RH
Atmospheric Pressure:	1012 mbar
Test mode:	
Transmitter mode:	The EUT transmitted the continuous modulation test signal at the specific channel(s).

# 4.4 Description of Support Units

The EUT has been tested with associated equipment below.

Description	Manufacturer	Model No.
Samsung Television	Samsung	2232MW
ROUTER	TP-LINK	TL-WR340G+
TF Card	Kingston	SD K04G

## 4.5 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch E&E Lab,

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.



Report No.: SZEM121200682901

Page: 8 of 103

# 4.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

#### VCCI

The 3m Semi-anechoic chamber, Full-anechoic Chamber and Shielded Room (7.5m x 4.0m x 3.0m) of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-2197, G-416, T-1153 and C-2383 respectively.

#### FCC – Registration No.: 556682

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 556682.

#### Industry Canada (IC)

The 3m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1.

#### 4.7 Deviation from Standards

None.

#### 4.8 Abnormalities from Standard Conditions

None

# 4.9 Other Information Requested by the Customer

None.



Report No.: SZEM121200682901

Page: 9 of 103

# 4.10Equipment List

	Conducted Emission						
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Due date (yyyy-mm-dd)		
1	Shielding Room	ZhongYu Electron	GB-88	SEL0042	2013-06-10		
2	LISN	Rohde & Schwarz	ENV216	SEL0152	2013-10-24		
3	LISN	ETS-LINDGREN	3816/2	SEL0021	2013-05-17		
4	8 Line ISN	Fischer Custom Communications Inc.	FCC-TLISN- T8-02	SEL0162	2013-11-10		
5	4 Line ISN	Fischer Custom Communications Inc.	FCC-TLISN- T4-02	SEL0163	2013-11-10		
6	2 Line ISN	Fischer Custom Communications Inc.	FCC-TLISN- T2-02	SEL0164	2013-11-10		
7	EMI Test Receiver	Rohde & Schwarz	ESCI	SEL0022	2013-05-17		
8	Coaxial Cable	SGS	N/A	SEL0025	2013-05-29		
9	DC Power Supply	Zhao Xin	RXN-305D	SEL0117	2013-10-24		
10	Humidity/ Temperature Indicator	Shanhai Qixiang	ZJ1-2B	SEL0103	2013-10-24		
11	Barometer	Chang Chun	DYM3	SEL0088	2013-05-24		



Report No.: SZEM121200682901

Page: 10 of 103

	RE in Chamber				
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Due date (yyyy-mm-dd)
1	3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEL0017	2013-06-10
2	EMI Test Receiver	Rohde & Schwarz	ESIB26	SEL0023	2013-05-17
3	EMI Test software	AUDIX	E3	SEL0050	N/A
4	BiConiLog Antenna (26-3000MHz)	ETS-LINDGREN	3142C	SEL0015	2013-10-24
5	Double-ridged horn (1-18GHz)	ETS-LINDGREN	3117	SEL0006	2013-10-24
6	Horn Antenna (18-26GHz)	ETS-LINDGREN	3160	SEL0076	2013-10-24
7	Pre-amplifier (0.1-1300MHz)	Agilent Technologies	8447D	SEL0053	2013-05-17
8	Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	SEL0168	2013-10-24
9	Coaxial cable	SGS	N/A	SEL0027	2013-05-59
10	Coaxial cable	SGS	N/A	SEL0189	2013-05-29
11	Coaxial cable	SGS	N/A	SEL0121	2013-05-29
12	Coaxial cable	SGS	N/A	SEL0178	2013-05-29
13	Band filter	Amindeon	82346	SEL0094	2013-05-17
14	Barometer	Chang Chun	DYM3	SEL0088	2013-05-24
15	DC Power Supply	Zhao Xin	RXN-305D	SEL0117	2013-10-24
16	Humidity/ Temperature Indicator	Shanhai Qixiang	ZJ1-2B	SEL0103	2013-10-24
17	Signal Generator (10M-27GHz)	Rohde & Schwarz	SMR27	SEL0067	2013-05-17
18	Signal Generator	Rohde & Schwarz	SMY01	SEL0155	2013-10-24
19	Loop Antenna	Beijing Daze	ZN30401	SEL0203	2013-06-04



Report No.: SZEM121200682901

Page: 11 of 103

	RF connected test				
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Due date (yyyy-mm-dd)
1	DC Power Supply	Zhao Xin	RXN-305D	SEL0117	2013-10-24
2	Humidity/ Temperature Indicator	HYGRO	ZJ1-2B	SEL0033	2013-10-24
3	Spectrum Analyzer	Rohde & Schwarz	FSP	SEL0154	2013-10-24
4	Coaxial cable	SGS	N/A	SEL0178	2013-05-29
5	Coaxial cable	SGS	N/A	SEL0179	2013-05-29
6	Barometer	ChangChun	DYM3	SEL0088	2013-05-24
7	Signal Generator	Rohde & Schwarz	SML03	SEL0068	2013-05-17
8	Band filter	amideon	82346	SEL0094	2013-05-17
9	POWER METER	R&S	NRVS	SEL0144	2013-10-24
10	Attenuator	Beijin feihang taida	TST-2-6dB	SEL0205	2013-05-17
11	Power Divider(splitter)	Agilent Technologies	11636B	SEL0130	2013-10-24

Note: The calibration interval is one year, all the instruments are valid.



Report No.: SZEM121200682901

Page: 12 of 103

## 5 Test results and Measurement Data

# 5.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement:


An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

#### **EUT Antenna:**

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 1.42dBi.





Report No.: SZEM121200682901

Page: 13 of 103


## 5.2 Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.207				
Test Method:	ANSI C63.10: 2009				
Test Frequency Range:	150kHz to 30MHz				
Limit:	F (A.411-)	_ Limit (dBuV)			
	Frequency range (MHz)	Quasi-peak	Average		
	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the logarithm	n of the frequency.			
Test Procedure:	The mains terminal disturction			nielded	
	<ol> <li>The EUT was connected to Impedance Stabilization Not impedance. The power call connected to a second LIS plane in the same way as multiple socket outlet strip single LISN provided their The tabletop EUT was placed on the horizontal ground reference plane. A placed on the horizontal ground reference plane of the EUT shall be 0.4 m vertical ground reference preference plane. The LISN unit under test and bonded mounted on top of the ground between the closest points the EUT and associated en the EUT and associated en and all of the imposition of the impo</li></ol>	letwork) which provided bles of all other units of SN 2, which was bonded the LISN 1 for the unit was used to connect reating of the LISN was used upon a non-metallist of or floor-standing as round reference plane, ith a vertical ground reference plane was bonded to the I 1 was placed 0.8 m from the vertical ground reference plane. To of the LISN 1 and the quipment was at least out the purpose of the LISN 1 and the quipment was at least out the provided that the purpose of the LISN 1 and the purpose of the LISN 1 and the quipment was at least out the purpose of the LISN 1 and the purpose of the LISN 2 and the purpose of the LISN 3 and	s a 50Ω/50μH + 5Ω II f the EUT were d to the ground refer being measured. A nultiple power cables not exceeded. Ic table 0.8m above to rrangement, the EUT ference plane. The re nd reference plane. The ne horizontal ground from the boundary of the plane for LISNs this distance was EUT. All other units 0.8 m from the LISN we positions of the changed according	ence the was ear he the of 2.	



Report No.: SZEM121200682901

Page: 14 of 103



#### **Measurement Data**

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.






Report No.: SZEM121200682901

Page: 15 of 103

#### SPPS:

Live Line:



Site : Shielding Room

Condition : 47 CFR PART 15 B QP CE LINE

Job No. : 6829RF Mode : Transmitting


		_	Cable	LISN	Read		Limit	Over	
		Freq	Loss	Factor	Level	Level	Line	Limit	Remark
		MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0	0.17124	0.02	9.70	42.05	51.77	64.90	-13.13	QP
2		0.17124	0.02	9.70	30.20	39.92	54.90	-14.98	Average
3	0	0.23658	0.02	9.70	39.85	49.57	62.22	-12.65	QP
4		0.23658	0.02	9.70	26.75	36.47	52.22	-15.75	Average
5	0	0.52934	0.01	9.80	38.28	48.09	56.00	-7.91	QP
6	0	0.52934	0.01	9.80	27.69	37.50	46.00	-8.50	Average
7	0	0.60752	0.02	9.80	33.46	43.27	56.00	-12.73	QP
8		0.60752	0.02	9.80	22.53	32.35	46.00	-13.65	Average
9		0.71597	0.02	9.80	31.20	41.02	56.00	-14.98	QP
10		0.71597	0.02	9.80	17.15	26.97	46.00	-19.03	Average
11		9.502	0.01	9.90	31.72	41.63	60.00	-18.37	QP
12		9.502	0.01	9.90	17.27	27.18	50.00	-22.82	Average



Report No.: SZEM121200682901

Page: 16 of 103

#### Neutral Line:



Site : Shielding Room

Condition : 47 CFR PART 15 B QP CE NEUTRAL

Job No. : 6829RF Mode : Transmitting

		Cable	LISN	Read		Limit	Over	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.20396	0.02	9.70	28.25	37.97	53.45	-15.48	Average
2 0	0.20396	0.02	9.70	40.31	50.03	63.45	-13.42	QP
3	0.22918	0.02	9.70	39.12	48.84	62.48	-13.64	QP
4	0.22918	0.02	9.70	27.61	37.33	52.48	-15.15	Average
5	0.51550	0.01	9.80	22.73	32.54	46.00	-13.46	Average
6	0.51550	0.01	9.80	32.69	42.50	56.00	-13.50	QP
7	1.242	0.02	9.80	27.19	37.01	56.00	-18.99	QP
8	1.242	0.02	9.80	16.18	26.00	46.00	-20.00	Average
9	2.121	0.02	9.81	14.66	24.49	46.00	-21.51	Average
10	2.121	0.02	9.81	28.22	38.05	56.00	-17.95	QP
11	3.584	0.02	9.86	27.33	37.21	56.00	-18.79	QP
12	3.584	0.02	9.86	15.82	25.70	46.00	-20.30	Average




Report No.: SZEM121200682901

Page: 17 of 103

#### KPTEC:

Live Line:



Site : Shielding Room

Condition : 47 CFR PART 15 B QP CE LINE

Job No. : 6829RF Mode : Transmitting


	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15649	0.02	9.70	41.95	51.67	65.65	-13.98	QP
2	0.15649	0.02	9.70	29.26	38.98	55.65	-16.67	Average
3	0.18443	0.02	9.70	28.27	37.99	54.28	-16.29	Average
4	0.18443	0.02	9.70	40.72	50.44	64.28	-13.84	QP
5	0.21055	0.02	9.70	28.57	38.29	53.18	-14.90	Average
6	0.21055	0.02	9.70	39.84	49.55	63.18	-13.63	QP
7	0.23784	0.02	9.70	38.24	47.96	62.17	-14.22	QP
8	0.23784	0.02	9.70	27.52	37.24	52.17	-14.93	Average
9	0.51800	0.01	9.80	33.00	42.81	46.00	-3.19	Average
10	0.51800	0.01	9.80	39.00	48.81	56.00	-7.19	QP
11	3.584	0.02	9.86	31.53	41.41	56.00	-14.59	QP
12	3.584	0.02	9.86	21.18	31.06	46.00	-14.94	Average



Report No.: SZEM121200682901

Page: 18 of 103

#### Neutral Line:



Site : Shielding Room

Condition : 47 CFR PART 15 B QP CE NEUTRAL

Job No. : 6829RF Mode : Transmitting

		Cable	LISN	Read		Limit	Over	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15000	0.02	9.70	44.00	53.72	66.00	-12.28	QP
2	0.15000	0.02	9.70	27.00	36.72	56.00	-19.28	Average
3	0.18443	0.02	9.70	26.32	36.04	54.28	-18.24	Average
4	0.18443	0.02	9.70	38.55	48.27	64.28	-16.01	QP
5	0.20505	0.02	9.70	37.95	47.67	63.40	-15.74	QP
6	0.20505	0.02	9.70	22.21	31.93	53.40	-21.47	Average
7	0.24552	0.02	9.70	20.25	29.97	51.91	-21.94	Average
8	0.24552	0.02	9.70	36.01	45.72	61.91	-16.19	QP
9	0.52934	0.01	9.80	34.77	44.58	56.00	-11.42	QP
10	0.52934	0.01	9.80	21.75	31.56	46.00	-14.44	Average
11	9.757	0.01	10.00	29.92	39.93	60.00	-20.07	QP
12	9.757	0.01	10.00	15.25	25.26	50.00	-24.74	Average

#### Notes:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.



Report No.: SZEM121200682901

Page: 19 of 103

# 5.3 Conducted Peak Output Power

Test Requirement:	47 CFR Part 15C Section 15.247 (b)(3)			
Test Method:	KDB558074 D01			
Test Setup:	Spectrum Analyzer  E.U.T  Non-Conducted Table  Ground Reference Plane			
	Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.			
Test Instruments:	Refer to section 4.10 for details			
	Transmitting mode			
Exploratory Test Mode:				
Final Test Mode:	Through Pre-scan, find the 11Mbps of rate is the worst case of 802.11b;			
	54Mbps of rate is the worst case of 802.11g; 65Mbps of rate is the worst			
	case of 802.11n(HT20); 135Mbps of rate is the worst case of 802.11n(HT40)			
Limit:	30dBm			
Test Results:	Pass			

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 20 of 103

Pre-scan under all rate at lowest channel 1								
Mode			.11b					
Data Rate	1Mbps	2Mbps	5.5Mbps	11Mbps				
Power (dBm)	18.52	18.81	18.67	18.87				
Mode		802.11g						
Data Rate	6Mbps	9Mbps	12Mbps	18Mbps	24Mbps	36Mbps	48Mbps	54Mbps
Power (dBm)	16.95	17.09	17.02	16.98	17.11	17.06	17.11	17.13
Mode				802.11	n(HT20)			
Data Rate	6.5Mbps	13Mbps	19.5Mbps	26Mbps	39Mbps	52Mbps	58.5Mbps	65Mbps
Power (dBm)	18.39	18.43	18.28	18.49	18.46	18.53	18.50	18.55
Mode				802.11	n(HT40)			
Data Rate	13.5Mbps	27Mbps	40.5Mbps	54Mbps	81Mbps	108Mbps	121.5Mbps	135Mbps
Power (dBm)	17.22	17.26	17.23	17.34	17.31	17.30	17.36	17.40

Through Pre-scan, 11Mbps of rate is the worst case of 802.11b; 54Mbps of rate is the worst case of 802.11g; 65Mbps of rate is the worst case of 802.11n (HT20); 135Mbps of rate is the worst case of 802.11n (HT40).



Report No.: SZEM121200682901

Page: 21 of 103

#### **Measurement Data**

	medaurement butu						
	802.11b mode						
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result				
Lowest	18.87	30.00	Pass				
Middle	18.52	30.00	Pass				
Highest	18.15	30.00	Pass				
	802.11g mo	de					
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result				
Lowest	17.13	30.00	Pass				
Middle	17.39	30.00	Pass				
Highest	17.75	30.00	Pass				
	802.11n(HT20)	mode					
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result				
Lowest	18.55	30.00	Pass				
Middle	18.68	30.00	Pass				
Highest	18.52	30.00	Pass				
	802.11n(HT40)	mode					
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result				
Lowest	17.40	30.00	Pass				
Middle	17.19	30.00	Pass				
Highest	17.03	30.00	Pass				




Report No.: SZEM121200682901


Page: 22 of 103

## Test plot as follows:

Test mode: 802.11b Test channel: Lowest











Report No.: SZEM121200682901

Page: 23 of 103








<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM121200682901

Page: 24 of 103

Test mode: 802.11g Test channel: Middle



Test mode: 802.11g Test channel: Highest









Report No.: SZEM121200682901

Page: 25 of 103

Test mode: 802.11n(HT20) Test channel: Lowest



Test mode: 802.11n(HT20) Test channel: Middle







Report No.: SZEM121200682901

Page: 26 of 103

Test mode: 802.11n(HT20) Test channel: Highest



Test mode: 802.11n(HT40) Test channel: Lowest




<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms and conditions.htm">www.sgs.com/terms and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms e-document.htm">www.sgs.com/terms e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM121200682901

Page: 27 of 103

Test mode: 802.11n(HT40) Test channel: Middle



Test mode: 802.11n(HT40) Test channel: Highest






Report No.: SZEM121200682901

Page: 28 of 103

# 5.4 6dB Occupy Bandwidth





Report No.: SZEM121200682901

Page: 29 of 103

#### **Measurement Data**

	wedstrement but						
	802.11b mode						
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result				
Lowest	10.20	≥500	Pass				
Middle	10.20	≥500	Pass				
Highest	10.20	≥500	Pass				
	802.11g mode						
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result				
Lowest	16.68	≥500	Pass				
Middle	16.62	≥500	Pass				
Highest	16.62	≥500	Pass				
	802.11n(HT20) mode						
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result				
Lowest	17.94	≥500	Pass				
Middle	17.94	≥500	Pass				
Highest	17.94	≥500	Pass				
	802.11n(HT40)mode						
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result				
Lowest	36.60	≥500	Pass				
Middle	36.70	≥500	Pass				
Highest	36.74	≥500	Pass				




Report No.: SZEM121200682901


Page: 30 of 103

Test plot as follows:

Test mode: 802.11b	Test channel:	Lowest
--------------------	---------------	--------



Test mode: 802.11b Test channel: Middle







Report No.: SZEM121200682901

Page: 31 of 103

Test mode: 802.11b Test channel: Highest



Test mode: 802.11g Test channel: Lowest




<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM121200682901

Page: 32 of 103

Test mode: 802.11g Test channel: Middle



Test mode: 802.11g Test channel: Highest




<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM121200682901

Page: 33 of 103

Test mode: 802.11n(HT20) Test channel: Lowest



Test mode: 802.11n(HT20) Test channel: Middle




<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM121200682901

Page: 34 of 103

Test mode: 802.11n(HT20) Test channel: Highest



Test mode: 802.11n(HT40) Test channel: Lowest









Report No.: SZEM121200682901

Page: 35 of 103

Test mode: 802.11n(HT40) Test channel: Middle



Test mode: 802.11n(HT40) Test channel: Highest



<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 36 of 103

# 5.5 Power Spectral Density

Test Requirement:	47 CFR Part 15C Section 15.247 (e)			
Test Method:	KDB558074 D01			
Test Setup:	Spectrum Analyzer  E.U.T  Non-Conducted Table  Ground Reference Plane  Remark:			
	Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.			
Test Instruments:	Refer to section 4.10 for details			
Exploratory Test Mode:	Transmitting mode			
Final Test Mode:	Through Pre-scan, find the 11Mbps of rate is the worst case of 802.11b;			
	54Mbps of rate is the worst case of 802.11g; 65Mbps of rate is the worst case of 802.11n(HT20); 135Mbps of rate is the worst case of 802.11n(HT40)			
Limit:	≤8.00dBm			
Test Results:	Pass			

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 37 of 103

#### **Measurement Data**

mousuromon, suca	Measurement Data						
802.11b mode							
Test channel	Power Spectral Density (dBm)	Limit (dBm)	Result				
Lowest	-14.07	≤8.00	Pass				
Middle	-14.53	≤8.00	Pass				
Highest	-15.07	≤8.00	Pass				
	802.11g mode						
Test channel	Power Spectral Density (dBm)	Limit (dBm)	Result				
Lowest	-15.88	≤8.00	Pass				
Middle	-16.31	≤8.00	Pass				
Highest	-16.74	≤8.00	Pass				
802.11n(HT20) mode							
Test channel	Power Spectral Density (dBm)	Limit (dBm)	Result				
Lowest	-15.95	≤8.00	Pass				
Middle	-16.27	≤8.00	Pass				
Highest	-16.68	≤8.00	Pass				
	802.11n(HT40) mode						
Test channel	Power Spectral Density (dBm)	Limit (dBm)	Result				
Lowest	-17.99	≤8.00	Pass				
Middle	-18.30	≤8.00	Pass				
Highest	-18.22	≤8.00	Pass				




Report No.: SZEM121200682901


Page: 38 of 103

#### Test plot as follows:

Test mode: 802.11b Test channel: Lowest



Test mode: 802.11b Test channel: Middle







Report No.: SZEM121200682901

Page: 39 of 103

Test mode: 802.11b Test channel: Highest



Test mode: 802.11g Test channel: Lowest




<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms and conditions.htm">www.sgs.com/terms and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms e-document.htm">www.sgs.com/terms e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM121200682901

Page: 40 of 103

Test mode: 802.11g Test channel: Middle



Test mode: 802.11g Test channel: Highest




<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM121200682901

Page: 41 of 103

Test mode: 802.11n (HT20) Test channel: Lowest



Test mode: 802.11n (HT20) Test channel: Middle







Report No.: SZEM121200682901

Page: 42 of 103

Test mode: 802.11n (HT20) Test channel: Highest



Test mode: 802.11n (HT40) Test channel: Lowest




<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM121200682901

Page: 43 of 103

Test mode: 802.11n (HT40) Test channel: Middle



Test mode: 802.11n (HT40) Test channel: Highest



<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 44 of 103

## 5.6 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)				
Test Method:	KDB558074 D01				
Test Setup:	Spectrum Analyzer  E.U.T  Non-Conducted Table  Ground Reference Plane  Remark:  Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.				
Exploratory Test Mode:	Transmitting mode				
Final Test Mode:	Through Pre-scan, find the 11Mbps of rate is the worst case of 802.11b; 54Mbps of rate is the worst case of 802.11g; 65Mbps of rate is the worst case of 802.11n(HT20); 135Mbps of rate is the worst case of 802.11n(HT40)				
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.				
Instruments Used:	Refer to section 4.10 for details				
Test Results:	Pass				






Report No.: SZEM121200682901


Page: 45 of 103

#### Test plot as follows:

Test mode: 802.11b Test channel: Lowest



Test mode: 802.11b Test channel: Highest







Report No.: SZEM121200682901

Page: 46 of 103

Test mode: 802.11g Test channel: Lowest



Test mode: 802.11g Test channel: Highest




<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM121200682901

Page: 47 of 103

Test mode: 802.11n (HT20) Test channel: Lowest



Test mode: 802.11n (HT20) Test channel: Highest




<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM121200682901

Page: 48 of 103

Test mode: 802.11n (HT40) Test channel: Lowest



Test mode: 802.11n (HT40) Test channel: Highest



<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 49 of 103

# 5.7 RF Conducted Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)				
Test Method:	KDB558074 D01				
Test Setup:	Spectrum Analyzer  E.U.T  Non-Conducted Table  Ground Reference Plane  Remark:  Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.				
Exploratory Test Mode:	Transmitting mode				
Final Test Mode:	Through Pre-scan, find the 11Mbps of rate is the worst case of 802.11b; 54Mbps of rate is the worst case of 802.11g; 65Mbps of rate is the worst case of 802.11n(HT20); 135Mbps of rate is the worst case of 802.11n(HT40)				
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.				
Instruments Used:	Refer to section 4.10 for details				
Test Results:	Pass				

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM121200682901


Page: 50 of 103

#### Test plot as follows:

Test mode: 802.11b Test channel: Lowest



Test mode: 802.11b Test channel: Middle




<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM121200682901

Page: 51 of 103

Test mode: 802.11b Test channel: Highest



Test mode: 802.11g Test channel: Lowest







Report No.: SZEM121200682901

Page: 52 of 103

Test mode: 802.11g Test channel: Middle



Test mode: 802.11g Test channel: Highest




<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM121200682901

Page: 53 of 103

Test mode: 802.11n (HT20) Test channel: Lowest



Test mode: 802.11n (HT20) Test channel: Middle







Report No.: SZEM121200682901

Page: 54 of 103

Test mode: 802.11n (HT20) Test channel: Highest



Test mode: 802.11n (HT40) Test channel: Lowest









Report No.: SZEM121200682901

Page: 55 of 103

Test mode: 802.11n (HT40) Test channel: Middle



Test mode: 802.11n (HT40) Test channel: Highest



<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 56 of 103

## 5.8 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205						
Test Method:	ANSI C63.10 2009						
Test Site:	Measurement Distance:	3m (Semi-Anecho	ic Chamber)				
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark		
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak		
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average		
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak		
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak		
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average		
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak		
	30MHz-1GHz	Quasi-peak	100 kHz	300kHz	Quasi-peak		
	Above 1GHz	Peak	1MHz	3MHz	Peak		
	Above Idiiz	Peak	1MHz	10Hz	Average		
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)		
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300		
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30		
	1.705MHz-30MHz	30	-	-	30		
	30MHz-88MHz	100	40.0	Quasi-peak	3		
	88MHz-216MHz	150	43.5	Quasi-peak	3		
	216MHz-960MHz	200	46.0	Quasi-peak	3		
	960MHz-1GHz	500	54.0	Quasi-peak	3		
	Above 1GHz 500		54.0	Average	3		
	Note: 15.35(b), Unless otherwise specified, the limit on peak radio frequency						
	emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.						


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 57 of 103

#### Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz




Figure 3. Above 1 GHz

#### Test Procedure:

- a. The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB



Report No.: SZEM121200682901

Page: 58 of 103

	margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.			
	g. Test the EUT in the lowest channel ,the middle channel ,the Highest channel			
	h. Repeat above procedures until all frequencies measured was complete.			
Exploratory Test Mode:	Transmitting mode			
Final Test Mode:	Through Pre-scan, find the 11Mbps of rate is the worst case of 802.11b;			
	54Mbps of rate is the worst case of 802.11g; 65Mbps of rate is the worst case			
	of 802.11n(HT20); 135Mbps of rate is the worst case of 802.11n(HT40)			
Instruments Used:	Refer to section 4.10 for details			
Test Results:	Pass			




Report No.: SZEM121200682901

Page: 59 of 103

#### 5.8.1 Radiated emission below 1GHz

#### SPPS:

30MHz~1GHz (QP)		
Test mode:	Transmitting	Vertical



Condition : 47 CFR PART 15 B 3m 3142C NEW VERTICAL

Job No. : 6829RF Mode : Transmitting


1040	Freq			Preamp Factor	Read Level	Level	Limit Line	Over Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	97.900	1.18	6.20	27.20	52.36	32.53	43.50	-10.97
2	126.030	1.27	7.98	27.03	53.06	35.27	43.50	-8.23
3	249.220	1.67	8.40	26.54	49.56	33.09	46.00	-12.91
4	273.470	1.78	9.14	26.47	50.56	35.02	46.00	-10.98
5	416.060	2.27	11.54	27.23	44.39	30.97	46.00	-15.03
6	575.140	2.68	14.95	27.58	41.97	32.02	46.00	-13.98



Report No.: SZEM121200682901

Page: 60 of 103

Test mode:	Transmitting	Horizontal
1001000.	i i anomini	i ionzontai



Condition : 47 CFR PART 15 B 3m 3142C NEW HORIZONTAL

Job No. : 6829RF Mode : Transmitting

	-	CableA	ntenna	Preamp	Read		Limit	Over
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	7577	-17	-1D /	-17	-1711	-ID-II/	-1D11/	
	MHz	dB	dB/m	dB	авич	dBuV/m	авиv/m	dB
1	70.740	0.82	4.84	27.25	42.85	21.27	40.00	-18.73
2	149.310	1.32	9.23	26.91	45.48	29.12	43.50	-14.38
3	276.380	1.80	9.22	26.46	41.31	25.86	46.00	-20.14
4	423.820	2.30	11.57	27.27	40.52	27.12	46.00	-18.88
5	765.260	3.11	18.17	27.33	38.28	32.22	46.00	-13.78
6 0	956.350	3.66	21.20	26.51	40.27	38.62	46.00	-7.38




Report No.: SZEM121200682901

Page: 61 of 103

#### **KPTEC:**

30MHz~1GHz (QP)		
Test mode:	Transmitting	Vertical



Condition : 47 CFR PART 15 B 3m 3142C NEW VERTICAL

Job No. : 6829RF Mode : Transmitting


		Cablei	Antenna	Preamp	Read		Limit	Over
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	35.820	0.60	13.23	27.33	39.97	26.46	40.00	-13.54
2 0	47.460	0.75	8.38	27.30	49.01	30.84	40.00	-9.16
3	110.510	1.23	7.59	27.13	48.62	30.32	43.50	-13.18
4	188.100	1.38	6.76	26.74	47.16	28.56	43.50	-14.94
5	273.470	1.78	9.14	26.47	49.39	33.85	46.00	-12.15
6	374.350	2.13	11.45	26.97	41.57	28.18	46.00	-17.82



Report No.: SZEM121200682901

Page: 62 of 103

Test mode: Transmitting	Horizontal
-------------------------	------------



Condition : 47 CFR PART 15 B 3m 3142C NEW HORIZONTAL

Job No. : 6829RF Mode : Transmitting

	_	CableA	ntenna	Preamp	Read		Limit	Over
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	——dB	dBuV	dBuV/m	dBuV/m	dB
1	126.030	1.27	7.98	27.03	36.95	19.16	43.50	-24.34
2	168.710	1.35	9.13	26.82	49.60	33.25	43.50	-10.25
3	245.340	1.65	8.00	26.55	53.67	36.77	46.00	-9.23
4	346.220	2.05	10.61	26.77	39.87	25.77	46.00	-20.23
5	498.510	2.59	13.42	27.70	36.19	24.51	46.00	-21.49
6	970.900	3.67	21.20	26.44	29.68	28.12	54.00	-25.88



Report No.: SZEM121200682901

Page: 63 of 103

#### 5.8.2 Transmitter emission above 1GHz

Test mode:	802	.11b	Test ch	annel:	Lowest	Remark	:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarizatio n
3367.661	3.62	33.26	40.58	47.46	43.76	74	-30.24	Vertical
4824.000	4.70	34.68	41.64	57.35	55.09	74	-18.91	Vertical
6283.164	5.20	36.04	40.68	50.08	50.64	74	-23.36	Vertical
7820.819	6.22	36.00	39.34	47.37	50.25	74	-23.75	Vertical
9587.228	5.99	37.29	37.81	45.76	51.23	74	-22.77	Vertical
11226.250	6.28	38.45	37.95	45.80	52.58	74	-21.42	Vertical
2223.977	2.92	32.20	39.72	51.95	47.35	74	-26.65	Horizontal
3419.491	3.67	33.23	40.61	49.58	45.87	74	-28.13	Horizontal
4824.000	4.70	34.68	41.64	58.80	56.54	74	-17.46	Horizontal
6172.197	5.17	35.90	40.78	50.65	50.94	74	-23.06	Horizontal
7547.013	6.17	36.00	39.57	49.22	51.82	74	-22.18	Horizontal
10348.050	6.06	38.12	37.59	46.22	52.81	74	-21.19	Horizontal

Test mode:	802.11b		Test ch	annel:	Lowest	Remark		Average
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarizatio n
4824.000	4.70	34.68	41.64	50.21	47.95	54	-6.05	Vertical
4824.000	4.70	34.68	41.64	51.58	49.32	54	-4.68	Horizontal



Report No.: SZEM121200682901

Page: 64 of 103

Test mode:	802	.11b	Test ch	annel:	Middle	Remark		Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarizatio n
3208.660	3.49	33.32	40.45	48.52	44.88	74	-29.12	Vertical
4354.967	4.40	34.78	41.30	49.13	47.01	74	-26.99	Vertical
4871.103	4.72	34.59	41.68	54.40	52.03	74	-21.97	Vertical
5865.832	5.08	35.48	41.04	50.18	49.70	74	-24.30	Vertical
7624.250	6.23	36.00	39.51	48.19	50.91	74	-23.09	Vertical
9859.472	5.98	37.56	37.58	45.89	51.85	74	-22.15	Vertical
3018.502	3.33	33.39	40.31	49.02	45.43	74	-28.57	Horizontal
3747.656	3.95	33.51	40.86	49.28	45.88	74	-28.12	Horizontal
4871.103	4.72	34.59	41.68	53.38	51.01	74	-22.99	Horizontal
6696.010	5.31	36.11	40.31	50.31	51.42	74	-22.58	Horizontal
7566.249	6.19	36.00	39.56	49.62	52.25	74	-21.75	Horizontal
9370.083	6.05	37.03	37.99	46.71	51.80	74	-22.20	Horizontal

Test mode:	802	2.11b	Test ch	annel:	Highest	Remark	:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarizatio n
3112.129	3.41	33.36	40.38	48.40	44.79	74	-29.21	Vertical
4096.875	4.23	34.08	41.11	48.80	46.00	74	-28.00	Vertical
5086.523	4.81	34.48	41.71	49.05	46.63	74	-27.37	Vertical
6047.776	5.14	35.76	40.87	49.13	49.16	74	-24.84	Vertical
7099.747	5.64	35.84	39.97	48.64	50.15	74	-23.85	Vertical
8527.851	6.18	36.23	38.73	47.90	51.58	74	-22.42	Vertical
3445.704	3.69	33.22	40.63	49.08	45.36	74	-28.64	Horizontal
4547.561	4.53	35.12	41.44	49.73	47.94	74	-26.06	Horizontal
5865.832	5.08	35.48	41.04	49.54	49.06	74	-24.94	Horizontal
7357.326	5.96	35.94	39.74	48.25	50.41	74	-23.59	Horizontal
8549.586	6.18	36.24	38.72	47.53	51.23	74	-22.77	Horizontal
10269.320	6.04	38.02	37.56	45.89	52.39	74	-21.61	Horizontal



Report No.: SZEM121200682901

Page: 65 of 103

Test mode:	802	.11g	Test ch	annel:	Lowest	Remark	:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarizatio n
3143.979	3.44	33.34	40.41	48.73	45.10	74	-28.90	Vertical
4223.950	4.31	34.45	41.21	48.73	46.28	74	-27.72	Vertical
5230.963	4.86	34.63	41.58	49.87	47.78	74	-26.22	Vertical
6283.164	5.20	36.04	40.68	50.15	50.71	74	-23.29	Vertical
8441.459	6.18	36.18	38.80	48.54	52.10	74	-21.90	Vertical
10036.730	5.98	37.76	37.47	45.76	52.03	74	-21.97	Vertical
3208.660	3.49	33.32	40.45	49.34	45.70	74	-28.30	Horizontal
4191.816	4.29	34.36	41.18	49.82	47.29	74	-26.71	Horizontal
5230.963	4.86	34.63	41.58	49.17	47.08	74	-26.92	Horizontal
6428.771	5.24	36.20	40.55	49.41	50.30	74	-23.70	Horizontal
8022.456	6.20	36.01	39.16	48.78	51.83	74	-22.17	Horizontal
9859.472	5.98	37.56	37.58	46.11	52.07	74	-21.93	Horizontal

Test mode:	802	.11g	Test ch	annel:	Middle	Remark	:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarizatio n
3088.453	3.39	33.37	40.37	48.67	45.06	74	-28.94	Vertical
3903.444	4.08	33.70	40.97	49.08	45.89	74	-28.11	Vertical
4920.955	4.74	34.51	41.71	49.11	46.65	74	-27.35	Vertical
6047.776	5.14	35.76	40.87	49.52	49.55	74	-24.45	Vertical
7413.726	6.02	35.97	39.69	48.80	51.10	74	-22.90	Vertical
9562.854	6.00	37.27	37.83	46.62	52.06	74	-21.94	Vertical
3184.250	3.47	33.33	40.44	48.93	45.29	74	-28.71	Horizontal
4024.520	4.18	33.89	41.05	49.05	46.07	74	-27.93	Horizontal
5230.963	4.86	34.63	41.58	49.49	47.40	74	-26.60	Horizontal
6903.705	5.45	35.90	40.13	50.41	51.63	74	-22.37	Horizontal
8377.241	6.19	36.15	38.87	47.90	51.37	74	-22.63	Horizontal
10453.950	6.09	38.24	37.64	45.94	52.63	74	-21.37	Horizontal



Report No.: SZEM121200682901

Page: 66 of 103

Test mode:	802	.11g	Test ch	annel:	Highest	Remark	:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3143.979	3.44	33.34	40.41	48.73	45.10	74	-28.90	Vertical
4223.950	4.31	34.45	41.21	48.77	46.32	74	-27.68	Vertical
5406.961	4.92	34.80	41.43	49.36	47.65	74	-26.35	Vertical
6428.771	5.24	36.20	40.55	49.09	49.98	74	-24.02	Vertical
7394.878	6.00	35.96	39.71	49.76	52.01	74	-21.99	Vertical
9834.406	5.98	37.54	37.60	45.74	51.66	74	-22.34	Vertical
3184.250	3.47	33.33	40.44	49.27	45.63	74	-28.37	Horizontal
4055.371	4.20	33.99	41.08	49.40	46.51	74	-27.49	Horizontal
4920.955	4.74	34.51	41.71	49.07	46.61	74	-27.39	Horizontal
5865.832	5.08	35.48	41.04	49.74	49.26	74	-24.74	Horizontal
7338.621	5.94	35.94	39.75	48.52	50.65	74	-23.35	Horizontal
9636.161	5.99	37.34	37.76	46.52	52.09	74	-21.91	Horizontal

Test mode:	80	)2.11n (HT20	) Test o	hannel:	Lowest	Remark:	P	Peak	
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization	
3026.195	3.33	33.39	40.33	48.64	45.03	74	-28.97	Vertical	
3700.260	3.91	33.45	40.81	48.69	45.24	74	-28.76	Vertical	
4490.048	4.48	35.15	41.40	48.50	46.73	74	-27.27	Vertical	
5806.408	5.06	35.40	41.09	49.18	48.55	74	-25.45	Vertical	
7547.013	6.17	36.00	39.57	49.28	51.88	74	-22.12	Vertical	
10036.730	5.98	37.76	37.47	45.87	52.14	74	-21.86	Vertical	
3216.838	3.50	33.32	40.47	49.58	45.93	74	-28.07	Horizontal	
4149.351	4.27	34.22	41.15	48.99	46.33	74	-27.67	Horizontal	
4983.987	4.77	34.43	41.77	49.62	47.05	74	-26.95	Horizontal	
6109.670	5.15	35.84	40.83	49.60	49.76	74	-24.24	Horizontal	
7489.599	6.10	36.00	39.62	48.55	51.03	74	-22.97	Horizontal	
8725.477	6.17	36.37	38.55	47.57	51.56	74	-22.44	Horizontal	



Report No.: SZEM121200682901

Page: 67 of 103

Test mode:	802	2.11n (HT20)	Test ch	annel:	Middle	Remark	:	Peak	
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarizatio n	
3151.992	3.44	33.34	40.41	48.73	45.10	74	-28.90	Vertical	
4191.816	4.29	34.36	41.18	48.60	46.07	74	-27.93	Vertical	
5631.725	5.00	35.09	41.24	49.38	48.23	74	-25.77	Vertical	
6956.627	5.48	35.85	40.08	48.99	50.24	74	-23.76	Vertical	
8355.943	6.19	36.14	38.88	47.75	51.20	74	-22.80	Vertical	
10453.950	6.09	38.24	37.64	46.23	52.92	74	-21.08	Vertical	
3120.061	3.41	33.35	40.40	48.35	44.71	74	-29.29	Horizontal	
4191.816	4.29	34.36	41.18	48.93	46.40	74	-27.60	Horizontal	
5574.673	4.98	35.01	41.29	49.92	48.62	74	-25.38	Horizontal	
6903.705	5.45	35.90	40.13	49.04	50.26	74	-23.74	Horizontal	
8355.943	6.19	36.14	38.88	48.01	51.46	74	-22.54	Horizontal	
9960.375	5.98	37.67	37.48	46.20	52.37	74	-21.63	Horizontal	

Test mode:	802.	11n (HT20)	Test ch	annel:	Highest	Remark:		Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3176.155	3.46	33.33	40.44	48.39	44.74	74	-29.26	S Vertical
4024.520	4.18	33.89	41.05	48.38	45.40	74	-28.60	) Vertical
4772.910	4.67	34.76	41.61	48.41	46.23	74	-27.77	Vertical
5806.408	5.06	35.40	41.09	49.26	48.63	74	-25.37	Vertical
6747.341	5.32	36.06	40.28	49.62	50.72	74	-23.28	3 Vertical
8022.456	6.20	36.01	39.16	48.35	51.40	74	-22.60	) Vertical
3184.250	3.47	33.33	40.44	49.56	45.92	74	-28.08	B Horizontal
4354.967	4.40	34.78	41.30	48.99	46.87	74	-27.13	B Horizontal
5518.199	4.96	34.93	41.34	49.77	48.32	74	-25.68	B Horizontal
6833.768	5.37	35.97	40.20	50.41	51.55	74	-22.45	5 Horizontal
8042.903	6.20	36.01	39.15	48.84	51.90	74	-22.10	) Horizontal
10427.370	6.08	38.22	37.62	45.64	52.32	74	-21.68	B Horizontal



Report No.: SZEM121200682901

Page: 68 of 103

Test mode:	8	302.	11n (HT40)	Test ch	annel:	Lo	owest	Remark:		Peak	
Frequency (MHz)	Cabl Los: (dB	s	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)		Level (dBuV/m)	Limit Line (dBuV/m)	Ove Limi (dB)	t	Polarization
3184.250	3.47	7	33.33	40.44	48.00		44.36	74	-29.6	64	Vertical
3588.939	3.8	1	33.30	40.73	47.90		44.28	74	-29.7	'2	Vertical
4455.890	4.47	7	35.06	41.37	48.28		46.44	74	-27.5	6	Vertical
5940.967	5.1	1	35.62	40.97	48.01		47.77	74	-26.2	23	Vertical
7135.984	5.69	9	35.86	39.94	47.32		48.93	74	-25.0	)7	Vertical
9734.779	5.98	8	37.44	37.68	45.13		50.87	74	-23.1	3	Vertical
3570.714	3.79	9	33.28	40.72	47.53		43.88	74	-30.1	2	Horizontal
4724.558	4.63	3	34.84	41.57	47.65		45.55	74	-28.4	5	Horizontal
5747.586	5.04	4	35.29	41.14	48.02		47.21	74	-26.7	'9	Horizontal
6886.154	5.43	3	35.92	40.15	47.94		49.14	74	-24.8	36	Horizontal
8104.559	6.20	0	36.04	39.10	46.33		49.47	74	-24.5	3	Horizontal
9562.854	6.00	0	37.27	37.83	44.87		50.31	74	-23.6	9	Horizontal

Test mode:		802.11n (HT40)		Test channel:		М	liddle	Remark:		Pe	eak
Frequency (MHz)	Cab Los (dB	s	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)		Level (dBuV/m)	Limit Line (dBuV/m)	Ove Lim (dE	it	Polarization
3088.453	3.39	0	33.37	40.37	47.62		44.01	74	-29.	99	Vertical
4107.316	4.23	3	34.13	41.12	48.36		45.60	74	-28.	40	Vertical
5230.963	4.8	6	34.63	41.58	48.01		45.92	74	-28.	80	Vertical
6494.564	5.20	6	36.28	40.50	49.09		50.13	74	-23.	87	Vertical
8042.903	6.20	0	36.01	39.15	47.93		50.99	74	-23.	01	Vertical
10036.730	5.98	8	37.76	37.47	45.45		51.72	74	-22.	28	Vertical
3709.691	3.9	1	33.45	40.83	48.93		45.46	74	-28.	54	Horizontal
5230.963	4.8	6	34.63	41.58	48.56		46.47	74	-27.	53	Horizontal
6747.341	5.3	2	36.06	40.28	48.54		49.64	74	-24.	36	Horizontal
8022.456	6.20	0	36.01	39.16	47.86		50.91	74	-23.	09	Horizontal
9465.979	6.02	2	37.16	37.91	45.81		51.08	74	-22.	92	Horizontal
11027.980	6.23	3	38.49	37.88	45.65		52.49	74	-21.	51	Horizontal



Report No.: SZEM121200682901

Page: 69 of 103

Test mode: 80		802.	302.11n (HT40)		hannel:	Highest	Remark:	Р	eak	
Frequency (MHz)	Lo	able oss IB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization	
3376.244	3.	64	33.25	40.58	45.40	41.71	74	-32.29	Vertical	
4388.352	4.	42	34.87	41.32	45.86	43.83	74	-30.17	Vertical	
5532.263	4.	96	34.96	41.32	46.80	45.40	74	-28.60	Vertical	
6956.627	5.	48	35.85	40.08	47.17	48.42	74	-25.58	Vertical	
8484.545	6.	18	36.19	38.77	45.43	49.03	74	-24.97	Vertical	
10534.090	6.	10	38.31	37.67	44.34	51.08	74	-22.92	Vertical	
3049.394	3.	35	33.38	40.34	48.15	44.54	74	-29.46	Horizontal	
3863.900	4.	05	33.63	40.94	47.84	44.58	74	-29.42	Horizontal	
4536.000	4.	52	35.14	41.43	49.23	47.46	74	-26.54	Horizontal	
5895.771	5.	09	35.53	41.01	48.14	47.75	74	-26.25	Horizontal	
7489.599	6.	10	36.00	39.62	48.80	51.28	74	-22.72	Horizontal	
9636.161	5.	99	37.34	37.76	46.06	51.63	74	-22.37	Horizontal	

#### Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
  - Final Test Level = Receiver Reading + Antenna Factor + Cable Factor Preamplifier Factor
- 2) The disturbance above 13GHz up to 25GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.




Report No.: SZEM121200682901

Page: 70 of 103

## 5.9 Band Edge (Radiated Emission)

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205						
Test Method:	ANSI C63.10 2009						
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)						
Limit:	Frequency	Limit (dBuV/m @3m)	Remark				
	30MHz-88MHz	40.0	Quasi-peak Value				
	88MHz-216MHz	43.5	Quasi-peak Value				
	216MHz-960MHz	46.0	Quasi-peak Value				
	960MHz-1GHz	54.0	Quasi-peak Value				
	Above 1GHz	54.0	Average Value				
	Above IGHZ	74.0	Peak Value				
Test Setup:							






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 71 of 103

Test Procedure:	a. The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.					
	b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.					
	c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.					
	d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.					
	e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.					
	f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel					
	g. Test the EUT in the lowest channel, the Highest channel					
	h. Repeat above procedures until all frequencies measured was complete.					
Exploratory Test Mode:	Transmitting mode					
Final Test Mode:	Through Pre-scan, find the 11Mbps of rate is the worst case of 802.11b;					
	54Mbps of rate is the worst case of 802.11g; 65Mbps of rate is the worst					
	case of 802.11n(HT20); 135Mbps of rate is the worst case of 802.11n(HT40)					
Instruments Used:	Refer to section 4.10 for details					
Test Results:	Pass					




Report No.: SZEM121200682901

Page: 72 of 103

#### Test plot as follows:

Worse case mode: 802.11b Test channel: Lowest Remark: Peak Vertical



Condition : FCC PART15(>1G) PK 3m VERTICAL

NO. : 6829RF

Mode: WIFI B 2412 Bandedge


			CableAntenna		-				Over	
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit	
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		2390.000	2.98	32.51	39.85	59.77	55.41	74.00	-18.59	
2	0	2405.370	2.99	32.54	39.86	103.09	98.76	74.00	24.76	



Report No.: SZEM121200682901

Page: 73 of 103

Worse case mode: 802.11b Test channel: Lowest Remark: Peak Horizontal



Condition : FCC PART15(>1G) PK 3m HORIZONTAL

NO. : 6829RF

Mode: WIFI B 2412 Bandedge

			Cablei	Antenna	${\tt Preamp}$	Read		Limit	Over
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1		2390.000	2.98	32.51	39.85	58.28	53.93	74.00	-20.07
2	0	2406.140	2.99	32.54	39.86	102.57	98.24	74.00	24.24


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 74 of 103

Worse case mode: 802.11b Test channel: Lowest Remark: Average Vertical



Condition : FCC PART15(>1G) AV 3m VERTICAL

NO. : 6829RF

Mode : WIFI B 2412 Bandedge

		Freq			•			Limit Line		
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		2390.000	2.98	32.51	39.85	49.84	45.49	54.00	-8.51	
2	0	2408.890	2.99	32.54	39.86	96.62	92.29	54.00	38.29	




"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 75 of 103

Worse case mode: 802.11b Test channel: Lowest Remark: Average Horizontal



Condition : FCC PART15(>1G) AV 3m HORIZONTAL

NO. : 6829RF

Mode : WIFI B 2412 Bandedge

	Freq			Preamp Factor			Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 2 @	2390.000 2409.660			39.85 39.86					


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 76 of 103

Worse case mode: 802.11b Test channel: Highest Remark: Peak Vertical



Condition : FCC PART15(>1G) PK 3m VERTICAL

NO. : 6829RF

Mode: WIFI B 2462 Bandedge

		Cablei	Antenna	Preamp	Read		Limit	Over
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 X	2454.150	3.01	32.64	39.91	100.17	95.91	74.00	21.91
2	2483.500	3.03	32.67	39.92	50.29	46.07	74.00	-27.93


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 77 of 103

Worse case mode: 802.11b Test channel: Highest Remark: Peak Horizontal



Condition : FCC PART15(>1G) PK 3m HORIZONTAL

NO. : 6829RF

Mode: WIFI B 2462 Bandedge

	Freq			Preamp Factor				
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 X 2	2454.350 2483.500							22.61 -30.36


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 78 of 103

Worse case mode: 802.11b Test channel: Highest Remark: Average Vertical



Condition : FCC PART15(>1G) AV 3m VERTICAL

NO. : 6829RF

Mode: WIFI B 2462 Bandedge

		CableAntenna :		Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB	
1 @ 2	2456.350 2483.500			39.91 39.92					


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 79 of 103

Worse case mode: 802.11b Test channel: Highest Remark: Average Horizontal



Condition : FCC PART15(>1G) AV 3m HORIZONTAL

NO. : 6829RF

Mode : WIFI B 2462 Bandedge

	Freq		CableAntenna Loss Factor		-		Limit Level Line	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 @ 2	2456.500 2483.500			39.91 39.92				


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 80 of 103

Worse case mode: 802.11g Test channel: Lowest Remark: Peak Vertical



Condition : FCC PART15(>1G) PK 3m VERTICAL

NO. : 6829RF

Mode : WIFI G 2412 Bandedge

	Freq	Cable.		Preamp Factor				
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 2 X	2390.000 2411.860			39.85 39.86				


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 81 of 103

Worse case mode: 802.11g Test channel: Lowest Remark: Peak Horizontal



Condition : FCC PART15(>1G) PK 3m HORIZONTAL

Job No. : 6829RF

Mode: WIFI G 2412 Bandedge

	Freq	CableAntenna Loss Factor		•			Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 2 @	2390.000 2411.970			39.85 39.86					


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 82 of 103

Worse case mode: 802.11g Test channel: Lowest Remark: Average Vertical



Condition : FCC PART15(>1G) AV 3m VERTICAL

NO. : 6829RF

Mode: WIFI G 2412 Bandedge

		Cable.	CableAntenna :		reamp Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 2 @	2390.000 2402.730			39.85 39.86					


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 83 of 103

Worse case mode: 802.11g Test channel: Lowest Remark: Average Horizontal



Condition : FCC PART15(>1G) AV 3m HORIZONTAL

NO. : 6829RF

Mode : WIFI G 2412 Bandedge

		Cable	CableAntenna :		Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2390.000	2.98	32.51	39.85	44.50	40.15	54.00	-13.85	
2 @	2411.530	2.99	32.54	39.86	87.94	83.61	54.00	29.61	


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 84 of 103

Worse case mode: 802.11g Test channel: Highest Remark: Peak Vertical



ri equelicy (i

Condition : FCC PART15(>1G) PK 3m VERTICAL

Job No. : 6829RF

Mode: WIFI G 2462 Bandedge

		Cablei	CableAntenna :		Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 0	2451.750	3.01	32.61	39.89	95.41	91.13	74.00	17.13	
2	2483.500	3.03	32.67	39.92	47.40	43.18	74.00	-30.82	




"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 85 of 103

Worse case mode: 802.11g Test channel: Highest Remark: Peak Horizontal



1104410110

Condition : FCC PART15(>1G) PK 3m HORIZONTAL

NO. : 6829RF

Mode : WIFI G 2462 Bandedge

	Freq	CableAntenna Loss Factor		•				
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 X 2	2453.550 2483.500			39.91 39.92				19.25 -30.97


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 86 of 103

Worse case mode: 802.11g Test channel: Highest Remark: Average Vertical



rrequericy (W

Condition : FCC PART15(>1G) AV 3m VERTICAL

NO. : 6829RF

Mode : WIFI G 2462 Bandedge

		CableAntenna		Preamp Rea			Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 0	2453.500	3.01	32.64	39.89	83.86	79.62	54.00	25.62	
2	2483.500	3.03	32.67	39.92	34.62	30.40	54.00	-23.60	


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 87 of 103

Worse case mode: 802.11g Test channel: Highest Remark: Average Horizontal



Condition : FCC PART15(>1G) AV 3m HORIZONTAL

NO. : 6829RF

Mode: WIFI G 2462 Bandedge

1040	. **11102-022	_	Antenna	Preamp	Read		Limit	Over
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	——dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB
1 (	2453.500	3.01	32.64	39.89	83.92	79.68	54.00	25.68
2	2483.500	3.03	32.67	39.92	35.58	31.36	54.00	-22.64


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 88 of 103

Worse case mode: 802.11n(HT20) Test channel: Lowest Remark: Peak Vertical



Condition : FCC PART15(>1G) PK 3m VERTICAL

NO. : 6829RF

Mode : WIFI N(HT20) 2412 Bandedge

		CableAntenna		Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 2 @	2390.000 2411.090			39.85 39.86					


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 89 of 103

Worse case mode: 802.11n(HT20) Test channel: Lowest Remark: Peak Horizontal



Condition : FCC PART15(>1G) PK 3m HORIZONTAL

NO. : 6829RF

Mode : WIFI N(HT20) 2412 Bandedge

			Cable	Antenna	Preamp	Read		Limit	Over
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1		2390.000	2.98	32.51	39.85	62.01	57.65	74.00	-16.35
2	0	2411.420	2.99	32.54	39.86	98.88	94.55	74.00	20.55


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 90 of 103

Worse case mode: 802.11n(HT20) Test channel: Lowest Remark: Average Vertical



Condition : FCC PART15(>1G) AV 3m VERTICAL

NO. : 6829RF

Mode : WIFI N(HT20) 2412 Bandedge

			CableAntenna		Preamp	Read		Limit	Over	
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit	
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		2390.000	2.98	32.51	39.85	43.63	39.28	54.00	-14.72	
2	0	2402.620	2.98	32.54	39.86	86.92	82.58	54.00	28.58	


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 91 of 103

Worse case mode: 802.11n(HT20) Test channel: Lowest Remark: Average Horizontal



Condition : FCC PART15(>1G) AV 3m HORIZONTAL

NO. : 6829RF

Mode: WIFI N(HT20) 2412 Bandedge

			CableAntenna		Preamp	Read		Limit	Over	
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit	
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		2390.000	2.98	32.51	39.85	44.65	40.30	54.00	-13.70	
2	0	2402.620	2.98	32.54	39.86	88.03	83.69	54.00	29.69	


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 92 of 103

Worse case mode: 802.11n(HT20) Test channel: Highest Remark: Peak Vertical



Condition : FCC PART15(>1G) PK 3m VERTICAL

NO. : 6829RF

Mode: WIFI N(HT20) 2462 Bandedge

	Freq	CableAntenna Loss Factor		•					
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 X	2451.950	3.01	32.61	39.89	94.26	89.99	74.00	15.99	
2	2483.500	3.03	32.67	39.92	46.10	41.88	74.00	-32.12	


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 93 of 103

Worse case mode: 802.11n(HT20) Test channel: Highest Remark: Peak Horizontal



Condition : FCC PART15(>1G) PK 3m HORIZONTAL

NO. : 6829RF

Mode : WIFI N(HT20) 2462 Bandedge

	Freq	CableAntenna Loss Factor		•				Over Limit	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 X	2453.550	3.01	32.64	39.91	98.75	94.50	74.00	20.50	
2	2483.500	3.03	32.67	39.92	46.58	42.36	74.00	-31.64	


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 94 of 103

Worse case mode: 802.11n(HT20) Test channel: Highest Remark: Average Vertical



Condition : FCC PART15(>1G) AV 3m VERTICAL

NO. : 6829RF

1 0 2

Mode : WIFI N(HT20) 2462 Bandedge

Freq			Preamp Factor				
 MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
 2.700			39.89 39.92				




"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 95 of 103

Worse case mode: 802.11n(HT20) Test channel: Highest Remark: Average Horizontal



Condition : FCC PART15(>1G) AV 3m HORIZONTAL

NO. : 6829RF

Mode : WIFI N(HT20) 2462 Bandedge

		Freq	CableAntenna Pre Freq Loss Factor Fac							
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	0	2453.150	3.01	32.61	39.89	80.37	76.10	54.00	22.10	
2		2483.500	3.03	32.67	39.92	34.05	29.83	54.00	-24.17	


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 96 of 103

Worse case mode: 802.11n(HT40) Test channel: Lowest Remark: Peak Vertical



Condition : FCC PART15(>1G) PK 3m VERTICAL

NO. : 6829RF

Mode : WIFI N(HT40) 2422 Bandedge

CableAntenna Preamp Read Limit Over Freq Loss Factor Factor Level Level Line Limit dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 2390.000 68.16 63.81 74.00 -10.19 1 2.98 32.51 39.85 2 X 2.99 32.54 39.86 97.64 93.31 74.00 19.31 2411.520


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 97 of 103

Worse case mode: 802.11n(HT40) Test channel: Lowest Remark: Peak Horizontal



Condition : FCC PART15(>1G) PK 3m HORIZONTAL

NO. : 6829RF

Mode: WIFI N(HT40) 2422 Bandedge

			CableAntenna		Preamp	Read		Limit	Over	
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit	
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		2390.000	2.98	32.51	39.85	67.99	63.63	74.00	-10.37	
2	X	2411.640	2.99	32.54	39.86	97.52	93.20	74.00	19.20	


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 98 of 103

Worse case mode: 802.11n(HT40) Test channel: Lowest Remark: Average Vertical



Condition : FCC PART15(>1G) AV 3m VERTICAL

NO. : 6829RF

Mode: WIFI N(HT40) 2422 Bandedge

Over
Limit
dB
-13.30
23.11


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 99 of 103

Worse case mode: 802.11n(HT40) Test channel: Lowest Remark: Average Horizontal



Condition : FCC PART15(>1G) AV 3m HORIZONTAL

NO. : 6829RF

Mode : WIFI N(HT40) 2422 Bandedge

		.(							
			Cablei	Antenna	Preamp	Read		Limit	Over
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit
		-							
		MHz	dB	dB/m		-10	-ID-177/	dBuV/m	dB
		nnz	аь	QD/III	uь	авич	ubuv/m	ubuv/m	uь
1		2390.000	2.98	32.51	39.85	48.91	44.56	54.00	-9.44
2	Х	2411.160	2.99	32.54	39.86	84.65	80.32	54.00	26.32
_					~~.~~	~		00	


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 100 of 103

Worse case mode: 802.11n(HT40) Test channel: Highest Remark: Peak Vertical



Condition : FCC PART15(>1G) PK 3m VERTICAL

NO. : 6829RF

Mode : WIFI N(HT40) 2452 Bandedge

		CableAntenna		Preamp	Read		Limit	Over
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
	0.440 0.40							
1 X	2442.040	3.01	32.61	39.89	97.01	92.74	74.00	18.74
2	2483.500	3.03	32.67	39.92	53.04	48.82	74.00	-25.18


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 101 of 103

Worse case mode: 802.11n(HT40) Test channel: Highest Remark: Peak Horizontal



Condition : FCC PART15(>1G) PK 3m HORIZONTAL

NO. : 6829RF

Mode : WIFI N(HT40) 2452 Bandedge

	CableAntenna Pres Freq Loss Factor Fact		•					
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 X 2	2445.220 2483.500						74.00 74.00	


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 102 of 103

Worse case mode: 802.11n(HT40) Test channel: Highest Remark: Average Vertical



Condition : FCC PART15(>1G) AV 3m VERTICAL

NO. : 6829RF

Mode : WIFI N(HT40) 2452 Bandedge

			CableAntenr		Preamp Rea			Limit	Over	
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit	
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	X	2441.380	3.01	32.61	39.89	80.59	76.32	54.00	22.32	
2		2483.500	3.03	32.67	39.92	36.56	32.34	54.00	-21.66	


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM121200682901

Page: 103 of 103

Worse case mode: 802.11n(HT40) Test channel: Highest Remark: Average Horizontal



Condition : FCC PART15(>1G) AV 3m HORIZONTAL

NO. : 6829RF

Mode : WIFI N(HT40) 2452 Bandedge

~~	~		<del></del>						
			Cable.	Antenna	Preamp	Read		Limit	Over
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	X	2441.560	3.01	32.61	39.89	85.98	81.70	54.00	27.70
2		2483.500	3.03	32.67	39.92	39.98	35.76	54.00	-18.24

#### Note:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."