



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#2


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 09:48:55

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6960.000	36.88	peak	9.49	46.37	74.00	150	155	-27.63	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#8


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 09:52:44

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22403-23316

M/N:

Test Mode : TX 802.11a CH44

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#3


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 09:49:44

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10440.000	32.90	peak	13.55	46.45	74.00	150	318	-27.55	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#9


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 09:53:32

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10440.000	33.00	peak	13.55	46.55	74.00	150	324	-27.45	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#4


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 09:50:36

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15660.000	21.02	peak	22.73	43.75	74.00	150	339	-30.25	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kai

File :3

Data :#10


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 09:54:25

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15660.000	22.21	peak	22.73	44.94	74.00	150	338	-29.06	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#5


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 09:50:47

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22403-23316

M/N:

Test Mode : TX 802.11a CH44

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#11


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 09:54:35

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#6


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 09:50:57

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#12


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 09:54:46

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22403-23316

M/N:

Test Mode : TX 802.11a CH44

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#1


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 09:58:12

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22403-23316

M/N:

Test Mode : TX 802.11a CH48

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#7


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 10:02:00

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22403-23316

M/N:

Test Mode : TX 802.11a CH48

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#2


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 09:58:59

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#8


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 10:02:48

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22403-23316

M/N:

Test Mode : TX 802.11a CH48

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#3


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 09:59:48

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10480.000	31.30	peak	13.56	44.86	74.00	150	286	-29.14	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#9


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 10:03:36

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10480.000	31.36	peak	13.56	44.92	74.00	150	344	-29.08	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#4


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 10:00:40

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15720.000	21.07	peak	22.77	43.84	74.00	150	304	-30.16	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#10


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 10:04:29

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15720.000	21.90	peak	22.77	44.67	74.00	150	96	-29.33	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#5


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 10:00:50

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#11


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 10:04:39

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#6


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 10:01:01

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#12


Date: 2024/4/1

Temperature: 23.6 °C

90.0 dBuV/m

Time: 上午 10:04:50

Humidity: 64.3 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22403-23316

M/N:

Test Mode : TX 802.11a CH48

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533


Radiated Emission Measurement

Operator: Kai

File : 1_WiFi 5G_ant2_TX 802 Data : #1

Date: 2024/4/2
 Time: 下午 02:55:20

Temperature: 24.3 °C
 Humidity: 52.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

EUT : W6M22403-23316

M/N:

Test Mode : TX 802.11a CH36

Note :

Polarization: **Horizontal**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	197.3250	54.65	peak	-15.71	38.94	43.50	100	353	-4.56	
	299.6600	53.62	peak	-12.21	41.41	46.00	100	325	-4.59	
	699.7850	37.44	peak	-3.48	33.96	46.00	100	126	-12.04	
	900.0900	41.96	peak	-1.24	40.72	46.00	100	153	-5.28	

*:Maximum data x:Over limit !:over margin




Radiated Emission Measurement

Operator: Kai

File : 1_WiFi 5G_ant2_TX 802 Data : #2

Date: 2024/4/2
 Time: 下午 02:56:15

Temperature: 24.3 °C
 Humidity: 52.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

EUT : W6M22403-23316

M/N:

Test Mode : TX 802.11a CH36

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	199.7500	46.08	peak	-15.83	30.25	43.50	100	307	-13.25	
*	298.6900	51.36	peak	-12.22	39.14	46.00	100	274	-6.86	
	696.8750	37.38	peak	-3.52	33.86	46.00	100	293	-12.14	
	896.2100	37.17	peak	-1.27	35.90	46.00	100	234	-10.10	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :3

Data :#1


Date: 2024/3/30

Temperature: 26.2 °C

90.0 dBuV/m

Time: 上午 06:51:35

Humidity: 53.9 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22403-23316

M/N:

Test Mode : TX 802.11a CH36

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :3

Data :#7


Date: 2024/3/30

Temperature: 26.2 °C

90.0 dBuV/m

Time: 上午 06:55:23

Humidity: 53.9 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Echo

File :3

Data :#2


Date: 2024/3/30

Temperature: 26.2 °C

90.0 dBuV/m

Time: 上午 06:52:22

Humidity: 53.9 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6908.000	49.59	peak	9.46	59.05	74.00	150	317	-14.95	
*	6908.000	42.23	AVG	9.46	51.69	54.00	150	317	-2.31	



Radiated Emission Measurement

Operator: Echo

File :3

Data :#8


Date: 2024/3/30

Temperature: 26.2 °C

90.0 dBuV/m

Time: 上午 06:56:11

Humidity: 53.9 %



Site : 966A Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22403-23316

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6908.000	47.48	peak	9.46	56.94	74.00	150	118	-17.06	
*	6908.000	43.62	AVG	9.46	53.08	54.00	150	118	-0.92	