


Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 0° / Mode 3		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	308.390	29.54	-16.46	46.00	39.08	3.88	13.93	27.35	Peak	---	---
2	602.300	28.35	-17.65	46.00	31.43	5.26	20.06	28.40	Peak	---	---
3	893.300	33.93	-12.07	46.00	35.62	6.04	19.90	27.63	Peak	---	---

Vertical




**Site** : 10CH01-HY  
**Condition** : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
**Model** : SPRC1  
**Memo** : FCC ID:RS2SPRC1  
**Memo** : FM 98.3M  
**Memo** : FORD IXION  
**Memo** : Large CAR  
**Memo** : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	32.78	-7.22	40.00	45.26	1.33	14.43	28.24	Peak	---	---
2	308.390	29.59	-16.41	46.00	39.13	3.88	13.93	27.35	Peak	---	---
3	598.420	30.02	-15.98	46.00	33.14	5.25	20.03	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 45° / Mode 3		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD EXION  
 Memo : Large CAR  
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	312.270	28.39	-17.61	46.00	37.89	3.89	13.99	27.38	Peak	---	---
2	606.180	28.75	-17.25	46.00	31.87	5.26	20.01	28.39	Peak	---	---
3	890.390	32.86	-13.14	46.00	34.56	6.03	19.91	27.64	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	33.94	-6.06	40.00	46.42	1.33	14.43	28.24	Peak	---	---
2	280.260	30.14	-15.86	46.00	40.43	3.67	13.40	27.36	Peak	---	---
3	598.420	29.17	-16.83	46.00	32.29	5.25	20.03	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 90° / Mode 3		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD EXION  
 Memo : Large CAR  
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	299.660	29.70	-16.30	46.00	39.35	3.85	13.80	27.30	Peak	---	---
2	586.780	29.97	-16.03	46.00	33.46	5.20	19.71	28.40	Peak	---	---
3	897.180	32.78	-13.22	46.00	34.45	6.05	19.89	27.61	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	30.16	-9.84	40.00	42.64	1.33	14.43	28.24	Peak	---	---
2	633.340	28.34	-17.66	46.00	31.77	5.24	19.70	28.37	Peak	---	---
3	890.390	31.68	-14.32	46.00	33.38	6.03	19.91	27.64	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 135° / Mode 3		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	70.740	35.70	-4.30	40.00	54.87	1.95	7.04	28.16	Peak	---	---
2	304.510	28.84	-17.16	46.00	38.43	3.87	13.87	27.33	Peak	---	---
3	586.780	31.15	-14.85	46.00	34.64	5.20	19.71	28.40	Peak	---	---

Vertical



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 135度


	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	32.80	-7.20	40.00	45.28	1.33	14.43	28.24	Peak	---	---
2	299.660	29.68	-16.32	46.00	39.33	3.85	13.80	27.30	Peak	---	---
3	591.630	28.48	-17.52	46.00	31.82	5.22	19.84	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.



Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 180° / Mode 3		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	299.660	25.33	-20.67	46.00	34.98	3.85	13.80	27.30	Peak	---	---
2	613.940	26.86	-19.14	46.00	30.08	5.25	19.92	28.39	Peak	---	---
3	890.390	29.52	-16.48	46.00	31.22	6.03	19.91	27.64	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	33.95	-6.05	40.00	46.43	1.33	14.43	28.24	Peak	---	---
2	288.020	27.00	-19.00	46.00	37.03	3.75	13.56	27.34	Peak	---	---
3	603.270	27.16	-18.84	46.00	30.25	5.26	20.05	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 225° / Mode 3		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	27.45	-12.55	40.00	39.93	1.33	14.43	28.24	Peak	---	---
2	288.020	29.32	-16.68	46.00	39.35	3.75	13.56	27.34	Peak	---	---
3	587.750	29.32	-16.68	46.00	32.78	5.20	19.74	28.40	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	33.60	-6.40	40.00	46.08	1.33	14.43	28.24	Peak	---	---
2	291.900	28.15	-17.85	46.00	38.05	3.79	13.64	27.33	Peak	---	---
3	594.540	27.94	-18.06	46.00	31.19	5.23	19.92	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 270° / Mode 3		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	29.42	-10.58	40.00	41.90	1.33	14.43	28.24	Peak	---	---
2	303.540	31.91	-14.09	46.00	41.50	3.87	13.86	27.32	Peak	---	---
3	901.060	33.39	-12.61	46.00	35.01	6.06	19.91	27.59	Peak	---	---

Vertical




**Site** : 10CH01-HY  
**Condition** : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
**Model** : SPRC1  
**Memo** : FCC ID:RS2SPRC1  
**Memo** : FM 98.3M  
**Memo** : FORD IXION  
**Memo** : Large CAR  
**Memo** : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	34.76	-5.24	40.00	47.24	1.33	14.43	28.24	Peak	---	---
2	47.460	33.18	-6.82	40.00	48.74	1.60	11.05	28.21	Peak	---	---
3	303.540	31.76	-14.24	46.00	41.35	3.87	13.86	27.32	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 315° / Mode 3		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	39.700	32.50	-7.50	40.00	45.65	1.43	13.65	28.23	Peak	---	---
2	300.630	30.06	-15.94	46.00	39.69	3.86	13.81	27.30	Peak	---	---
3	598.420	27.55	-18.45	46.00	30.67	5.25	20.03	28.40	Peak	---	---

Vertical



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	35.60	-4.40	40.00	48.08	1.33	14.43	28.24	Peak	---	---
2	299.660	32.34	-13.66	46.00	41.99	3.85	13.80	27.30	Peak	---	---
3	579.990	30.20	-15.80	46.00	33.91	5.17	19.52	28.40	Peak	---	---


Note: Emissions measured with the Average detector can be found in a separate section of this report.



### 3.2 Test Result of Field Strength of Fundamental Emissions

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 0° / Mode 1		


#### Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	82.380	26.16	-13.84	40.00	44.12	2.07	8.11	28.14	Peak	---	---
2	602.300	26.83	-19.17	46.00	29.91	5.26	20.06	28.40	Peak	---	---
3	773.020	28.60	-17.40	46.00	31.23	5.62	19.83	28.08	Peak	---	---

Vertical




**Site** : 10CH01-HY  
**Condition** : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
**Model** : SPRC1  
**Memo** : FCC ID:RS2SPRC1  
**Memo** : FM 98.3M  
**Memo** : FORD MONDEO  
**Memo** : Medium CAR  
**Memo** : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.270	39.41	-28.59	68.00	54.11	2.27	11.13	28.10	Peak	127	---
2	98.270	37.67	-10.33	48.00	52.37	2.27	11.13	28.10	Average	127	---

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 45° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.280	31.18	-36.82	68.00	45.88	2.27	11.13	28.10	Peak	302	---
2	98.280	29.63	-18.37	48.00	44.33	2.27	11.13	28.10	Average	302	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.270	36.36	-31.64	68.00	51.06	2.27	11.13	28.10	Peak	131	---
2	98.270	34.69	-13.31	48.00	49.39	2.27	11.13	28.10	Average	131	---

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 90° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.280	31.53	-36.47	68.00	46.23	2.27	11.13	28.10	Peak	375	---
2	98.280	27.41	-20.59	48.00	42.11	2.27	11.13	28.10	Average	375	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.270	26.53	-41.47	68.00	41.23	2.27	11.13	28.10	Peak	100	---
2	98.270	23.53	-24.47	48.00	38.23	2.27	11.13	28.10	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 135° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.270	24.47	-43.53	68.00	39.17	2.27	11.13	28.10	Peak	330	135
2	98.270	22.28	-25.72	48.00	36.98	2.27	11.13	28.10	Average	330	135

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.280	32.99	-35.01	68.00	47.69	2.27	11.13	28.10	Peak	107	135
2	98.280	31.17	-16.83	48.00	45.87	2.27	11.13	28.10	Average	107	135



Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 180° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.270	27.64	-40.36	68.00	42.34	2.27	11.13	28.10	Peak	278	90
2	98.270	25.17	-22.83	48.00	39.87	2.27	11.13	28.10	Average	278	90

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.280	30.69	-37.31	68.00	45.39	2.27	11.13	28.10	Peak	134	90
2	98.280	28.23	-19.77	48.00	42.93	2.27	11.13	28.10	Average	134	90

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 225° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	30.16	-37.84	68.00	44.86	2.27	11.13	28.10	Peak	321	45
2	98.290	27.43	-20.57	48.00	42.13	2.27	11.13	28.10	Average	321	45

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.280	25.18	-42.82	68.00	39.88	2.27	11.13	28.10	Peak	103	45
2	98.280	21.76	-26.24	48.00	36.46	2.27	11.13	28.10	Average	103	45

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 270° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.280	24.06	-43.94	68.00	38.76	2.27	11.13	28.10	Peak	382	0
2	98.280	18.76	-29.24	48.00	33.46	2.27	11.13	28.10	Average	382	0

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.280	31.19	-36.81	68.00	45.89	2.27	11.13	28.10	Peak	106	0
2	98.280	28.97	-19.03	48.00	43.67	2.27	11.13	28.10	Average	106	0

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 315° / Mode 1		

Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID:RS2SPRC1  
 Memo : FM 98.3M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.270	33.36	-34.64	68.00	48.06	2.27	11.13	28.10	Peak	306	---
2	98.270	31.33	-16.67	48.00	46.03	2.27	11.13	28.10	Average	306	---

Vertical




**Site** : 10CH01-HY  
**Condition** : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
**Model** : SPRC1  
**Memo** : FCC ID:RS2SPRC1  
**Memo** : FM 98.3M  
**Memo** : FORD MONDEO  
**Memo** : Medium CAR  
**Memo** : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.270	34.64	-33.36	68.00	49.34	2.27	11.13	28.10	Peak	103	---
2	98.270	30.97	-17.03	48.00	45.67	2.27	11.13	28.10	Average	103	---



Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 0° / Mode 2		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID: RS2SPRC1  
 Memo : FM 98.3M  
 Memo : Mitsubishi ( LANCER GLXi )  
 Memo : Small CAR  
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	20.10	-47.90	68.00	34.80	2.27	11.13	28.10	Peak	156	---
2	98.290	14.70	-33.30	48.00	29.40	2.27	11.13	28.10	Average	156	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : SPRC1  
 Memo : FCC ID: RS2SPRC1  
 Memo : FM 98.3M  
 Memo : Mitsubishi ( LANCER GLXi )  
 Memo : Small CAR  
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	27.39	-40.61	68.00	42.09	2.27	11.13	28.10	Peak	100	---
2	98.290	25.32	-22.68	48.00	40.02	2.27	11.13	28.10	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 45° / Mode 2		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : SPRC1  
 Memo : FCC ID: RS2SPRC1  
 Memo : FM 98.3M  
 Memo : Mitsubishi ( LANCER GLXi )  
 Memo : Small CAR  
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	22.10	-45.90	68.00	36.80	2.27	11.13	28.10	Peak	395	---
2	98.290	18.64	-29.36	48.00	33.34	2.27	11.13	28.10	Average	395	---

Vertical



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : SPRC1  
 Memo : FCC ID: RS2SPRC1  
 Memo : FM 98.3M  
 Memo : Mitsubishi ( LANCER GLXi )  
 Memo : Small CAR  
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	22.10	-45.90	68.00	36.80	2.27	11.13	28.10	Peak	100	---
2	98.290	18.70	-29.30	48.00	33.40	2.27	11.13	28.10	Average	100	---