


Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 90° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SPRC1
 Memo : FCC ID: RS2SPRC1
 Memo : FM 98.3M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	20.00	-48.00	68.00	34.70	2.27	11.13	28.10	Peak	400	---
2	98.290	15.97	-32.03	48.00	30.67	2.27	11.13	28.10	Average	400	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SPRC1
 Memo : FCC ID: RS2SPRC1
 Memo : FM 98.3M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	30.42	-37.58	68.00	45.12	2.27	11.13	28.10	Peak	116	---
2	98.290	29.18	-18.82	48.00	43.88	2.27	11.13	28.10	Average	116	---

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 135° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SPRC1
 Memo : FCC ID: RS2SPRC1
 Memo : FM 98.3M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	15.76	-32.24	48.00	30.46	2.27	11.13	28.10	Average	285	135
2	98.290	20.50	-27.50	48.00	35.20	2.27	11.13	28.10	Average	285	135

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SPRC1
 Memo : FCC ID: RS2SPRC1
 Memo : FM 98.3M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	26.94	-41.06	68.00	41.64	2.27	11.13	28.10	Peak	100	135
2	98.290	24.20	-23.80	48.00	38.90	2.27	11.13	28.10	Average	100	135

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 180° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SPRC1
 Memo : FCC ID: RS2SPRC1
 Memo : FM 98.3M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	21.60	-46.40	68.00	36.30	2.27	11.13	28.10	Peak	300	90
2	98.290	16.76	-31.24	48.00	31.46	2.27	11.13	28.10	Average	300	90

Vertical




Site : 10CH01-HY
Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
Model : SPRC1
Memo : FCC ID: RS2SPRC1
Memo : FM 98.3M
Memo : Mitsubishi (LANCER GLXi)
Memo : Small CAR
Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	21.90	-46.10	68.00	36.60	2.27	11.13	28.10	Peak	306	90
2	98.290	18.42	-29.58	48.00	33.12	2.27	11.13	28.10	Average	306	90

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 225° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SPRC1
 Memo : FCC ID: RS2SPRC1
 Memo : FM 98.3M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	22.43	-45.57	68.00	37.13	2.27	11.13	28.10	Peak	318	45
2	98.290	20.17	-27.83	48.00	34.87	2.27	11.13	28.10	Average	318	45

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SPRC1
 Memo : FCC ID: RS2SPRC1
 Memo : FM 98.3M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	24.04	-43.96	68.00	38.74	2.27	11.13	28.10	Peak	100	45
2	98.290	22.27	-25.73	48.00	36.97	2.27	11.13	28.10	Average	100	45

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 270° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SPRC1
 Memo : FCC ID: RS2SPRC1
 Memo : FM 98.3M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	24.76	-43.24	68.00	39.46	2.27	11.13	28.10	Peak	367	0
2	98.290	22.32	-25.68	48.00	37.02	2.27	11.13	28.10	Average	367	0

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SPRC1
 Memo : FCC ID: RS2SPRC1
 Memo : FM 98.3M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	28.16	-39.84	68.00	42.86	2.27	11.13	28.10	Peak	125	0
2	98.290	26.19	-21.81	48.00	40.89	2.27	11.13	28.10	Average	125	0

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 315° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SPRC1
 Memo : FCC ID: RS2SPRC1
 Memo : FM 98.3M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	22.20	-45.80	68.00	36.90	2.27	11.13	28.10	Peak	321	---
2	98.290	20.28	-27.72	48.00	34.98	2.27	11.13	28.10	Average	321	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SPRC1
 Memo : FCC ID: RS2SPRC1
 Memo : FM 98.3M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	22.70	-45.30	68.00	37.40	2.27	11.13	28.10	Peak	105	---
2	98.290	18.10	-29.90	48.00	32.80	2.27	11.13	28.10	Average	105	---

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 0° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SPRC1
 Memo : FCC ID:RS2SPRC1
 Memo : FM 98.3M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	34.50	-33.50	68.00	49.20	2.27	11.13	28.10	Peak	400	---
2	98.290	33.80	-14.20	48.00	48.50	2.27	11.13	28.10	Average	400	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SPRC1
 Memo : FCC ID:RS2SPRC1
 Memo : FM 98.3M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	41.04	-26.96	68.00	55.74	2.27	11.13	28.10	Peak	114	---
2	98.290	40.28	-7.72	48.00	54.98	2.27	11.13	28.10	Average	114	---

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 45° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SPRC1
 Memo : FCC ID:RS2SPRC1
 Memo : FM 98.3M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	42.79	-25.21	68.00	57.49	2.27	11.13	28.10	Peak	356	---
2	98.290	42.44	-5.56	48.00	57.14	2.27	11.13	28.10	Average	356	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SPRC1
 Memo : FCC ID:RS2SPRC1
 Memo : FM 98.3M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	37.34	-30.66	68.00	52.04	2.27	11.13	28.10	Peak	114	---
2	98.290	36.48	-11.52	48.00	51.18	2.27	11.13	28.10	Average	114	---

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 90° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SPRC1
 Memo : FCC ID:RS2SPRC1
 Memo : FM 98.3M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	40.18	-27.82	68.00	54.88	2.27	11.13	28.10	Peak	296	---
2	98.290	39.66	-8.34	48.00	54.36	2.27	11.13	28.10	Average	296	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SPRC1
 Memo : FCC ID:RS2SPRC1
 Memo : FM 98.3M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	37.79	-30.21	68.00	52.49	2.27	11.13	28.10	Peak	121	---
2	98.290	37.29	-10.71	48.00	51.99	2.27	11.13	28.10	Average	121	---

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 135° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SPRC1
 Memo : FCC ID:RS2SPRC1
 Memo : FM 98.3M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	41.59	-26.41	68.00	56.29	2.27	11.13	28.10	Peak	338	135
2	98.290	41.08	-6.92	48.00	55.78	2.27	11.13	28.10	Average	338	135

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SPRC1
 Memo : FCC ID:RS2SPRC1
 Memo : FM 98.3M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	39.76	-28.24	68.00	54.46	2.27	11.13	28.10	Peak	100	135
2	98.290	39.30	-8.70	48.00	54.00	2.27	11.13	28.10	Average	100	135

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 180° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SPRC1
 Memo : FCC ID:RS2SPRC1
 Memo : FM 98.3M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	26.75	-41.25	68.00	41.45	2.27	11.13	28.10	Peak	392	90
2	98.290	25.33	-22.67	48.00	40.03	2.27	11.13	28.10	Average	392	90

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SPRC1
 Memo : FCC ID:RS2SPRC1
 Memo : FM 98.3M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	36.74	-31.26	68.00	51.44	2.27	11.13	28.10	Peak	106	90
2	98.290	35.90	-12.10	48.00	50.60	2.27	11.13	28.10	Average	106	90

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 225° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SPRC1
 Memo : FCC ID:RS2SPRC1
 Memo : FM 98.3M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	39.79	-28.21	68.00	54.49	2.27	11.13	28.10	Peak	326	45
2	98.290	39.31	-8.69	48.00	54.01	2.27	11.13	28.10	Average	326	45

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SPRC1
 Memo : FCC ID:RS2SPRC1
 Memo : FM 98.3M
 Memo : FORD EXION
 Memo : Large CAR
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	40.77	-27.23	68.00	55.47	2.27	11.13	28.10	Peak	107	45
2	98.290	40.27	-7.73	48.00	54.97	2.27	11.13	28.10	Average	107	45

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 270° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SPRC1
 Memo : FCC ID:RS2SPRC1
 Memo : FM 98.3M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	37.68	-30.32	68.00	52.38	2.27	11.13	28.10	Peak	400	0
2	98.290	37.08	-10.92	48.00	51.78	2.27	11.13	28.10	Average	400	0

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SPRC1
 Memo : FCC ID:RS2SPRC1
 Memo : FM 98.3M
 Memo : FORD EXION
 Memo : Large CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	43.33	-24.67	68.00	58.03	2.27	11.13	28.10	Peak	103	0
2	98.290	42.49	-5.51	48.00	57.19	2.27	11.13	28.10	Average	103	0

Temperature	20.3°C	Humidity	57.8%
Configurations	98.3 MHz/ 315° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SPRC1
 Memo : FCC ID:RS2SPRC1
 Memo : FM 98.3M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	41.40	-26.60	68.00	56.10	2.27	11.13	28.10	Peak	325	---
2	98.290	40.92	-7.08	48.00	55.62	2.27	11.13	28.10	Average	325	---

Vertical



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SPRC1
 Memo : FCC ID:RS2SPRC1
 Memo : FM 98.3M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	98.290	34.60	-33.40	68.00	49.30	2.27	11.13	28.10	Peak	100	---
2	98.290	32.75	-15.25	48.00	47.45	2.27	11.13	28.10	Average	100	---

4. List of Measuring Equipments

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Remark
10m Semi Anechoic Chamber	SIDT FRANKONIA	SAC-10M	10CH01-HY	30MHz~1GHz 10m, 3m	Apr. 13, 2009	Radiation (10CH01-HY)
Receiver	R&S	ESI7	838496/009	9kHz-7GHz	Apr. 01 2009	Radiation (10CH01-HY)
Amplifier	Agilent	8447D	2944A10825	100kHz – 1.3GHz	May 26, 2009	Radiation (10CH01-HY)
Turn Table	HD	DT 60 RPS	1513/004/00	0 ~ 360 degree	N/A	Radiation (10CH01-HY)
Antenna Mast	HD	MA240	240/556/00	1 m - 4 m	N/A	Radiation (10CH01-HY)
RF Cable-R10m	Suhner Switzerland + Rosenberger	RG223/U + UAA220A-0	CB022-DOOR	30MHz~1GHz	Nov. 24, 2009	Radiation (10CH01-HY)
Bilog Antenna	SCHAFFNER	CBL6112B	2681	30MHz –1GHz	Dec. 21 2008	Radiation (10CH01-HY)