

Radiated Test Data - OATS 1

Test Date: August 31, 2009 - 12:49:00 PM

Work Order: 2009253

Customer Reference: na

Model: Xpress R

Mode: Xpress R

Name: Jon Wilson

Limit/Distance: FCC B/3m

Emission Frequency (MHz)	Test Detector	Antenna Polarity (H/V)	Turntable Azimuth (deg)	Antenna Height (m)	Analyzer Reading (dBuV)	Site Correction Factor (dB/m)	Emission Level (dBuV/m)	FCC Limit (dBuV/m)	FCC Margin (dB)	IC Limit (dBuV/m)	IC Margin (dB)	Comments
89.100	Qp	H	210	3.2	67.2	-26.0	41.2	48.0	-6.8	60.0	-18.8	
89.100	Qp	H	190	3.2	58.1	-26.0	32.1	48.0	-15.9	60.0	-27.9	1
89.100	Qp	V	250	1.0	63.2	-26.0	37.2	48.0	-10.8	60.0	-22.8	
89.100	Qp	V	290	1.0	47.3	-26.0	21.3	48.0	-26.7	60.0	-38.7	1
97.700	Qp	H	250	3.0	64.4	-23.2	41.2	48.0	-6.8	60.0	-18.8	
97.700	Qp	H	190	3.0	60.2	-23.2	37.0	48.0	-11.0	60.0	-23.0	1
97.700	Qp	V	290	1.0	60.3	-23.2	37.1	48.0	-10.9	60.0	-22.9	
97.700	Qp	V	265	1.0	51.4	-23.2	28.2	48.0	-19.8	60.0	-31.8	1
106.300	Qp	H	255	2.8	64.0	-21.8	42.2	48.0	-5.8	60.0	-17.8	
106.300	Qp	H	200	2.5	57.8	-21.8	36.0	48.0	-12.0	60.0	-24.0	1
106.300	Qp	V	290	1.0	63.7	-21.8	41.9	48.0	-6.1	60.0	-18.1	
106.300	Qp	V	270	1.0	54.2	-21.8	32.4	48.0	-15.6	60.0	-27.6	1

Notes:

1- With FEA