


Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 EUT : Xpress R
 Power :
 model : FM 96.9M
 Memo : FORD IXION
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.900	34.83	-33.17	68.00	49.72	2.26	10.96	28.11	Peak	100	---
2	96.900	33.98	-34.02	68.00	48.87	2.26	10.96	28.11	QP	100	---
3	96.900	33.24	-14.76	48.00	48.13	2.26	10.96	28.11	Average	100	---

Temperature	20°C	Humidity	58%
Configurations	96.9 MHz/ 270° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 EUT : Xpress R
 Power :
 model : FM 96.9M
 Memo : FORD IXION
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	Limit	Line	Level	Loss	Factor	Factor		Pos	Pos
			dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.900	35.92	-32.08	68.00	50.81	2.26	10.96	28.11	Peak	400	---
2	96.900	35.26	-32.74	68.00	50.15	2.26	10.96	28.11	QP	400	---
3	96.900	34.94	-13.06	48.00	49.83	2.26	10.96	28.11	Average	400	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 EUT : Xpress R
 Power :
 model : FM 96.9M
 Memo : FORD IXION
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.900	35.07	-32.93	68.00	49.96	2.26	10.96	28.11	Peak	100	---
2	96.900	34.26	-33.74	68.00	49.15	2.26	10.96	28.11	QP	100	---
3	96.900	34.04	-13.96	48.00	48.93	2.26	10.96	28.11	Average	100	---

Temperature	20°C	Humidity	58%
Configurations	96.9 MHz/ 315° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 EUT : Xpress R
 Power :
 model : FM 96.9M
 Memo : FORD IXION
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.900	39.71	-28.29	68.00	54.60	2.26	10.96	28.11	Peak	366	---
2	96.900	39.33	-28.67	68.00	54.22	2.26	10.96	28.11	QP	366	---
3	96.900	39.08	-8.92	48.00	53.97	2.26	10.96	28.11	Average	366	---

Vertical



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 EUT : Xpress R
 Power :
 model : FM 96.9M
 Memo : FORD IXION
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.900	31.60	-36.40	68.00	46.49	2.26	10.96	28.11	Peak	298	---
2	96.900	30.65	-37.35	68.00	45.54	2.26	10.96	28.11	QP	298	---
3	96.900	30.09	-17.91	48.00	44.98	2.26	10.96	28.11	Average	298	---