

INTERTEK TESTING SERVICES

Phase: Live
Model No.: 77925
Worst Case: TX Mode AC Mains "L"


Report No.: HK08050879-1(R1)

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0699
12 9k	30M	EW0090	



INTERTEK TESTING SERVICES

Phase: Live
Model No.: 77925
Worst Case: TX Mode AC Mains "L"

Report No.:HK08050879-1(R1)

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.16000	43.1	65.5	-22.4
0.23000	52.6	62.4	-9.8
0.32500	44.7	59.6	-14.9
0.54000	46.6	56.0	-9.4
0.65500	43.6	56.0	-12.4
0.92500	45.2	56.0	-10.8
1.50500	42.1	56.0	-13.9
1.57500	41.4	56.0	-14.6
2.60000	37.5	56.0	-18.5
3.80500	42.5	56.0	-13.5
4.60500	38.6	56.0	-17.4
5.79000	35.3	60.0	-24.7

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.54500	29.5	46.0	-16.5
0.58500	30.6	46.0	-15.4
1.41500	24.9	46.0	-21.1
1.66500	31.1	46.0	-14.9
3.79500	30.6	46.0	-15.4
5.27500	28.5	50.0	-21.5

* limit exceeded

INTERTEK TESTING SERVICES

Phase: Neutral
Model No.: 77925
Worst Case: TX Mode AC Mains "N"

Report No.: HK08050879-1(R1)

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0699
12	9k	30M	EW0090



INTERTEK TESTING SERVICES

Phase: Neutral
Model No.: 77925
Worst Case: TX Mode AC Mains "N"

Report No.:HK08050879-1(R1)

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.20500	45.9	63.4	-17.5
0.23000	47.1	62.4	-15.3
0.35000	37.5	59.0	-21.5
0.53500	42.7	56.0	-13.3
0.78000	38.6	56.0	-17.4
1.07000	38.7	56.0	-17.3
1.50000	42.3	56.0	-13.7
1.59500	42.8	56.0	-13.2
2.27000	32.4	56.0	-23.6
3.72500	37.2	56.0	-18.8
5.17000	39.7	60.0	-20.3
6.18000	38.9	60.0	-21.1
14.55000	27.3	60.0	-32.7

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
1.07000	21.7	46.0	-24.3
1.51500	25.3	46.0	-20.7
1.56500	26.0	46.0	-20.0

* limit exceeded
