




802.11ax HEW20-BF_Nss3,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	107.97	Inf	-Inf	9.60	3	Vertical	13	2.52	-	98.37	33.65	10.15	34.20
PK	5.5554G	62.14	68.20	-6.06	8.69	3	Vertical	13	2.52	-	53.45	32.83	10.05	34.19
PK	5.7438G	119.34	Inf	-Inf	9.61	3	Vertical	13	2.52	-	109.73	33.66	10.15	34.20
PK	5.9274G	61.29	68.20	-6.91	10.27	3	Vertical	13	2.52	-	51.02	34.21	10.28	34.22

802.11ax HEW20-BF_Nss3,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	107.45	Inf	-Inf	9.63	3	Horizontal	334	1.50	-	97.82	33.68	10.15	34.20
PK	5.5578G	61.31	68.20	-6.89	8.72	3	Horizontal	334	1.50	-	52.59	32.85	10.06	34.19
PK	5.7438G	118.38	Inf	-Inf	9.61	3	Horizontal	334	1.50	-	108.77	33.66	10.15	34.20
PK	6.033G	60.46	68.20	-7.74	10.27	3	Horizontal	334	1.50	-	50.19	34.13	10.36	34.22




**802.11ax HEW20-BF_Nss3,(MCS0)_4TX
5745MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48456G	41.24	54.00	-12.76	17.98	3	Vertical	173	1.41	-	23.26	38.93	13.11	34.06
PK	11.4812G	54.62	74.00	-19.38	17.99	3	Vertical	173	1.41	-	36.63	38.94	13.11	34.06
PK	17.22508G	60.81	68.20	-7.39	21.43	3	Vertical	255	1.50	-	39.38	38.48	16.22	33.27

**802.11ax HEW20-BF_Nss3,(MCS0)_4TX
5745MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4884G	41.22	54.00	-12.78	17.97	3	Horizontal	51	3.00	-	23.25	38.92	13.11	34.06
PK	11.45176G	53.09	74.00	-20.91	18.04	3	Horizontal	51	3.00	-	35.05	39.00	13.10	34.06
PK	17.2222G	61.53	68.20	-6.67	21.42	3	Horizontal	137	1.50	-	40.11	38.47	16.22	33.27



802.11ax HEW20-BF_Nss3,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	108.43	Inf	-Inf	9.73	3	Vertical	49	2.46	-	98.70	33.77	10.17	34.21
PK	5.5954G	61.81	68.20	-6.39	8.94	3	Vertical	49	2.46	-	52.87	33.07	10.07	34.20
PK	5.7862G	119.93	Inf	-Inf	9.73	3	Vertical	49	2.46	-	110.20	33.77	10.17	34.21
PK	5.9638G	60.93	68.20	-7.27	10.30	3	Vertical	49	2.46	-	50.63	34.22	10.30	34.22

802.11ax HEW20-BF_Nss3,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7898G	107.68	Inf	-Inf	9.74	3	Horizontal	327	1.24	-	97.94	33.78	10.17	34.21
PK	5.5858G	61.24	68.20	-6.96	8.88	3	Horizontal	327	1.24	-	52.36	33.01	10.07	34.20
PK	5.7874G	117.98	Inf	-Inf	9.73	3	Horizontal	327	1.24	-	108.25	33.77	10.17	34.21
PK	5.9254G	60.81	68.20	-7.39	10.25	3	Horizontal	327	1.24	-	50.56	34.20	10.27	34.22




**802.11ax HEW20-BF_Nss3,(MCS0)_4TX
5785MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56072G	41.06	54.00	-12.94	17.83	3	Vertical	40	1.86	-	23.23	38.78	13.14	34.09
PK	11.57768G	53.96	74.00	-20.04	17.79	3	Vertical	40	1.86	-	36.17	38.74	13.15	34.10
PK	17.37516G	61.71	68.20	-6.49	21.94	3	Vertical	79	1.28	-	39.77	38.93	16.24	33.23

**802.11ax HEW20-BF_Nss3,(MCS0)_4TX
5785MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53352G	41.25	54.00	-12.75	17.88	3	Horizontal	300	2.61	-	23.37	38.83	13.13	34.08
PK	11.58872G	53.63	74.00	-20.37	17.76	3	Horizontal	300	2.61	-	35.87	38.72	13.15	34.11
PK	17.35452G	61.51	68.20	-6.69	21.86	3	Horizontal	271	1.36	-	39.65	38.86	16.24	33.24



802.11ax HEW20-BF_Nss3,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	109.50	Inf	-Inf	9.95	3	Vertical	136	1.77	-	99.55	33.96	10.20	34.21
PK	5.6162G	61.42	68.20	-6.78	9.04	3	Vertical	136	1.77	-	52.38	33.16	10.08	34.20
PK	5.8226G	120.50	Inf	-Inf	9.93	3	Vertical	136	1.77	-	110.57	33.94	10.20	34.21
PK	6.0362G	61.51	68.20	-6.69	10.29	3	Vertical	136	1.77	-	51.22	34.14	10.37	34.22

802.11ax HEW20-BF_Nss3,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	106.48	Inf	-Inf	9.93	3	Horizontal	339	1.50	-	96.55	33.94	10.20	34.21
PK	5.6306G	60.62	68.20	-7.58	9.11	3	Horizontal	339	1.50	-	51.51	33.22	10.09	34.20
PK	5.8274G	117.95	Inf	-Inf	9.95	3	Horizontal	339	1.50	-	108.00	33.96	10.20	34.21
PK	5.9342G	61.88	68.20	-6.32	10.30	3	Horizontal	339	1.50	-	51.58	34.24	10.28	34.22




**802.11ax HEW20-BF_Nss3,(MCS0)_4TX
5825MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6556G	41.29	54.00	-12.71	17.68	3	Vertical	129	1.23	-	23.61	38.64	13.18	34.14
PK	11.67544G	54.20	74.00	-19.80	17.65	3	Vertical	129	1.23	-	36.55	38.62	13.18	34.15
PK	17.50908G	61.60	68.20	-6.60	22.29	3	Vertical	0	1.50	-	39.31	39.24	16.26	33.21


**802.11ax HEW20-BF_Nss3,(MCS0)_4TX
5825MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.68936G	41.28	54.00	-12.72	17.64	3	Horizontal	224	1.04	-	23.64	38.61	13.19	34.16
PK	11.68712G	53.85	74.00	-20.15	17.64	3	Horizontal	224	1.04	-	36.21	38.61	13.19	34.16
PK	17.4838G	61.20	68.20	-7.00	22.23	3	Horizontal	295	1.50	-	38.97	39.17	16.26	33.20

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.78	54.00	-1.22	8.90	3	Vertical	107	1.67	-	43.88	33.20	9.83	34.13
AV	5.2076G	101.77	Inf	-Inf	8.80	3	Vertical	107	1.67	-	92.97	33.07	9.87	34.14
PK	5.1476G	71.52	74.00	-2.48	8.90	3	Vertical	107	1.67	-	62.62	33.20	9.83	34.13
PK	5.1976G	114.29	Inf	-Inf	8.82	3	Vertical	107	1.67	-	105.47	33.10	9.86	34.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	53.74	54.00	-0.26	8.90	3	Horizontal	318	1.50	-	44.84	33.20	9.83	34.13
AV	5.1816G	101.38	Inf	-Inf	8.86	3	Horizontal	318	1.50	-	92.52	33.14	9.85	34.13
PK	5.1484G	70.59	74.00	-3.41	8.90	3	Horizontal	318	1.50	-	61.69	33.20	9.83	34.13
PK	5.182G	113.83	Inf	-Inf	8.86	3	Horizontal	318	1.50	-	104.97	33.14	9.85	34.13




**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5190MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56244G	47.66	54.00	-6.34	19.96	3	Vertical	175	1.81	-	27.70	38.70	15.70	34.44
PK	10.37164G	53.14	68.20	-15.06	16.76	3	Vertical	68	1.78	-	36.38	38.67	12.67	34.58
PK	15.57572G	61.09	74.00	-12.91	19.96	3	Vertical	175	1.81	-	41.13	38.70	15.71	34.45


**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5190MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56024G	47.68	54.00	-6.32	19.95	3	Horizontal	3	1.65	-	27.73	38.70	15.69	34.44
PK	10.38128G	54.01	68.20	-14.19	16.78	3	Horizontal	355	1.74	-	37.23	38.68	12.68	34.58
PK	15.56316G	60.99	74.00	-13.01	19.95	3	Horizontal	3	1.65	-	41.04	38.70	15.70	34.45

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.11	54.00	-0.89	8.90	3	Vertical	124	2.52	-	44.21	33.20	9.83	34.13
AV	5.2236G	107.33	Inf	-Inf	8.75	3	Vertical	124	2.52	-	98.58	33.01	9.88	34.14
PK	5.1496G	68.63	74.00	-5.37	8.90	3	Vertical	124	2.52	-	59.73	33.20	9.83	34.13
PK	5.2252G	119.52	Inf	-Inf	8.74	3	Vertical	124	2.52	-	110.78	33.00	9.88	34.14


802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.14	54.00	-2.86	8.90	3	Horizontal	159	2.27	-	42.24	33.20	9.83	34.13
AV	5.212G	106.60	Inf	-Inf	8.78	3	Horizontal	159	2.27	-	97.82	33.05	9.87	34.14
PK	5.15G	65.13	74.00	-8.87	8.90	3	Horizontal	159	2.27	-	56.23	33.20	9.83	34.13
PK	5.2124G	117.99	Inf	-Inf	8.78	3	Horizontal	159	2.27	-	109.21	33.05	9.87	34.14

**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5230MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68128G	48.42	54.00	-5.58	19.56	3	Vertical	132	1.50	-	28.86	38.29	15.78	34.51
PK	10.4684G	52.87	68.20	-15.33	16.83	3	Vertical	50	3.00	-	36.04	38.63	12.71	34.51
PK	15.68708G	62.78	74.00	-11.22	19.54	3	Vertical	132	1.50	-	43.24	38.26	15.79	34.51

**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5230MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68804G	48.16	54.00	-5.84	19.53	3	Horizontal	140	1.50	-	28.63	38.26	15.79	34.52
PK	10.45472G	53.70	68.20	-14.50	16.84	3	Horizontal	340	3.00	-	36.86	38.65	12.71	34.52
PK	15.69264G	62.49	74.00	-11.51	19.51	3	Horizontal	140	1.50	-	42.98	38.24	15.79	34.52



802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.743G	108.62	Inf	-Inf	9.61	3	Vertical	35	2.31	-	99.01	33.66	10.15	34.20
PK	5.6506G	63.32	68.64	-5.32	9.20	3	Vertical	35	2.31	-	54.12	33.30	10.10	34.20
PK	5.7382G	119.65	Inf	-Inf	9.58	3	Vertical	35	2.31	-	110.07	33.63	10.15	34.20
PK	5.941G	61.71	68.20	-6.49	10.33	3	Vertical	35	2.31	-	51.38	34.26	10.29	34.22

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7454G	106.65	Inf	-Inf	9.62	3	Horizontal	337	2.65	-	97.03	33.67	10.15	34.20
PK	5.6218G	60.43	68.20	-7.77	9.07	3	Horizontal	337	2.65	-	51.36	33.19	10.08	34.20
PK	5.7454G	117.29	Inf	-Inf	9.62	3	Horizontal	337	2.65	-	107.67	33.67	10.15	34.20
PK	5.9926G	60.05	68.20	-8.15	10.14	3	Horizontal	337	2.65	-	49.91	34.04	10.32	34.22




**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5755MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50228G	40.45	54.00	-13.55	17.96	3	Vertical	202	1.96	-	22.49	38.90	13.12	34.06
PK	11.51144G	53.35	74.00	-20.65	17.93	3	Vertical	202	1.96	-	35.42	38.88	13.12	34.07
PK	17.2638G	61.77	68.20	-6.43	21.55	3	Vertical	267	2.43	-	40.22	38.59	16.22	33.26

**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5755MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50504G	40.50	54.00	-13.50	17.95	3	Horizontal	45	1.19	-	22.55	38.89	13.12	34.06
PK	11.50284G	53.46	74.00	-20.54	17.95	3	Horizontal	45	1.19	-	35.51	38.89	13.12	34.06
PK	17.27048G	62.00	68.20	-6.20	21.57	3	Horizontal	212	1.22	-	40.43	38.61	16.22	33.26



802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8082G	106.98	Inf	-Inf	9.83	3	Vertical	48	2.31	-	97.15	33.85	10.19	34.21
PK	5.6258G	60.76	68.20	-7.44	9.08	3	Vertical	48	2.31	-	51.68	33.20	10.08	34.20
PK	5.7806G	119.00	Inf	-Inf	9.72	3	Vertical	48	2.31	-	109.28	33.76	10.17	34.21
PK	5.9342G	60.87	68.20	-7.33	10.30	3	Vertical	48	2.31	-	50.57	34.24	10.28	34.22

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.813G	109.32	Inf	-Inf	9.86	3	Horizontal	156	2.51	-	99.46	33.88	10.19	34.21
PK	5.6486G	61.00	68.20	-7.20	9.19	3	Horizontal	156	2.51	-	51.81	33.29	10.10	34.20
PK	5.8106G	119.94	Inf	-Inf	9.84	3	Horizontal	156	2.51	-	110.10	33.86	10.19	34.21
PK	6.0122G	61.14	68.20	-7.06	10.17	3	Horizontal	156	2.51	-	50.97	34.05	10.34	34.22




**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5795MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5838G	40.02	54.00	-13.98	17.77	3	Vertical	44	1.53	-	22.25	38.73	13.15	34.11
PK	11.58764G	53.19	74.00	-20.81	17.76	3	Vertical	44	1.53	-	35.43	38.72	13.15	34.11
PK	17.37628G	61.31	68.20	-6.89	21.94	3	Vertical	261	2.99	-	39.37	38.93	16.24	33.23

**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5795MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.584G	40.05	54.00	-13.95	17.77	3	Horizontal	320	1.52	-	22.28	38.73	13.15	34.11
PK	11.59996G	53.15	74.00	-20.85	17.74	3	Horizontal	320	1.52	-	35.41	38.70	13.15	34.11
PK	17.38356G	61.84	68.20	-6.36	21.96	3	Horizontal	230	1.50	-	39.88	38.95	16.24	33.23



802.11ax HEW40-BF_Nss2,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.68	54.00	-0.32	8.90	3	Vertical	112	1.88	-	44.78	33.20	9.83	34.13
AV	5.1976G	101.13	Inf	-Inf	8.82	3	Vertical	112	1.88	-	92.31	33.10	9.86	34.14
PK	5.15G	66.48	74.00	-7.52	8.90	3	Vertical	112	1.88	-	57.58	33.20	9.83	34.13
PK	5.1864G	113.30	Inf	-Inf	8.85	3	Vertical	112	1.88	-	104.45	33.13	9.85	34.13

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.12	54.00	-2.88	8.90	3	Horizontal	338	1.92	-	42.22	33.20	9.83	34.13
AV	5.184G	97.12	Inf	-Inf	8.85	3	Horizontal	338	1.92	-	88.27	33.13	9.85	34.13
PK	5.1424G	63.26	74.00	-10.74	8.90	3	Horizontal	338	1.92	-	54.36	33.20	9.83	34.13
PK	5.1844G	108.50	Inf	-Inf	8.85	3	Horizontal	338	1.92	-	99.65	33.13	9.85	34.13




**802.11ax HEW40-BF_Nss2,(MCS0)_4TX
5190MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55G	47.92	54.00	-6.08	19.95	3	Vertical	275	1.50	-	27.97	38.70	15.69	34.44
PK	10.39336G	53.88	68.20	-14.32	16.80	3	Vertical	336	1.50	-	37.08	38.69	12.68	34.57
PK	15.55064G	60.99	74.00	-13.01	19.95	3	Vertical	275	1.50	-	41.04	38.70	15.69	34.44


**802.11ax HEW40-BF_Nss2,(MCS0)_4TX
5190MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55048G	47.96	54.00	-6.04	19.95	3	Horizontal	216	1.50	-	28.01	38.70	15.69	34.44
PK	10.39608G	54.33	68.20	-13.87	16.82	3	Horizontal	33	2.88	-	37.51	38.70	12.68	34.56
PK	15.58288G	61.18	74.00	-12.82	19.95	3	Horizontal	216	1.50	-	41.23	38.70	15.71	34.46

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.80	54.00	-0.20	8.90	3	Vertical	139	1.65	-	44.90	33.20	9.83	34.13
AV	5.2236G	103.63	Inf	-Inf	8.75	3	Vertical	139	1.65	-	94.88	33.01	9.88	34.14
PK	5.15G	69.90	74.00	-4.10	8.90	3	Vertical	139	1.65	-	61.00	33.20	9.83	34.13
PK	5.2424G	116.01	Inf	-Inf	8.68	3	Vertical	139	1.65	-	107.33	32.93	9.89	34.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	51.45	54.00	-2.55	8.90	3	Horizontal	186	3.00	-	42.55	33.20	9.83	34.13
AV	5.2216G	103.02	Inf	-Inf	8.75	3	Horizontal	186	3.00	-	94.27	33.01	9.88	34.14
PK	5.1492G	66.27	74.00	-7.73	8.90	3	Horizontal	186	3.00	-	57.37	33.20	9.83	34.13
PK	5.224G	114.45	Inf	-Inf	8.74	3	Horizontal	186	3.00	-	105.71	33.00	9.88	34.14




**802.11ax HEW40-BF_Nss2,(MCS0)_4TX
5230MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68886G	47.92	54.00	-6.08	19.53	3	Vertical	219	1.91	-	28.39	38.26	15.79	34.52
PK	10.47074G	53.05	68.20	-15.15	16.83	3	Vertical	115	1.00	-	36.22	38.63	12.71	34.51
PK	15.6861G	62.58	74.00	-11.42	19.55	3	Vertical	219	1.91	-	43.03	38.27	15.79	34.51

**802.11ax HEW40-BF_Nss2,(MCS0)_4TX
5230MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68628G	47.73	54.00	-6.27	19.55	3	Horizontal	242	1.50	-	28.18	38.27	15.79	34.51
PK	10.46402G	53.60	68.20	-14.60	16.83	3	Horizontal	261	1.62	-	36.77	38.64	12.71	34.52
PK	15.70188G	61.77	74.00	-12.23	19.48	3	Horizontal	242	1.50	-	42.29	38.20	15.80	34.52



802.11ax HEW40-BF_Nss2,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7418G	104.33	Inf	-Inf	9.60	3	Vertical	23	1.50	-	94.73	33.65	10.15	34.20
PK	5.635G	61.88	68.20	-6.32	9.13	3	Vertical	23	1.50	-	52.75	33.24	10.09	34.20
PK	5.7454G	116.03	Inf	-Inf	9.62	3	Vertical	23	1.50	-	106.41	33.67	10.15	34.20
PK	6.025G	61.22	68.20	-6.98	10.24	3	Vertical	23	1.50	-	50.98	34.10	10.36	34.22

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7382G	104.23	Inf	-Inf	9.58	3	Horizontal	146	2.83	-	94.65	33.63	10.15	34.20
PK	5.6518G	66.01	69.53	-3.52	9.20	3	Horizontal	146	2.83	-	56.81	33.30	10.10	34.20
PK	5.7394G	114.99	Inf	-Inf	9.59	3	Horizontal	146	2.83	-	105.40	33.64	10.15	34.20
PK	5.9626G	60.58	68.20	-7.62	10.30	3	Horizontal	146	2.83	-	50.28	34.22	10.30	34.22




**802.11ax HEW40-BF_Nss2,(MCS0)_4TX
5755MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.513G	40.95	54.00	-13.05	17.92	3	Vertical	106	1.82	-	23.03	38.87	13.12	34.07
PK	11.50706G	54.57	74.00	-19.43	17.95	3	Vertical	106	1.82	-	36.62	38.89	13.12	34.06
PK	17.25954G	61.75	68.20	-6.45	21.54	3	Vertical	336	1.50	-	40.21	38.58	16.22	33.26

**802.11ax HEW40-BF_Nss2,(MCS0)_4TX
5755MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51096G	41.07	54.00	-12.93	17.93	3	Horizontal	234	1.50	-	23.14	38.88	13.12	34.07
PK	11.50034G	53.84	74.00	-20.16	17.96	3	Horizontal	234	1.50	-	35.88	38.90	13.12	34.06
PK	17.27622G	61.53	68.20	-6.67	21.59	3	Horizontal	305	1.50	-	39.94	38.63	16.22	33.26



802.11ax HEW40-BF_Nss2,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	105.06	Inf	-Inf	9.74	3	Vertical	140	1.50	-	95.32	33.78	10.17	34.21
PK	5.6498G	61.61	68.20	-6.59	9.20	3	Vertical	140	1.50	-	52.41	33.30	10.10	34.20
PK	5.7998G	116.33	Inf	-Inf	9.77	3	Vertical	140	1.50	-	106.56	33.80	10.18	34.21
PK	5.933G	61.49	68.20	-6.71	10.29	3	Vertical	140	1.50	-	51.20	34.23	10.28	34.22

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7794G	104.54	Inf	-Inf	9.72	3	Horizontal	146	3.00	-	94.82	33.76	10.17	34.21
PK	5.6282G	60.93	68.20	-7.27	9.10	3	Horizontal	146	3.00	-	51.83	33.21	10.09	34.20
PK	5.8118G	115.50	Inf	-Inf	9.85	3	Horizontal	146	3.00	-	105.65	33.87	10.19	34.21
PK	5.9318G	61.87	68.20	-6.33	10.29	3	Horizontal	146	3.00	-	51.58	34.23	10.28	34.22




**802.11ax HEW40-BF_Nss2,(MCS0)_4TX
5795MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59006G	40.27	54.00	-13.73	17.76	3	Vertical	219	1.85	-	22.51	38.72	13.15	34.11
PK	11.58958G	53.68	74.00	-20.32	17.76	3	Vertical	219	1.85	-	35.92	38.72	13.15	34.11
PK	17.39172G	61.14	68.20	-7.06	21.99	3	Vertical	360	1.50	-	39.15	38.98	16.24	33.23

**802.11ax HEW40-BF_Nss2,(MCS0)_4TX
5795MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5762G	40.53	54.00	-13.47	17.79	3	Horizontal	203	1.50	-	22.74	38.75	13.14	34.10
PK	11.58118G	53.51	74.00	-20.49	17.79	3	Horizontal	203	1.50	-	35.72	38.74	13.15	34.10
PK	17.38146G	61.40	68.20	-6.80	21.95	3	Horizontal	360	2.32	-	39.45	38.94	16.24	33.23



802.11ax HEW40-BF_Nss3,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.72	54.00	-0.28	8.90	3	Vertical	139	1.50	-	44.82	33.20	9.83	34.13
AV	5.1756G	99.49	Inf	-Inf	8.87	3	Vertical	139	1.50	-	90.62	33.15	9.85	34.13
PK	5.1472G	67.93	74.00	-6.07	8.90	3	Vertical	139	1.50	-	59.03	33.20	9.83	34.13
PK	5.1884G	111.45	Inf	-Inf	8.84	3	Vertical	139	1.50	-	102.61	33.12	9.85	34.13

802.11ax HEW40-BF_Nss3,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.34	54.00	-0.66	8.90	3	Horizontal	181	2.40	-	44.44	33.20	9.83	34.13
AV	5.184G	99.55	Inf	-Inf	8.85	3	Horizontal	181	2.40	-	90.70	33.13	9.85	34.13
PK	5.1476G	65.16	74.00	-8.84	8.90	3	Horizontal	181	2.40	-	56.26	33.20	9.83	34.13
PK	5.2072G	112.20	Inf	-Inf	8.80	3	Horizontal	181	2.40	-	103.40	33.07	9.87	34.14




802.11ax HEW40-BF_Nss3,(MCS0)_4TX
5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55192G	47.93	54.00	-6.07	19.95	3	Vertical	158	3.00	-	27.98	38.70	15.69	34.44
PK	10.35632G	53.13	68.20	-15.07	16.74	3	Vertical	119	2.82	-	36.39	38.66	12.67	34.59
PK	15.56568G	61.08	74.00	-12.92	19.95	3	Vertical	158	3.00	-	41.13	38.70	15.70	34.45

802.11ax HEW40-BF_Nss3,(MCS0)_4TX
5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55048G	47.81	54.00	-6.19	19.95	3	Horizontal	276	1.50	-	27.86	38.70	15.69	34.44
PK	10.38712G	54.37	68.20	-13.83	16.80	3	Horizontal	160	2.86	-	37.57	38.69	12.68	34.57
PK	15.55056G	61.35	74.00	-12.65	19.95	3	Horizontal	276	1.50	-	41.40	38.70	15.69	34.44



802.11ax HEW40-BF_Nss3,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.43	54.00	-0.57	8.90	3	Vertical	148	1.50	-	44.53	33.20	9.83	34.13
AV	5.2456G	104.76	Inf	-Inf	8.67	3	Vertical	148	1.50	-	96.09	32.92	9.89	34.14
PK	5.15G	69.02	74.00	-4.98	8.90	3	Vertical	148	1.50	-	60.12	33.20	9.83	34.13
PK	5.2468G	116.92	Inf	-Inf	8.66	3	Vertical	148	1.50	-	108.26	32.91	9.89	34.14

802.11ax HEW40-BF_Nss3,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.03	54.00	-0.97	8.90	3	Horizontal	179	2.95	-	44.13	33.20	9.83	34.13
AV	5.2208G	102.21	Inf	-Inf	8.75	3	Horizontal	179	2.95	-	93.46	33.02	9.87	34.14
PK	5.1448G	66.61	74.00	-7.39	8.90	3	Horizontal	179	2.95	-	57.71	33.20	9.83	34.13
PK	5.2244G	114.29	Inf	-Inf	8.74	3	Horizontal	179	2.95	-	105.55	33.00	9.88	34.14




**802.11ax HEW40-BF_Nss3,(MCS0)_4TX
5230MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68888G	48.53	54.00	-5.47	19.53	3	Vertical	213	1.50	-	29.00	38.26	15.79	34.52
PK	10.44584G	53.26	68.20	-14.94	16.82	3	Vertical	330	1.50	-	36.44	38.65	12.70	34.53
PK	15.69584G	63.12	74.00	-10.88	19.49	3	Vertical	213	1.50	-	43.63	38.22	15.79	34.52


**802.11ax HEW40-BF_Nss3,(MCS0)_4TX
5230MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70712G	48.88	54.00	-5.12	19.46	3	Horizontal	135	1.50	-	29.42	38.19	15.80	34.53
PK	10.4404G	52.86	68.20	-15.34	16.83	3	Horizontal	36	1.17	-	36.03	38.66	12.70	34.53
PK	15.7048G	62.31	74.00	-11.69	19.48	3	Horizontal	135	1.50	-	42.83	38.20	15.80	34.52

802.11ax HEW40-BF_Nss3,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7442G	105.20	Inf	-Inf	9.62	3	Vertical	0	2.54	-	95.58	33.67	10.15	34.20
PK	5.6386G	63.97	68.20	-4.23	9.14	3	Vertical	0	2.54	-	54.83	33.25	10.09	34.20
PK	5.7454G	117.13	Inf	-Inf	9.62	3	Vertical	0	2.54	-	107.51	33.67	10.15	34.20
PK	5.9374G	61.33	68.20	-6.87	10.31	3	Vertical	0	2.54	-	51.02	34.25	10.28	34.22

802.11ax HEW40-BF_Nss3,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	103.16	Inf	-Inf	9.66	3	Horizontal	335	1.84	-	93.50	33.71	10.16	34.21
PK	5.647G	61.77	68.20	-6.43	9.19	3	Horizontal	335	1.84	-	52.58	33.29	10.10	34.20
PK	5.7478G	114.85	Inf	-Inf	9.64	3	Horizontal	335	1.84	-	105.21	33.69	10.15	34.20
PK	6.037G	61.08	68.20	-7.12	10.30	3	Horizontal	335	1.84	-	50.78	34.15	10.37	34.22




**802.11ax HEW40-BF_Nss3,(MCS0)_4TX
5755MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49736G	41.43	54.00	-12.57	17.96	3	Vertical	196	2.38	-	23.47	38.91	13.11	34.06
PK	11.50416G	54.24	74.00	-19.76	17.95	3	Vertical	196	2.38	-	36.29	38.89	13.12	34.06
PK	17.28044G	62.06	68.20	-6.14	21.60	3	Vertical	117	1.50	-	40.46	38.64	16.22	33.26

**802.11ax HEW40-BF_Nss3,(MCS0)_4TX
5755MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49896G	41.40	54.00	-12.60	17.95	3	Horizontal	247	2.89	-	23.45	38.90	13.11	34.06
PK	11.49184G	54.25	74.00	-19.75	17.97	3	Horizontal	247	2.89	-	36.28	38.92	13.11	34.06
PK	17.28396G	62.17	68.20	-6.03	21.62	3	Horizontal	267	1.50	-	40.55	38.65	16.23	33.26



802.11ax HEW40-BF_Nss3,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	105.77	Inf	-Inf	9.74	3	Vertical	144	1.64	-	96.03	33.78	10.17	34.21
PK	5.5922G	62.05	68.20	-6.15	8.92	3	Vertical	144	1.64	-	53.13	33.05	10.07	34.20
PK	5.7878G	116.26	Inf	-Inf	9.74	3	Vertical	144	1.64	-	106.52	33.78	10.17	34.21
PK	5.9282G	62.60	68.20	-5.60	10.27	3	Vertical	144	1.64	-	52.33	34.21	10.28	34.22

802.11ax HEW40-BF_Nss3,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7974G	105.44	Inf	-Inf	9.76	3	Horizontal	320	2.71	-	95.68	33.79	10.18	34.21
PK	5.621G	60.94	68.20	-7.26	9.06	3	Horizontal	320	2.71	-	51.88	33.18	10.08	34.20
PK	5.7986G	117.12	Inf	-Inf	9.77	3	Horizontal	320	2.71	-	107.35	33.80	10.18	34.21
PK	5.939G	61.11	68.20	-7.09	10.32	3	Horizontal	320	2.71	-	50.79	34.26	10.28	34.22




**802.11ax HEW40-BF_Nss3,(MCS0)_4TX
5795MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57088G	40.94	54.00	-13.06	17.80	3	Vertical	303	1.70	-	23.14	38.76	13.14	34.10
PK	11.57632G	53.71	74.00	-20.29	17.79	3	Vertical	303	1.70	-	35.92	38.75	13.14	34.10
PK	17.37244G	61.83	68.20	-6.37	21.93	3	Vertical	196	1.50	-	39.90	38.92	16.24	33.23


**802.11ax HEW40-BF_Nss3,(MCS0)_4TX
5795MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57096G	40.82	54.00	-13.18	17.80	3	Horizontal	315	1.65	-	23.02	38.76	13.14	34.10
PK	11.594G	53.44	74.00	-20.56	17.75	3	Horizontal	315	1.65	-	35.69	38.71	13.15	34.11
PK	17.36964G	62.55	68.20	-5.65	21.92	3	Horizontal	259	1.89	-	40.63	38.91	16.24	33.23




**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	53.72	54.00	-0.28	8.90	3	Vertical	113	1.71	-	44.82	33.20	9.83	34.13
AV	5.211G	99.73	Inf	-Inf	8.79	3	Vertical	113	1.71	-	90.94	33.06	9.87	34.14
AV	5.36G	47.89	54.00	-6.11	8.53	3	Vertical	113	1.71	-	39.36	32.72	9.97	34.16
PK	5.135G	66.52	74.00	-7.48	8.90	3	Vertical	113	1.71	-	57.62	33.20	9.82	34.12
PK	5.22G	112.55	Inf	-Inf	8.75	3	Vertical	113	1.71	-	103.80	33.02	9.87	34.14
PK	5.353G	60.36	74.00	-13.64	8.52	3	Vertical	113	1.71	-	51.84	32.71	9.97	34.16


**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.74	54.00	-1.26	8.90	3	Horizontal	180	2.48	-	43.84	33.20	9.83	34.13
AV	5.218G	94.58	Inf	-Inf	8.76	3	Horizontal	180	2.48	-	85.82	33.03	9.87	34.14
AV	5.358G	47.26	54.00	-6.74	8.53	3	Horizontal	180	2.48	-	38.73	32.72	9.97	34.16
PK	5.145G	64.76	74.00	-9.24	8.90	3	Horizontal	180	2.48	-	55.86	33.20	9.83	34.13
PK	5.218G	105.72	Inf	-Inf	8.76	3	Horizontal	180	2.48	-	96.96	33.03	9.87	34.14
PK	5.359G	59.54	74.00	-14.46	8.53	3	Horizontal	180	2.48	-	51.01	32.72	9.97	34.16




**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62292G	46.95	54.00	-7.05	19.85	3	Vertical	285	2.09	-	27.10	38.59	15.74	34.48
PK	10.41084G	52.38	68.20	-15.82	16.83	3	Vertical	29	1.28	-	35.55	38.69	12.69	34.55
PK	15.63308G	60.32	74.00	-13.68	19.80	3	Vertical	285	2.09	-	40.52	38.53	15.75	34.48

**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5210MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62364G	46.88	54.00	-7.12	19.84	3	Horizontal	313	2.53	-	27.04	38.58	15.74	34.48
PK	10.41536G	52.82	68.20	-15.38	16.82	3	Horizontal	329	1.15	-	36.00	38.68	12.69	34.55
PK	15.63844G	60.05	74.00	-13.95	19.77	3	Horizontal	313	2.53	-	40.28	38.51	15.75	34.49



802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7618G	102.17	Inf	-Inf	9.67	3	Vertical	276	1.50	-	92.50	33.72	10.16	34.21
PK	5.6514G	67.90	69.24	-1.34	9.20	3	Vertical	276	1.50	-	58.70	33.30	10.10	34.20
PK	5.7642G	112.96	Inf	-Inf	9.68	3	Vertical	276	1.50	-	103.28	33.73	10.16	34.21
PK	5.9286G	64.45	68.20	-3.75	10.27	3	Vertical	276	1.50	-	54.18	34.21	10.28	34.22

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7978G	101.60	Inf	-Inf	9.77	3	Horizontal	133	3.00	-	91.83	33.80	10.18	34.21
PK	5.6478G	67.51	68.20	-0.69	9.19	3	Horizontal	133	3.00	-	58.32	33.29	10.10	34.20
PK	5.799G	113.83	Inf	-Inf	9.77	3	Horizontal	133	3.00	-	104.06	33.80	10.18	34.21
PK	5.9358G	67.66	68.20	-0.54	10.30	3	Horizontal	133	3.00	-	57.36	34.24	10.28	34.22




**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54008G	40.10	54.00	-13.90	17.87	3	Vertical	34	1.92	-	22.23	38.82	13.13	34.08
PK	11.543G	54.03	74.00	-19.97	17.86	3	Vertical	34	1.92	-	36.17	38.81	13.13	34.08
PK	17.3302G	62.35	68.20	-5.85	21.78	3	Vertical	163	1.69	-	40.57	38.79	16.23	33.24


**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54048G	40.13	54.00	-13.87	17.87	3	Horizontal	218	2.18	-	22.26	38.82	13.13	34.08
PK	11.55988G	52.95	74.00	-21.05	17.83	3	Horizontal	218	2.18	-	35.12	38.78	13.14	34.09
PK	17.3182G	62.92	68.20	-5.28	21.73	3	Horizontal	0	2.98	-	41.19	38.75	16.23	33.25

802.11ax HEW80-BF_Nss2,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.76	54.00	-0.24	8.90	3	Vertical	107	1.50	-	44.86	33.20	9.83	34.13
AV	5.196G	96.98	Inf	-Inf	8.83	3	Vertical	107	1.50	-	88.15	33.11	9.86	34.14
AV	5.352G	47.89	54.00	-6.11	8.51	3	Vertical	107	1.50	-	39.38	32.70	9.97	34.16
PK	5.146G	65.16	74.00	-8.84	8.90	3	Vertical	107	1.50	-	56.26	33.20	9.83	34.13
PK	5.213G	108.94	Inf	-Inf	8.78	3	Vertical	107	1.50	-	100.16	33.05	9.87	34.14
PK	5.374G	60.52	74.00	-13.48	8.56	3	Vertical	107	1.50	-	51.96	32.75	9.98	34.17

802.11ax HEW80-BF_Nss2,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.32	54.00	-0.68	8.90	3	Horizontal	333	1.38	-	44.42	33.20	9.83	34.13
AV	5.18G	95.01	Inf	-Inf	8.86	3	Horizontal	333	1.38	-	86.15	33.14	9.85	34.13
AV	5.354G	47.43	54.00	-6.57	8.52	3	Horizontal	333	1.38	-	38.91	32.71	9.97	34.16
PK	5.147G	66.26	74.00	-7.74	8.90	3	Horizontal	333	1.38	-	57.36	33.20	9.83	34.13
PK	5.181G	107.20	Inf	-Inf	8.86	3	Horizontal	333	1.38	-	98.34	33.14	9.85	34.13
PK	5.372G	60.43	74.00	-13.57	8.55	3	Horizontal	333	1.38	-	51.88	32.74	9.98	34.17




**802.11ax HEW80-BF_Nss2,(MCS0)_4TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6159G	47.23	54.00	-6.77	19.89	3	Vertical	242	1.85	-	27.34	38.62	15.74	34.47
PK	10.4068G	53.67	68.20	-14.53	16.82	3	Vertical	149	2.55	-	36.85	38.69	12.69	34.56
PK	15.6195G	60.32	74.00	-13.68	19.86	3	Vertical	242	1.85	-	40.46	38.60	15.74	34.48

**802.11ax HEW80-BF_Nss2,(MCS0)_4TX
5210MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61992G	47.31	54.00	-6.69	19.86	3	Horizontal	130	1.20	-	27.45	38.60	15.74	34.48
PK	10.42462G	53.22	68.20	-14.98	16.84	3	Horizontal	312	3.00	-	36.38	38.68	12.70	34.54
PK	15.62664G	59.79	74.00	-14.21	19.83	3	Horizontal	130	1.20	-	39.96	38.57	15.74	34.48



802.11ax HEW80-BF_Nss2,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	100.01	Inf	-Inf	9.61	3	Vertical	26	1.50	-	90.40	33.66	10.15	34.20
PK	5.6466G	68.00	68.20	-0.20	9.19	3	Vertical	26	1.50	-	58.81	33.29	10.10	34.20
PK	5.763G	112.97	Inf	-Inf	9.68	3	Vertical	26	1.50	-	103.29	33.73	10.16	34.21
PK	5.9286G	64.82	68.20	-3.38	10.27	3	Vertical	26	1.50	-	54.55	34.21	10.28	34.22

802.11ax HEW80-BF_Nss2,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8026G	99.28	Inf	-Inf	9.79	3	Horizontal	333	1.82	-	89.49	33.82	10.18	34.21
PK	5.6466G	67.33	68.20	-0.87	9.19	3	Horizontal	333	1.82	-	58.14	33.29	10.10	34.20
PK	5.7378G	111.18	Inf	-Inf	9.58	3	Horizontal	333	1.82	-	101.60	33.63	10.15	34.20
PK	5.9238G	63.43	69.09	-5.66	10.25	3	Horizontal	333	1.82	-	53.18	34.20	10.27	34.22




**802.11ax HEW80-BF_Nss2,(MCS0)_4TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54052G	40.63	54.00	-13.37	17.87	3	Vertical	348	2.29	-	22.76	38.82	13.13	34.08
PK	11.55816G	53.82	74.00	-20.18	17.83	3	Vertical	348	2.29	-	35.99	38.78	13.14	34.09
PK	17.33994G	61.65	68.20	-6.55	21.81	3	Vertical	231	1.85	-	39.84	38.82	16.23	33.24


**802.11ax HEW80-BF_Nss2,(MCS0)_4TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.535G	40.69	54.00	-13.31	17.88	3	Horizontal	324	2.23	-	22.81	38.83	13.13	34.08
PK	11.55636G	53.86	74.00	-20.14	17.84	3	Horizontal	324	2.23	-	36.02	38.79	13.14	34.09
PK	17.31918G	61.80	68.20	-6.40	21.74	3	Horizontal	185	2.77	-	40.06	38.76	16.23	33.25

802.11ax HEW80-BF_Nss3,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.43	54.00	-0.57	8.90	3	Vertical	110	1.00	-	44.53	33.20	9.83	34.13
AV	5.2G	95.97	Inf	-Inf	8.82	3	Vertical	110	1.00	-	87.15	33.10	9.86	34.14
AV	5.364G	47.99	54.00	-6.01	8.53	3	Vertical	110	1.00	-	39.46	32.73	9.97	34.17
PK	5.149G	65.64	74.00	-8.36	8.90	3	Vertical	110	1.00	-	56.74	33.20	9.83	34.13
PK	5.209G	107.86	Inf	-Inf	8.79	3	Vertical	110	1.00	-	99.07	33.06	9.87	34.14
PK	5.453G	59.62	74.00	-14.38	8.75	3	Vertical	110	1.00	-	50.87	32.91	10.02	34.18

802.11ax HEW80-BF_Nss3,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.24	54.00	-2.76	8.90	3	Horizontal	306	1.83	-	42.34	33.20	9.83	34.13
AV	5.172G	93.06	Inf	-Inf	8.87	3	Horizontal	306	1.83	-	84.19	33.16	9.84	34.13
AV	5.358G	47.45	54.00	-6.55	8.53	3	Horizontal	306	1.83	-	38.92	32.72	9.97	34.16
PK	5.15G	62.74	74.00	-11.26	8.90	3	Horizontal	306	1.83	-	53.84	33.20	9.83	34.13
PK	5.2G	105.08	Inf	-Inf	8.82	3	Horizontal	306	1.83	-	96.26	33.10	9.86	34.14
PK	5.359G	59.13	74.00	-14.87	8.53	3	Horizontal	306	1.83	-	50.60	32.72	9.97	34.16




**802.11ax HEW80-BF_Nss3,(MCS0)_4TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59304G	47.49	54.00	-6.51	19.96	3	Vertical	92	1.50	-	27.53	38.70	15.72	34.46
PK	10.38928G	53.50	68.20	-14.70	16.80	3	Vertical	309	1.32	-	36.70	38.69	12.68	34.57
PK	15.59432G	59.85	74.00	-14.15	19.96	3	Vertical	92	1.50	-	39.89	38.70	15.72	34.46

**802.11ax HEW80-BF_Nss3,(MCS0)_4TX
5210MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59352G	47.44	54.00	-6.56	19.96	3	Horizontal	68	1.50	-	27.48	38.70	15.72	34.46
PK	10.4376G	53.16	68.20	-15.04	16.83	3	Horizontal	256	1.34	-	36.33	38.66	12.70	34.53
PK	15.6356G	60.03	74.00	-13.97	19.78	3	Horizontal	68	1.50	-	40.25	38.52	15.75	34.49



802.11ax HEW80-BF_Nss3,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	100.60	Inf	-Inf	9.61	3	Vertical	14	2.34	-	90.99	33.66	10.15	34.20
PK	5.6466G	67.34	68.20	-0.86	9.19	3	Vertical	14	2.34	-	58.15	33.29	10.10	34.20
PK	5.7882G	112.51	Inf	-Inf	9.74	3	Vertical	14	2.34	-	102.77	33.78	10.17	34.21
PK	5.9334G	63.69	68.20	-4.51	10.29	3	Vertical	14	2.34	-	53.40	34.23	10.28	34.22

802.11ax HEW80-BF_Nss3,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	100.11	Inf	-Inf	9.68	3	Horizontal	325	2.89	-	90.43	33.73	10.16	34.21
PK	5.649G	67.44	68.20	-0.76	9.20	3	Horizontal	325	2.89	-	58.24	33.30	10.10	34.20
PK	5.7474G	114.71	Inf	-Inf	9.63	3	Horizontal	325	2.89	-	105.08	33.68	10.15	34.20
PK	5.925G	63.63	68.20	-4.57	10.25	3	Horizontal	325	2.89	-	53.38	34.20	10.27	34.22




**802.11ax HEW80-BF_Nss3,(MCS0)_4TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51016G	40.96	54.00	-13.04	17.93	3	Vertical	38	1.72	-	23.03	38.88	13.12	34.07
PK	11.51976G	54.15	74.00	-19.85	17.91	3	Vertical	38	1.72	-	36.24	38.86	13.12	34.07
PK	17.35652G	61.67	68.20	-6.53	21.87	3	Vertical	14	1.50	-	39.80	38.87	16.24	33.24

**802.11ax HEW80-BF_Nss3,(MCS0)_4TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51336G	41.13	54.00	-12.87	17.92	3	Horizontal	301	2.48	-	23.21	38.87	13.12	34.07
PK	11.542G	53.75	74.00	-20.25	17.87	3	Horizontal	301	2.48	-	35.88	38.82	13.13	34.08
PK	17.33172G	62.19	68.20	-6.01	21.79	3	Horizontal	332	1.50	-	40.40	38.80	16.23	33.24



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	15.63169G	49.01	54.00	-4.99	Horizontal



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.81675G	26.60	68.20	-41.60	3	Vertical	22	2.90	-
Mode 1	Pass	AV	2.72511G	29.53	54.00	-24.47	3	Vertical	350	1.68	-
Mode 1	Pass	AV	4.92393G	37.07	54.00	-16.93	3	Vertical	135	1.96	-
Mode 1	Pass	AV	4.9497G	37.98	54.00	-16.02	3	Vertical	115	1.80	-
Mode 1	Pass	AV	4.96071G	37.63	54.00	-16.37	3	Vertical	105	1.74	-
Mode 1	Pass	AV	5.44804G	38.86	54.00	-15.14	3	Vertical	106	1.73	-
Mode 1	Pass	AV	7.38449G	42.73	54.00	-11.27	3	Vertical	140	1.72	-
Mode 1	Pass	AV	7.42458G	37.72	54.00	-16.28	3	Vertical	270	1.00	-
Mode 1	Pass	AV	7.43874G	39.97	54.00	-14.03	3	Vertical	77	1.89	-
Mode 1	Pass	AV	10.41248G	40.98	68.20	-27.22	3	Vertical	242	1.02	-
Mode 1	Pass	AV	15.63077G	48.86	54.00	-5.14	3	Vertical	189	1.95	-
Mode 1	Pass	PK	1.8169G	38.05	68.20	-30.15	3	Vertical	22	2.90	-
Mode 1	Pass	PK	2.72506G	40.83	74.00	-33.17	3	Vertical	350	1.68	-
Mode 1	Pass	PK	4.92398G	50.12	74.00	-23.88	3	Vertical	135	1.96	-
Mode 1	Pass	PK	4.9498G	51.45	74.00	-22.55	3	Vertical	115	1.80	-
Mode 1	Pass	PK	4.96154G	50.62	74.00	-23.38	3	Vertical	105	1.74	-
Mode 1	Pass	PK	5.45004G	52.46	74.00	-21.54	3	Vertical	106	1.73	-
Mode 1	Pass	PK	7.38217G	58.66	74.00	-15.34	3	Vertical	140	1.72	-
Mode 1	Pass	PK	7.42528G	50.64	74.00	-23.36	3	Vertical	270	1.00	-
Mode 1	Pass	PK	7.4399G	52.23	74.00	-21.77	3	Vertical	77	1.89	-
Mode 1	Pass	PK	10.42254G	54.18	68.20	-14.02	3	Vertical	242	1.02	-
Mode 1	Pass	PK	15.62245G	62.58	74.00	-11.42	3	Vertical	189	1.95	-
Mode 1	Pass	AV	1.8167G	31.52	68.20	-36.68	3	Horizontal	293	1.58	-
Mode 1	Pass	AV	2.72514G	34.51	54.00	-19.49	3	Horizontal	300	1.06	-
Mode 1	Pass	AV	4.92399G	34.52	54.00	-19.48	3	Horizontal	319	1.48	-
Mode 1	Pass	AV	4.94911G	36.45	54.00	-17.55	3	Horizontal	142	1.74	-
Mode 1	Pass	AV	4.96047G	36.21	54.00	-17.79	3	Horizontal	151	1.50	-
Mode 1	Pass	AV	5.45032G	38.59	54.00	-15.41	3	Horizontal	328	1.77	-
Mode 1	Pass	AV	7.38647G	43.25	54.00	-10.75	3	Horizontal	353	1.67	-
Mode 1	Pass	AV	7.42219G	37.57	54.00	-16.43	3	Horizontal	40	1.95	-
Mode 1	Pass	AV	7.44129G	38.86	54.00	-15.14	3	Horizontal	35	1.50	-
Mode 1	Pass	AV	10.42264G	40.95	68.20	-27.25	3	Horizontal	190	1.91	-
Mode 1	Pass	AV	15.63169G	49.01	54.00	-4.99	3	Horizontal	46	1.50	-
Mode 1	Pass	PK	1.81678G	39.08	68.20	-29.12	3	Horizontal	293	1.58	-
Mode 1	Pass	PK	2.725G	42.94	74.00	-31.06	3	Horizontal	300	1.06	-
Mode 1	Pass	PK	4.92366G	49.20	74.00	-24.80	3	Horizontal	319	1.48	-
Mode 1	Pass	PK	4.94983G	50.26	74.00	-23.74	3	Horizontal	142	1.74	-
Mode 1	Pass	PK	4.95968G	48.68	74.00	-25.32	3	Horizontal	151	1.50	-
Mode 1	Pass	PK	5.45121G	51.49	74.00	-22.51	3	Horizontal	328	1.77	-
Mode 1	Pass	PK	7.39152G	60.30	74.00	-13.70	3	Horizontal	353	1.67	-
Mode 1	Pass	PK	7.42868G	51.21	74.00	-22.79	3	Horizontal	40	1.95	-
Mode 1	Pass	PK	7.44145G	51.34	74.00	-22.66	3	Horizontal	35	1.50	-
Mode 1	Pass	PK	10.4251G	54.04	68.20	-14.16	3	Horizontal	190	1.91	-
Mode 1	Pass	PK	15.63348G	62.31	74.00	-11.69	3	Horizontal	46	1.50	-


Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.81675G	26.60	68.20	-41.60	-1.75	3	Vertical	22	2.90	-	28.35	24.87	7.54	34.16
AV	2.72511G	29.53	54.00	-24.47	2.44	3	Vertical	350	1.68	-	27.09	28.30	8.49	34.35
AV	4.92393G	37.07	54.00	-16.93	8.38	3	Vertical	135	1.96	-	28.69	32.80	9.72	34.14
AV	4.9497G	37.98	54.00	-16.02	8.51	3	Vertical	115	1.80	-	29.47	32.90	9.73	34.12
AV	4.96071G	37.63	54.00	-16.37	8.55	3	Vertical	105	1.74	-	29.08	32.94	9.73	34.12
AV	5.44804G	38.86	54.00	-15.14	8.74	3	Vertical	106	1.73	-	30.12	32.90	10.02	34.18
AV	7.38449G	42.73	54.00	-11.27	13.34	3	Vertical	140	1.72	-	29.39	36.49	11.34	34.49
AV	7.42458G	37.72	54.00	-16.28	13.13	3	Vertical	270	1.00	-	24.59	36.30	11.32	34.49
AV	7.43874G	39.97	54.00	-14.03	13.06	3	Vertical	77	1.89	-	26.91	36.25	11.30	34.49
AV	10.41248G	40.98	68.20	-27.22	16.83	3	Vertical	242	1.02	-	24.15	38.69	12.69	34.55
AV	15.63077G	48.86	54.00	-5.14	19.82	3	Vertical	189	1.95	-	29.04	38.55	15.75	34.48
PK	1.8169G	38.05	68.20	-30.15	-1.75	3	Vertical	22	2.90	-	39.80	24.87	7.54	34.16
PK	2.72506G	40.83	74.00	-33.17	2.44	3	Vertical	350	1.68	-	38.39	28.30	8.49	34.35
PK	4.92398G	50.12	74.00	-23.88	8.38	3	Vertical	135	1.96	-	41.74	32.80	9.72	34.14
PK	4.9498G	51.45	74.00	-22.55	8.51	3	Vertical	115	1.80	-	42.94	32.90	9.73	34.12
PK	4.96154G	50.62	74.00	-23.38	8.56	3	Vertical	105	1.74	-	42.06	32.95	9.73	34.12
PK	5.45004G	52.46	74.00	-21.54	8.74	3	Vertical	106	1.73	-	43.72	32.90	10.02	34.18
PK	7.38217G	58.66	74.00	-15.34	13.36	3	Vertical	140	1.72	-	45.30	36.51	11.34	34.49
PK	7.42528G	50.64	74.00	-23.36	13.12	3	Vertical	270	1.00	-	37.52	36.30	11.31	34.49
PK	7.4399G	52.23	74.00	-21.77	13.05	3	Vertical	77	1.89	-	39.18	36.24	11.30	34.49
PK	10.42254G	54.18	68.20	-14.02	16.82	3	Vertical	242	1.02	-	37.36	38.68	12.69	34.55
PK	15.62245G	62.58	74.00	-11.42	19.85	3	Vertical	189	1.95	-	42.73	38.59	15.74	34.48



Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.8167G	31.52	68.20	-36.68	-1.75	3	Horizontal	293	1.58	-	33.27	24.87	7.54	34.16
AV	2.72514G	34.51	54.00	-19.49	2.44	3	Horizontal	300	1.06	-	32.07	28.30	8.49	34.35
AV	4.92399G	34.52	54.00	-19.48	8.38	3	Horizontal	319	1.48	-	26.14	32.80	9.72	34.14
AV	4.94911G	36.45	54.00	-17.55	8.51	3	Horizontal	142	1.74	-	27.94	32.90	9.73	34.12
AV	4.96047G	36.21	54.00	-17.79	8.55	3	Horizontal	151	1.50	-	27.66	32.94	9.73	34.12
AV	5.45032G	38.59	54.00	-15.41	8.74	3	Horizontal	328	1.77	-	29.85	32.90	10.02	34.18
AV	7.38647G	43.25	54.00	-10.75	13.33	3	Horizontal	353	1.67	-	29.92	36.48	11.34	34.49
AV	7.42219G	37.57	54.00	-16.43	13.14	3	Horizontal	40	1.95	-	24.43	36.31	11.32	34.49
AV	7.44129G	38.86	54.00	-15.14	13.04	3	Horizontal	35	1.50	-	25.82	36.23	11.30	34.49
AV	10.42264G	40.95	68.20	-27.25	16.82	3	Horizontal	190	1.91	-	24.13	38.68	12.69	34.55
AV	15.63169G	49.01	54.00	-4.99	19.81	3	Horizontal	46	1.50	-	29.20	38.54	15.75	34.48
PK	1.81678G	39.08	68.20	-29.12	-1.75	3	Horizontal	293	1.58	-	40.83	24.87	7.54	34.16
PK	2.725G	42.94	74.00	-31.06	2.44	3	Horizontal	300	1.06	-	40.50	28.30	8.49	34.35
PK	4.92366G	49.20	74.00	-24.80	8.37	3	Horizontal	319	1.48	-	40.83	32.79	9.72	34.14
PK	4.94983G	50.26	74.00	-23.74	8.51	3	Horizontal	142	1.74	-	41.75	32.90	9.73	34.12
PK	4.95968G	48.68	74.00	-25.32	8.55	3	Horizontal	151	1.50	-	40.13	32.94	9.73	34.12
PK	5.45121G	51.49	74.00	-22.51	8.74	3	Horizontal	328	1.77	-	42.75	32.90	10.02	34.18
PK	7.39152G	60.30	74.00	-13.70	13.30	3	Horizontal	353	1.67	-	47.00	36.45	11.34	34.49
PK	7.42868G	51.21	74.00	-22.79	13.11	3	Horizontal	40	1.95	-	38.10	36.29	11.31	34.49
PK	7.44145G	51.34	74.00	-22.66	13.04	3	Horizontal	35	1.50	-	38.30	36.23	11.30	34.49
PK	10.4251G	54.04	68.20	-14.16	16.83	3	Horizontal	190	1.91	-	37.21	38.67	12.70	34.54
PK	15.63348G	62.31	74.00	-11.69	19.80	3	Horizontal	46	1.50	-	42.51	38.53	15.75	34.48