



For UNII 1 outdoor
Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_8TX	8.00
802.11ax HEW20_Nss1,(MCS0)_8TX	7.75
802.11ax HEW40_Nss1,(MCS0)_8TX	7.24
802.11ax HEW80_Nss1,(MCS0)_8TX	4.11

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	14.86	-0.58	0.23	1.09	-0.87	-1.01	-0.40	-1.32	0.50	7.97	8.14
5200MHz	Pass	14.86	-0.54	0.52	1.03	-0.69	-0.70	-0.33	-1.32	0.68	8.00	8.14
5240MHz	Pass	14.86	-0.48	-0.67	0.52	-0.27	-1.01	0.26	-1.45	0.70	7.98	8.14
802.11ax HEW20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	14.86	-0.35	0.94	-0.03	-1.12	-1.37	-1.67	-0.71	-0.15	7.75	8.14
5200MHz	Pass	14.86	-1.52	-0.30	-0.24	-0.72	-1.01	-1.65	-0.25	-0.78	7.64	8.14
5240MHz	Pass	14.86	-0.85	-0.42	0.19	-1.00	-0.41	-0.37	-1.14	0.05	7.45	8.14
802.11ax HEW40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	14.86	-1.74	-0.42	-0.05	-1.13	-1.56	-1.42	-0.71	-0.44	7.24	8.14
5230MHz	Pass	14.86	-1.88	-0.21	-0.56	-1.11	-1.89	-0.91	-0.83	-0.24	7.12	8.14
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	14.86	-4.81	-3.03	-3.64	-4.57	-4.77	-4.50	-4.05	-3.21	4.11	8.14


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_8TX

PSD

5180MHz

12/10/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.97	7.97	-0.58	0.23	1.09	-0.87	-1.01	-0.40	-1.32	0.50

802.11a_Nss1,(6Mbps)_8TX

PSD

5200MHz

12/10/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.00	8.00	-0.54	0.52	1.03	-0.69	-0.70	-0.33	-1.32	0.68

802.11a_Nss1,(6Mbps)_8TX

PSD

5240MHz

12/10/2022

CF
5.24GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS





Sum 


Port 1 


Port 2 


Port 3 

Port 4 

Port 5 

Port 6 

Port 7 

Port 8 

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.98	7.98	-0.48	-0.67	0.52	-0.27	-1.01	0.26	-1.45	0.70

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5180MHz

12/10/2022

CF
5.18GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS





Sum 


Port 1 


Port 2 


Port 3 

Port 4 

Port 5 

Port 6 

Port 7 

Port 8 


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.75	7.75	-0.35	0.94	-0.03	-1.12	-1.37	-1.67	-0.71	-0.15

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5200MHz

12/10/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.64	7.64	-1.52	-0.30	-0.24	-0.72	-1.01	-1.65	-0.25	-0.78

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5240MHz

13/10/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.45	7.45	-0.85	-0.42	0.19	-1.00	-0.41	-0.37	-1.14	0.05


802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5190MHz

14/10/2022

CF
5.19GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.24	7.24	-1.74	-0.42	-0.05	-1.13	-1.56	-1.42	-0.71	-0.44


802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5230MHz

14/10/2022

CF
5.23GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.12	7.12	-1.88	-0.21	-0.56	-1.11	-1.89	-0.91	-0.83	-0.24

802.11ax HEW80_Nss1,(MCS0)_8TX

PSD

5210MHz

13/10/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.11	4.11	-4.81	-3.03	-3.64	-4.57	-4.77	-4.50	-4.05	-3.21



For UNII 1 outdoor
Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_8TX	0.94
802.11ax HEW20_Nss1,(MCS0)_8TX	0.48
802.11ax HEW40_Nss1,(MCS0)_8TX	0.11
802.11ax HEW80_Nss1,(MCS0)_8TX	-2.95



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:







Result



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	19.71	-6.32	-8.07	-7.27	-7.57	-7.34	-8.75	-8.92	-6.79	0.85	3.29
5200MHz	Pass	19.71	-6.34	-7.05	-7.83	-7.80	-7.80	-7.82	-7.32	-7.33	0.71	3.29
5240MHz	Pass	19.71	-6.75	-8.28	-7.63	-7.25	-7.25	-7.15	-7.88	-6.63	0.94	3.29
802.11ax HEW20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	19.71	-7.50	-8.11	-7.67	-7.99	-8.71	-8.99	-8.90	-8.81	0.18	3.29
5200MHz	Pass	19.71	-7.00	-8.50	-8.40	-8.25	-8.29	-9.49	-9.55	-8.07	-0.27	3.29
5240MHz	Pass	19.71	-7.25	-6.90	-7.42	-8.15	-8.47	-8.94	-9.24	-8.42	0.48	3.29
802.11ax HEW40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	19.71	-6.96	-7.67	-7.77	-8.34	-8.31	-9.39	-8.01	-8.12	0.11	3.29
5230MHz	Pass	19.71	-7.48	-8.78	-7.95	-8.32	-8.14	-8.77	-8.08	-7.98	0.10	3.29
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	19.71	-10.29	-10.75	-10.88	-11.31	-11.08	-12.19	-11.13	-10.89	-2.95	3.29


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;














Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	QP	33.88M	36.41	40.00	-3.59	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	33.88M	36.41	40.00	-3.59	-9.19	3	Vertical	58	1.00	"Worst"	45.60	21.98	0.49	31.66
PK	51.34M	32.05	40.00	-7.95	-17.69	3	Vertical	250	1.25	-	49.74	13.50	0.68	31.87
PK	88M	23.98	43.50	-19.52	-16.80	3	Vertical	276	1.50	-	40.78	14.15	1.00	31.95
PK	363.68M	31.13	46.00	-14.87	-8.93	3	Vertical	172	1.25	-	40.06	20.70	2.54	32.17
PK	740.04M	34.58	46.00	-11.42	-3.70	3	Vertical	0	2.00	-	38.28	25.16	3.74	32.60
PK	934.04M	30.05	46.00	-15.95	-1.90	3	Vertical	153	1.00	-	31.95	26.31	4.27	32.48

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	33.88M	26.38	40.00	-13.62	-9.19	3	Horizontal	257	1.50	"Worst"	35.57	21.98	0.49	31.66
PK	88M	24.54	40.00	-15.46	-16.80	3	Horizontal	73	2.00	-	41.34	14.15	1.00	31.95
PK	248.25M	31.19	46.00	-14.81	-12.01	3	Horizontal	42	1.00	-	43.20	18.00	1.99	32.00
PK	904.94M	29.52	46.00	-16.48	-2.11	3	Horizontal	299	2.00	-	31.63	26.20	4.18	32.49
PK	938.89M	30.11	46.00	-15.89	-1.84	3	Horizontal	74	1.25	-	31.95	26.36	4.28	32.48
PK	960M	29.32	46.00	-16.68	-1.49	3	Horizontal	82	1.50	-	30.81	26.63	4.33	32.45




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	AV	15.5967G	53.90	54.00	-0.10	3	Horizontal	264	1.80	-

802.11a_Nss1,(6Mbps)_8TX

5180MHz_TnomVnom




EUT Y_8TX
Setting 16
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	67.70	74.00	-6.30	61.82	3	Vertical	7	1.80	-	32.70	5.97	32.79
AV	5.149G	52.96	54.00	-1.04	47.08	3	Vertical	7	1.80	-	32.70	5.97	32.79
PK	5.1826G	119.38	Inf	-Inf	113.46	3	Vertical	7	1.80	-	32.70	5.99	32.77
AV	5.1832G	109.41	Inf	-Inf	103.49	3	Vertical	7	1.80	-	32.70	5.99	32.77

802.11a_Nss1,(6Mbps)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 16
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5404G	60.59	74.00	-13.41	42.75	3	Vertical	355	1.68	-	38.04	10.52	30.72
AV	15.53944G	47.52	54.00	-6.48	29.68	3	Vertical	355	1.68	-	38.04	10.52	30.72

802.11a_Nss1,(6Mbps)_8TX

5180MHz_TnomVnom




EUT_Z_8TX
Setting 16
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5447G	60.34	74.00	-13.66	42.52	3	Horizontal	73	1.31	-	38.02	10.52	30.72
AV	15.53988G	47.56	54.00	-6.44	29.72	3	Horizontal	73	1.31	-	38.04	10.52	30.72

802.11a_Nss1,(6Mbps)_8TX

5200MHz_TnomVnom




EUT V_8TX
Setting 20.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	67.43	74.00	-6.57	61.55	3	Vertical	190	1.80	-	32.70	5.97	32.79
AV	5.1488G	53.17	54.00	-0.83	47.29	3	Vertical	190	1.80	-	32.70	5.97	32.79
PK	5.1968G	126.64	Inf	-Inf	120.71	3	Vertical	190	1.80	-	32.70	6.00	32.77
AV	5.196G	116.70	Inf	-Inf	110.77	3	Vertical	190	1.80	-	32.70	6.00	32.77

802.11a_Nss1,(6Mbps)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 20.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60138G	63.49	74.00	-10.51	45.85	3	Vertical	269	1.86	-	37.80	10.54	30.70
AV	15.60198G	49.95	54.00	-4.05	32.31	3	Vertical	269	1.86	-	37.80	10.54	30.70

802.11a_Nss1,(6Mbps)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 20.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5964G	68.31	74.00	-5.69	50.66	3	Horizontal	264	1.80	-	37.81	10.54	30.70
AV	15.5967G	53.90	54.00	-0.10	36.25	3	Horizontal	264	1.80	-	37.81	10.54	30.70

802.11a_Nss1,(6Mbps)_8TX

5240MHz_TnomVnom




EUT_V_8TX
Setting 23
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	63.31	74.00	-10.69	57.43	3	Vertical	164	1.80	-	32.70	5.97	32.79
AV	5.1482G	48.77	54.00	-5.23	42.89	3	Vertical	164	1.80	-	32.70	5.97	32.79
PK	5.2382G	126.66	Inf	-Inf	120.61	3	Vertical	164	1.80	-	32.78	6.02	32.75
AV	5.2388G	116.75	Inf	-Inf	110.70	3	Vertical	164	1.80	-	32.78	6.02	32.75
PK	5.3522G	59.57	74.00	-14.43	53.18	3	Vertical	164	1.80	-	33.01	6.08	32.70
AV	5.3762G	47.18	54.00	-6.82	40.68	3	Vertical	164	1.80	-	33.10	6.09	32.69

802.11a_Nss1,(6Mbps)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 20.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72174G	65.37	74.00	-8.63	47.61	3	Vertical	259	1.93	-	37.83	10.59	30.66
AV	15.72156G	51.91	54.00	-2.09	34.15	3	Vertical	259	1.93	-	37.83	10.59	30.66

802.11a_Nss1,(6Mbps)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 20.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72144G	66.99	74.00	-7.01	49.23	3	Horizontal	280	1.80	-	37.83	10.59	30.66
AV	15.72162G	53.65	54.00	-0.35	35.89	3	Horizontal	280	1.80	-	37.83	10.59	30.66

802.11a_Nss1,(6Mbps)_8TX

5745MHz_TnomVnom




EUT Y_8TX
Setting 23
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	65.92	68.20	-2.28	58.32	3	Vertical	295	1.80	-	34.08	6.22	32.70
PK	5.739G	127.86	Inf	-Inf	120.02	3	Vertical	295	1.80	-	34.31	6.27	32.74
AV	5.739G	117.71	Inf	-Inf	109.87	3	Vertical	295	1.80	-	34.31	6.27	32.74
PK	5.94G	60.05	68.20	-8.15	51.44	3	Vertical	295	1.80	-	35.06	6.37	32.82

802.11a_Nss1,(6Mbps)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 19.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48988G	58.04	74.00	-15.96	42.49	3	Vertical	191	1.51	-	38.40	8.90	31.75
AV	11.49G	50.17	54.00	-3.83	34.62	3	Vertical	191	1.51	-	38.40	8.90	31.75
PK	17.22246G	67.58	68.20	-0.62	44.84	3	Vertical	268	2.81	-	41.71	11.19	30.16

802.11a_Nss1,(6Mbps)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 19.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48982G	57.76	74.00	-16.24	42.21	3	Horizontal	288	2.79	-	38.40	8.90	31.75
AV	11.49G	49.91	54.00	-4.09	34.36	3	Horizontal	288	2.79	-	38.40	8.90	31.75
PK	17.23194G	66.89	68.20	-1.31	44.11	3	Horizontal	266	2.55	-	41.76	11.19	30.17

802.11a_Nss1,(6Mbps)_8TX

5785MHz_TnomVnom




EUT Y_8TX
Setting 23
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	60.68	68.20	-7.52	53.28	3	Vertical	340	2.10	-	33.88	6.21	32.69
PK	5.788G	126.50	Inf	-Inf	118.57	3	Vertical	340	2.10	-	34.40	6.29	32.76
AV	5.788G	116.91	Inf	-Inf	108.98	3	Vertical	340	2.10	-	34.40	6.29	32.76
PK	5.925G	60.69	68.20	-7.51	52.14	3	Vertical	340	2.10	-	35.00	6.36	32.81

802.11a_Nss1,(6Mbps)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 20
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57444G	56.41	74.00	-17.59	40.64	3	Vertical	24	2.09	-	38.55	8.93	31.71
AV	11.57G	44.56	54.00	-9.44	28.80	3	Vertical	24	2.09	-	38.54	8.93	31.71
PK	17.36112G	64.65	68.20	-3.55	41.62	3	Vertical	270	1.87	-	42.16	11.24	30.37

802.11a_Nss1,(6Mbps)_8TX

5785MHz_TnomVnom




EUT_Z_8TX
Setting 20
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56992G	55.83	74.00	-18.17	40.07	3	Horizontal	349	1.84	-	38.54	8.93	31.71
AV	11.56992G	44.59	54.00	-9.41	28.83	3	Horizontal	349	1.84	-	38.54	8.93	31.71
PK	17.35518G	68.03	68.20	-0.17	44.99	3	Horizontal	258	2.37	-	42.16	11.24	30.36

802.11a_Nss1,(6Mbps)_8TX

5825MHz_TnomVnom




EUT Y_8TX
Setting 23
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	60.85	68.20	-7.35	53.25	3	Vertical	315	2.11	-	34.08	6.22	32.70
PK	5.818G	125.89	Inf	-Inf	117.81	3	Vertical	315	2.11	-	34.54	6.31	32.77
AV	5.818G	116.30	Inf	-Inf	108.22	3	Vertical	315	2.11	-	34.54	6.31	32.77
PK	5.933G	63.11	68.20	-5.09	54.52	3	Vertical	315	2.11	-	35.03	6.37	32.81

802.11a_Nss1,(6Mbps)_8TX

5825MHz_TnomVnom




EUT_Z_8TX
Setting 23
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64564G	57.34	74.00	-16.66	41.46	3	Vertical	119	1.24	-	38.60	8.96	31.68
AV	11.64506G	43.02	54.00	-10.98	27.14	3	Vertical	119	1.24	-	38.60	8.96	31.68
PK	17.46972G	61.70	68.20	-6.50	38.68	3	Vertical	270	2.40	-	42.27	11.29	30.54

802.11a_Nss1,(6Mbps)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 23
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65252G	56.25	74.00	-17.75	40.37	3	Horizontal	271	2.02	-	38.60	8.96	31.68
AV	11.64518G	42.91	54.00	-11.09	27.03	3	Horizontal	271	2.02	-	38.60	8.96	31.68
PK	17.46068G	66.02	68.20	-2.18	43.01	3	Horizontal	257	2.37	-	42.26	11.28	30.53

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz_TnomVnom




EUT Y_8TX
Setting 16
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.26	74.00	-3.74	64.38	3	Vertical	1.7	1.97	-	32.70	5.97	32.79
AV	5.149G	51.81	54.00	-2.19	45.93	3	Vertical	1.7	1.97	-	32.70	5.97	32.79
PK	5.188G	123.32	Inf	-Inf	117.40	3	Vertical	1.7	1.97	-	32.70	5.99	32.77
AV	5.1878G	110.29	Inf	-Inf	104.37	3	Vertical	1.7	1.97	-	32.70	5.99	32.77

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 16
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54068G	61.45	74.00	-12.55	43.61	3	Vertical	240	2.41	-	38.04	10.52	30.72
AV	15.53642G	47.22	54.00	-6.78	29.38	3	Vertical	240	2.41	-	38.05	10.51	30.72

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 16
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53876G	61.07	74.00	-12.93	43.23	3	Horizontal	279	1.84	-	38.04	10.52	30.72
AV	15.53618G	47.24	54.00	-6.76	29.39	3	Horizontal	279	1.84	-	38.06	10.51	30.72

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz_TnomVnom




EUT Y_8TX
Setting 19.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.65	74.00	-7.35	60.77	3	Vertical	321	2.17	-	32.70	5.97	32.79
AV	5.15G	53.30	54.00	-0.70	47.42	3	Vertical	321	2.17	-	32.70	5.97	32.79
PK	5.1968G	126.77	Inf	-Inf	120.84	3	Vertical	321	2.17	-	32.70	6.00	32.77
AV	5.1976G	114.18	Inf	-Inf	108.25	3	Vertical	321	2.17	-	32.70	6.00	32.77

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 19.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6048G	61.15	74.00	-12.85	43.51	3	Vertical	262	2.70	-	37.80	10.54	30.70
AV	15.60456G	47.45	54.00	-6.55	29.81	3	Vertical	262	2.70	-	37.80	10.54	30.70

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 19.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59568G	63.56	74.00	-10.44	45.90	3	Horizontal	261	1.80	-	37.82	10.54	30.70
AV	15.59232G	48.13	54.00	-5.87	30.46	3	Horizontal	261	1.80	-	37.83	10.54	30.70

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz_TnomVnom




EUT V_8TX
Setting 23
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1386G	63.85	74.00	-10.15	57.95	3	Vertical	8	2.16	-	32.72	5.97	32.79
AV	5.15G	48.86	54.00	-5.14	42.98	3	Vertical	8	2.16	-	32.70	5.97	32.79
PK	5.2376G	127.55	Inf	-Inf	121.50	3	Vertical	8	2.16	-	32.78	6.02	32.75
AV	5.2358G	117.52	Inf	-Inf	111.48	3	Vertical	8	2.16	-	32.77	6.02	32.75
PK	5.3516G	60.12	74.00	-13.88	53.73	3	Vertical	8	2.16	-	33.01	6.08	32.70
AV	5.3522G	46.86	54.00	-7.14	40.47	3	Vertical	8	2.16	-	33.01	6.08	32.70

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 21
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72328G	66.96	74.00	-7.04	49.19	3	Vertical	256	1.95	-	37.84	10.59	30.66
AV	15.72408G	53.11	54.00	-0.89	35.34	3	Vertical	256	1.95	-	37.84	10.59	30.66

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 21
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71232G	67.75	74.00	-6.25	50.07	3	Horizontal	279	1.78	-	37.77	10.58	30.67
AV	15.7124G	53.84	54.00	-0.16	36.16	3	Horizontal	279	1.78	-	37.77	10.58	30.67

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz_TnomVnom




EUT Y_8TX
Setting 22.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	67.08	68.20	-1.12	59.48	3	Vertical	337	2.18	-	34.08	6.22	32.70
PK	5.745G	128.46	Inf	-Inf	120.57	3	Vertical	337	2.18	-	34.36	6.27	32.74
AV	5.746G	116.42	Inf	-Inf	108.52	3	Vertical	337	2.18	-	34.37	6.27	32.74
PK	5.938G	61.38	68.20	-6.82	52.78	3	Vertical	337	2.18	-	35.05	6.37	32.82

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 20
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49136G	55.58	74.00	-18.42	40.03	3	Vertical	153	1.74	-	38.40	8.90	31.75
AV	11.48846G	42.26	54.00	-11.74	26.71	3	Vertical	153	1.74	-	38.40	8.90	31.75
PK	17.23362G	67.24	68.20	-0.96	44.45	3	Vertical	268	2.77	-	41.77	11.19	30.17

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 20
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.488G	56.21	74.00	-17.79	40.66	3	Horizontal	66	1.50	-	38.40	8.90	31.75
AV	11.48792G	42.30	54.00	-11.70	26.75	3	Horizontal	66	1.50	-	38.40	8.90	31.75
PK	17.22786G	65.82	68.20	-2.38	43.06	3	Horizontal	265	1.80	-	41.74	11.19	30.17

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz_TnomVnom




EUT Y_8TX
Setting 23
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	59.72	68.20	-8.48	52.20	3	Vertical	77	1.80	-	33.99	6.22	32.69
PK	5.787G	126.57	Inf	-Inf	118.63	3	Vertical	77	1.80	-	34.40	6.29	32.75
AV	5.79G	115.40	Inf	-Inf	107.47	3	Vertical	77	1.80	-	34.40	6.29	32.76
PK	5.952G	60.17	68.20	-8.03	51.50	3	Vertical	77	1.80	-	35.11	6.38	32.82

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz_TnomVnom




EUT_Z_8TX
Setting 20
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57004G	57.41	74.00	-16.59	41.65	3	Vertical	298	2.72	-	38.54	8.93	31.71
AV	11.56994G	43.39	54.00	-10.61	27.63	3	Vertical	298	2.72	-	38.54	8.93	31.71
PK	17.34426G	63.59	68.20	-4.61	40.56	3	Vertical	265	1.80	-	42.14	11.24	30.35

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz_TnomVnom




EUT_Z_8TX
Setting 20
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56898G	56.54	74.00	-17.46	40.78	3	Horizontal	86	2.48	-	38.54	8.93	31.71
AV	11.56984G	43.40	54.00	-10.60	27.64	3	Horizontal	86	2.48	-	38.54	8.93	31.71
PK	17.3535G	67.43	68.20	-0.77	44.40	3	Horizontal	260	2.38	-	42.15	11.24	30.36

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz_TnomVnom




EUT Y_8TX
Setting 23
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	60.18	68.20	-8.02	52.65	3	Vertical	208	1.80	-	34.00	6.22	32.69
PK	5.82G	126.45	Inf	-Inf	118.35	3	Vertical	208	1.80	-	34.56	6.31	32.77
AV	5.82G	115.82	Inf	-Inf	107.72	3	Vertical	208	1.80	-	34.56	6.31	32.77
PK	5.925G	65.40	68.20	-2.80	56.85	3	Vertical	208	1.80	-	35.00	6.36	32.81

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 21.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64848G	57.60	74.00	-16.40	41.72	3	Vertical	63	1.34	-	38.60	8.96	31.68
AV	11.64568G	43.17	54.00	-10.83	27.29	3	Vertical	63	1.34	-	38.60	8.96	31.68
PK	17.469G	63.11	68.20	-5.09	40.09	3	Vertical	267	2.82	-	42.27	11.29	30.54

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 21.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64816G	57.32	74.00	-16.68	41.44	3	Horizontal	139	2.87	-	38.60	8.96	31.68
AV	11.64988G	43.20	54.00	-10.80	27.32	3	Horizontal	139	2.87	-	38.60	8.96	31.68
PK	17.472G	67.43	68.20	-0.77	44.42	3	Horizontal	257	2.39	-	42.27	11.29	30.55

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz_TnomVnom




EUT Y_8TX
Setting 15
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.75	74.00	-6.25	61.87	3	Vertical	304	1.80	-	32.70	5.97	32.79
AV	5.15G	53.80	54.00	-0.20	47.92	3	Vertical	304	1.80	-	32.70	5.97	32.79
PK	5.178G	118.27	Inf	-Inf	112.36	3	Vertical	304	1.80	-	32.70	5.99	32.78
AV	5.178G	106.53	Inf	-Inf	100.62	3	Vertical	304	1.80	-	32.70	5.99	32.78

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 15
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56878G	60.80	74.00	-13.20	43.06	3	Vertical	235	1.70	-	37.92	10.53	30.71
AV	15.57042G	47.27	54.00	-6.73	29.53	3	Vertical	235	1.70	-	37.92	10.53	30.71

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 15
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57302G	60.42	74.00	-13.58	42.69	3	Horizontal	179	2.54	-	37.91	10.53	30.71
AV	15.57G	47.22	54.00	-6.78	29.48	3	Horizontal	179	2.54	-	37.92	10.53	30.71

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz_TnomVnom




EUT_V_8TX
Setting 19
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	67.58	74.00	-6.42	61.68	3	Vertical	308	1.80	-	32.72	5.97	32.79
AV	5.1394G	52.76	54.00	-1.24	46.86	3	Vertical	308	1.80	-	32.72	5.97	32.79
PK	5.218G	124.52	Inf	-Inf	118.53	3	Vertical	308	1.80	-	32.74	6.01	32.76
AV	5.218G	111.46	Inf	-Inf	105.47	3	Vertical	308	1.80	-	32.74	6.01	32.76
PK	5.377G	59.91	74.00	-14.09	53.40	3	Vertical	308	1.80	-	33.11	6.09	32.69
AV	5.3764G	47.43	54.00	-6.57	40.92	3	Vertical	308	1.80	-	33.11	6.09	32.69

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz_TnomVnom




EUT Z_8TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69182G	59.65	74.00	-14.35	42.03	3	Vertical	100	2.32	-	37.71	10.58	30.67
AV	15.69172G	46.37	54.00	-7.63	28.75	3	Vertical	100	2.32	-	37.71	10.58	30.67

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz_TnomVnom




EUT Z_8TX
Setting 19
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68966G	59.89	74.00	-14.11	42.27	3	Horizontal	332	2.25	-	37.71	10.58	30.67
AV	15.68612G	46.37	54.00	-7.63	28.76	3	Horizontal	332	2.25	-	37.71	10.57	30.67

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz_TnomVnom




EUT V_8TX
Setting 18.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.88	68.20	-0.32	60.27	3	Vertical	267	1.80	-	34.09	6.22	32.70
PK	5.756G	124.49	Inf	-Inf	116.55	3	Vertical	267	1.80	-	34.40	6.28	32.74
AV	5.756G	112.25	Inf	-Inf	104.31	3	Vertical	267	1.80	-	34.40	6.28	32.74
PK	5.933G	60.45	68.20	-7.75	51.86	3	Vertical	267	1.80	-	35.03	6.37	32.81

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz_TnomVnom




EUT Z_8TX
Setting 18.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51088G	57.19	74.00	-16.81	41.61	3	Vertical	230	1.93	-	38.42	8.90	31.74
AV	11.50566G	42.91	54.00	-11.09	27.34	3	Vertical	230	1.93	-	38.41	8.90	31.74
PK	17.26022G	64.45	68.20	-3.75	41.57	3	Vertical	144	2.80	-	41.90	11.20	30.22

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz_TnomVnom




EUT Z_8TX
Setting 18.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50864G	56.72	74.00	-17.28	41.14	3	Horizontal	258	2.77	-	38.42	8.90	31.74
AV	11.5083G	42.76	54.00	-11.24	27.18	3	Horizontal	258	2.77	-	38.42	8.90	31.74
PK	17.26494G	64.42	68.20	-3.78	41.51	3	Horizontal	274	2.42	-	41.92	11.21	30.22

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz_TnomVnom




EUT V_8TX
Setting 19.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	67.76	68.94	-1.18	60.13	3	Vertical	264	1.80	-	34.10	6.23	32.70
PK	5.796G	124.87	Inf	-Inf	116.93	3	Vertical	264	1.80	-	34.40	6.30	32.76
AV	5.796G	113.67	Inf	-Inf	105.73	3	Vertical	264	1.80	-	34.40	6.30	32.76
PK	5.934G	65.38	68.20	-2.82	56.78	3	Vertical	264	1.80	-	35.04	6.37	32.81

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz_TnomVnom




EUT Z_8TX
Setting 19.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59142G	56.60	74.00	-17.40	40.78	3	Vertical	268	1.84	-	38.58	8.94	31.70
AV	11.58698G	43.01	54.00	-10.99	27.22	3	Vertical	268	1.84	-	38.57	8.93	31.71
PK	17.38046G	63.53	68.20	-4.67	40.50	3	Vertical	93	2.17	-	42.18	11.25	30.40

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz_TnomVnom




EUT Z_8TX
Setting 19.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58642G	57.83	74.00	-16.17	42.04	3	Horizontal	141	1.36	-	38.57	8.93	31.71
AV	11.58698G	43.06	54.00	-10.94	27.27	3	Horizontal	141	1.36	-	38.57	8.93	31.71
PK	17.38832G	62.85	68.20	-5.35	39.82	3	Horizontal	340	2.31	-	42.19	11.26	30.42

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz_TnomVnom




EUT V_8TX
Setting 14
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.44	74.00	-5.56	62.56	3	Vertical	308	2.18	-	32.70	5.97	32.79
AV	5.149G	53.74	54.00	-0.26	47.86	3	Vertical	308	2.18	-	32.70	5.97	32.79
PK	5.218G	115.90	Inf	-Inf	109.91	3	Vertical	308	2.18	-	32.74	6.01	32.76
AV	5.217G	104.15	Inf	-Inf	98.17	3	Vertical	308	2.18	-	32.73	6.01	32.76
PK	5.411G	59.46	74.00	-14.54	52.72	3	Vertical	308	2.18	-	33.31	6.11	32.68
AV	5.42G	46.05	54.00	-7.95	39.21	3	Vertical	308	2.18	-	33.40	6.11	32.67

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz_TnomVnom




EUT Z_8TX
Setting 14
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63122G	60.33	74.00	-13.67	42.70	3	Vertical	149	2.86	-	37.77	10.55	30.69
AV	15.6324G	46.95	54.00	-7.05	29.32	3	Vertical	149	2.86	-	37.77	10.55	30.69

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz_TnomVnom




EUT Z_8TX
Setting 14
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62914G	60.66	74.00	-13.34	43.03	3	Horizontal	27	1.69	-	37.77	10.55	30.69
AV	15.6324G	46.98	54.00	-7.02	29.35	3	Horizontal	27	1.69	-	37.77	10.55	30.69

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TnomVnom




EUT Y_8TX
Setting 16
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.51	68.20	-0.69	59.89	3	Vertical	266	1.80	-	34.10	6.22	32.70
PK	5.776G	117.23	Inf	-Inf	109.29	3	Vertical	266	1.80	-	34.40	6.29	32.75
AV	5.776G	106.38	Inf	-Inf	98.44	3	Vertical	266	1.80	-	34.40	6.29	32.75
PK	5.935G	61.79	68.20	-6.41	53.19	3	Vertical	266	1.80	-	35.04	6.37	32.81

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TnomVnom




EUT Z_8TX
Setting 16
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54928G	56.63	74.00	-17.37	40.93	3	Vertical	51	1.26	-	38.50	8.92	31.72
AV	11.54994G	43.12	54.00	-10.88	27.42	3	Vertical	51	1.26	-	38.50	8.92	31.72
PK	17.32168G	65.83	68.20	-2.37	42.79	3	Vertical	298	2.42	-	42.12	11.23	30.31

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TnomVnom



EUT Z_8TX
Setting 16
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54902G	57.18	74.00	-16.82	41.48	3	Horizontal	232	2.36	-	38.50	8.92	31.72
AV	11.5499G	43.23	54.00	-10.77	27.53	3	Horizontal	232	2.36	-	38.50	8.92	31.72
PK	17.3212G	65.83	68.20	-2.37	42.79	3	Horizontal	6	2.41	-	42.12	11.23	30.31




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	PK	17.2341G	68.18	68.20	-0.02	3	Horizontal	80	1.49	-

802.11a_Nss1,(6Mbps)_8TX

5180MHz_TnomVnom




EUT_Z_8TX
Setting 15.5
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	65.68	74.00	-8.32	57.05	3	Vertical	180	2.06	-	33.59	5.77	30.73
AV	5.1432G	51.63	54.00	-2.37	43.00	3	Vertical	180	2.06	-	33.59	5.77	30.73
PK	5.1826G	126.38	Inf	-Inf	117.65	3	Vertical	180	2.06	-	33.67	5.79	30.73
AV	5.1822G	116.48	Inf	-Inf	107.76	3	Vertical	180	2.06	-	33.66	5.79	30.73

802.11a_Nss1,(6Mbps)_8TX

5180MHz_TnomVnom




EUT_Z_8TX
Setting 15.5
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	67.46	74.00	-6.54	58.82	3	Horizontal	174	1.94	-	33.60	5.77	30.73
AV	5.1488G	53.77	54.00	-0.23	45.13	3	Horizontal	174	1.94	-	33.60	5.77	30.73
PK	5.1826G	121.80	Inf	-Inf	113.07	3	Horizontal	174	1.94	-	33.67	5.79	30.73
AV	5.1824G	112.17	Inf	-Inf	103.45	3	Horizontal	174	1.94	-	33.66	5.79	30.73

802.11a_Nss1,(6Mbps)_8TX

5180MHz_TnomVnom




EUT_Z_8TX
Setting 21
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5395G	65.91	74.00	-8.09	49.08	3	Vertical	107	1.77	-	37.86	10.32	31.35
AV	15.5392G	53.05	54.00	-0.95	36.22	3	Vertical	107	1.77	-	37.86	10.32	31.35

802.11a_Nss1,(6Mbps)_8TX

5180MHz_TnomVnom




EUT_Z_8TX
Setting 21
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5395G	67.39	74.00	-6.61	50.56	3	Horizontal	94	1.80	-	37.86	10.32	31.35
AV	15.5397G	53.54	54.00	-0.46	36.71	3	Horizontal	94	1.80	-	37.86	10.32	31.35

802.11a_Nss1,(6Mbps)_8TX

5200MHz_TnomVnom




EUT_Z_8TX
Setting 19
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	66.50	74.00	-7.50	57.87	3	Vertical	179	1.70	-	33.59	5.77	30.73
AV	5.15G	52.23	54.00	-1.77	43.58	3	Vertical	179	1.70	-	33.60	5.78	30.73
PK	5.2068G	128.14	Inf	-Inf	119.37	3	Vertical	179	1.70	-	33.70	5.80	30.73
AV	5.2068G	118.39	Inf	-Inf	109.62	3	Vertical	179	1.70	-	33.70	5.80	30.73

802.11a_Nss1,(6Mbps)_8TX

5200MHz_TnomVnom




EUT_Z_8TX
Setting 19
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	68.44	74.00	-5.56	59.81	3	Horizontal	175	1.48	-	33.59	5.77	30.73
AV	5.146G	53.28	54.00	-0.72	44.65	3	Horizontal	175	1.48	-	33.59	5.77	30.73
PK	5.1968G	128.61	Inf	-Inf	119.85	3	Horizontal	175	1.48	-	33.69	5.80	30.73
AV	5.1968G	119.00	Inf	-Inf	110.24	3	Horizontal	175	1.48	-	33.69	5.80	30.73

802.11a_Nss1,(6Mbps)_8TX

5200MHz_TnomVnom




EUT_Z_8TX
Setting 19
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6175G	57.51	74.00	-16.49	41.05	3	Vertical	44	1.36	-	37.50	10.35	31.39
AV	15.575G	44.97	54.00	-9.03	28.36	3	Vertical	44	1.36	-	37.65	10.33	31.37

802.11a_Nss1,(6Mbps)_8TX

5200MHz_TnomVnom




EUT_Z_8TX
Setting 19
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5961G	61.92	74.00	-12.08	45.44	3	Horizontal	292	1.59	-	37.52	10.34	31.38
AV	15.575G	50.04	54.00	-3.96	33.43	3	Horizontal	292	1.59	-	37.65	10.33	31.37

802.11a_Nss1,(6Mbps)_8TX

5240MHz_TnomVnom




EUT_Z_8TX
Setting 23
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	67.20	74.00	-6.80	58.57	3	Vertical	176	2.20	-	33.59	5.77	30.73
AV	5.1452G	53.57	54.00	-0.43	44.94	3	Vertical	176	2.20	-	33.59	5.77	30.73
PK	5.2406G	130.82	Inf	-Inf	122.03	3	Vertical	176	2.20	-	33.70	5.82	30.73
AV	5.2406G	122.18	Inf	-Inf	113.39	3	Vertical	176	2.20	-	33.70	5.82	30.73
PK	5.3588G	65.24	74.00	-8.76	56.16	3	Vertical	176	2.20	-	33.92	5.88	30.72
AV	5.3762G	51.00	54.00	-3.00	41.88	3	Vertical	176	2.20	-	33.95	5.89	30.72

802.11a_Nss1,(6Mbps)_8TX

5240MHz_TnomVnom




EUT_Z_8TX
Setting 23
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1374G	65.85	74.00	-8.15	57.24	3	Horizontal	176	2.00	-	33.57	5.77	30.73
AV	5.1428G	52.56	54.00	-1.44	43.93	3	Horizontal	176	2.00	-	33.59	5.77	30.73
PK	5.2382G	130.81	Inf	-Inf	122.02	3	Horizontal	176	2.00	-	33.70	5.82	30.73
AV	5.2388G	121.27	Inf	-Inf	112.48	3	Horizontal	176	2.00	-	33.70	5.82	30.73
PK	5.36G	62.66	74.00	-11.34	53.58	3	Horizontal	176	2.00	-	33.92	5.88	30.72
AV	5.3534G	50.36	54.00	-3.64	41.29	3	Horizontal	176	2.00	-	33.91	5.88	30.72

802.11a_Nss1,(6Mbps)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 23
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7148G	64.95	74.00	-9.05	48.50	3	Vertical	108	1.80	-	37.50	10.39	31.44
AV	15.7154G	50.99	54.00	-3.01	34.54	3	Vertical	108	1.80	-	37.50	10.39	31.44

802.11a_Nss1,(6Mbps)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 23
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7216G	64.24	74.00	-9.76	47.80	3	Horizontal	277	1.80	-	37.50	10.39	31.45
AV	15.7218G	52.68	54.00	-1.32	36.24	3	Horizontal	277	1.80	-	37.50	10.39	31.45

802.11a_Nss1,(6Mbps)_8TX

5745MHz_TnomVnom




EUT_Z_8TX
Setting 23
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.62	68.94	-0.32	59.55	3	Vertical	178	2.01	-	33.80	6.10	30.83
PK	5.742G	131.06	Inf	-Inf	122.04	3	Vertical	178	2.01	-	33.82	6.10	30.90
AV	5.743G	121.19	Inf	-Inf	112.18	3	Vertical	178	2.01	-	33.81	6.10	30.90
PK	5.93G	60.90	68.20	-7.30	51.56	3	Vertical	178	2.01	-	34.16	6.23	31.05

802.11a_Nss1,(6Mbps)_8TX

5745MHz_TnomVnom




EUT_Z_8TX
Setting 23
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	69.38	69.68	-0.30	60.32	3	Horizontal	177	1.98	-	33.80	6.10	30.84
PK	5.743G	129.76	Inf	-Inf	120.75	3	Horizontal	177	1.98	-	33.81	6.10	30.90
AV	5.742G	119.70	Inf	-Inf	110.68	3	Horizontal	177	1.98	-	33.82	6.10	30.90
PK	5.929G	60.23	68.20	-7.97	50.89	3	Horizontal	177	1.98	-	34.16	6.23	31.05

802.11a_Nss1,(6Mbps)_8TX

5745MHz_TnomVnom




EUT_Z_8TX
Setting 19
02-F-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.2331G	67.10	68.20	-1.10	44.24	3	Vertical	153	2.34	-	42.17	10.93	30.24

802.11a_Nss1,(6Mbps)_8TX

5745MHz_TnomVnom




EUT_Z_8TX
Setting 19
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.2341G	68.18	68.20	-0.02	45.32	3	Horizontal	80	1.49	-	42.17	10.93	30.24

802.11a_Nss1,(6Mbps)_8TX

5785MHz_TnomVnom




EUT_Z_8TX
Setting 23
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.568G	63.00	68.20	-5.20	53.74	3	Vertical	172	1.98	-	33.96	6.07	30.77
PK	5.782G	130.62	Inf	-Inf	121.65	3	Vertical	172	1.98	-	33.80	6.10	30.93
AV	5.782G	120.22	Inf	-Inf	111.25	3	Vertical	172	1.98	-	33.80	6.10	30.93
PK	6.032G	61.25	68.20	-6.95	51.80	3	Vertical	172	1.98	-	34.26	6.30	31.11

802.11a_Nss1,(6Mbps)_8TX

5785MHz_TnomVnom




EUT_Z_8TX
Setting 23
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	62.35	68.20	-5.85	53.27	3	Horizontal	179	1.74	-	33.81	6.10	30.83
PK	5.782G	129.01	Inf	-Inf	120.04	3	Horizontal	179	1.74	-	33.80	6.10	30.93
AV	5.781G	118.84	Inf	-Inf	109.87	3	Horizontal	179	1.74	-	33.80	6.10	30.93
PK	6.017G	60.43	68.20	-7.77	51.01	3	Horizontal	179	1.74	-	34.23	6.30	31.11

802.11a_Nss1,(6Mbps)_8TX

5785MHz_TnomVnom




EUT_Z_8TX
Setting 23
02-F-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.34972G	66.70	68.20	-1.50	43.16	3	Vertical	292	2.54	-	42.80	10.97	30.23

802.11a_Nss1,(6Mbps)_8TX

5785MHz_TnomVnom




EUT_Z_8TX
Setting 23
02-F-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.35008G	67.67	68.20	-0.53	44.12	3	Horizontal	84	1.73	-	42.80	10.97	30.22

802.11a_Nss1,(6Mbps)_8TX

5825MHz_TnomVnom




EUT_Z_8TX
Setting 23
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	62.78	68.20	-5.42	53.66	3	Vertical	176	1.95	-	33.84	6.10	30.82
PK	5.83G	130.04	Inf	-Inf	121.09	3	Vertical	176	1.95	-	33.80	6.12	30.97
AV	5.829G	120.49	Inf	-Inf	111.54	3	Vertical	176	1.95	-	33.80	6.12	30.97
PK	5.922G	69.09	70.42	-1.33	59.77	3	Vertical	176	1.95	-	34.14	6.22	31.04

802.11a_Nss1,(6Mbps)_8TX

5825MHz_TnomVnom




EUT_Z_8TX
Setting 23
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	61.37	68.20	-6.83	52.14	3	Horizontal	180	1.73	-	33.93	6.08	30.78
PK	5.823G	129.36	Inf	-Inf	120.42	3	Horizontal	180	1.73	-	33.80	6.11	30.97
AV	5.824G	119.22	Inf	-Inf	110.27	3	Horizontal	180	1.73	-	33.80	6.12	30.97
PK	5.917G	70.01	74.12	-4.11	60.71	3	Horizontal	180	1.73	-	34.13	6.21	31.04

802.11a_Nss1,(6Mbps)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 18.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.46336G	67.33	68.20	-0.87	42.92	3	Vertical	194	2.45	-	43.61	11.01	30.21

802.11a_Nss1,(6Mbps)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 18.5
02-F-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.46876G	67.71	68.20	-0.49	43.26	3	Horizontal	101	2.76	-	43.65	11.01	30.21

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 15.5
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	70.10	74.00	-3.90	61.46	3	Vertical	175	1.91	-	33.60	5.77	30.73
AV	5.15G	53.77	54.00	-0.23	45.12	3	Vertical	175	1.91	-	33.60	5.78	30.73
PK	5.1774G	128.29	Inf	-Inf	119.58	3	Vertical	175	1.91	-	33.65	5.79	30.73
AV	5.178G	115.55	Inf	-Inf	106.83	3	Vertical	175	1.91	-	33.66	5.79	30.73

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 15.5
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	65.44	74.00	-8.56	56.80	3	Horizontal	170	1.78	-	33.60	5.77	30.73
AV	5.1476G	50.99	54.00	-3.01	42.35	3	Horizontal	170	1.78	-	33.60	5.77	30.73
PK	5.1844G	125.66	Inf	-Inf	116.93	3	Horizontal	170	1.78	-	33.67	5.79	30.73
AV	5.1856G	112.15	Inf	-Inf	103.42	3	Horizontal	170	1.78	-	33.67	5.79	30.73

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 15.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53622G	58.65	74.00	-15.35	41.81	3	Vertical	152	1.34	-	37.88	10.31	31.35
AV	15.53956G	45.47	54.00	-8.53	28.64	3	Vertical	152	1.34	-	37.86	10.32	31.35

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 15.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54308G	58.81	74.00	-15.19	42.00	3	Horizontal	70	1.03	-	37.84	10.32	31.35
AV	15.54044G	45.34	54.00	-8.66	28.51	3	Horizontal	70	1.03	-	37.86	10.32	31.35

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz_TnomVnom




EUT_Z_8TX
Setting 19
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	66.74	74.00	-7.26	58.11	3	Vertical	177	2.14	-	33.59	5.77	30.73
AV	5.1496G	52.71	54.00	-1.29	44.07	3	Vertical	177	2.14	-	33.60	5.77	30.73
PK	5.2028G	130.54	Inf	-Inf	121.77	3	Vertical	177	2.14	-	33.70	5.80	30.73
AV	5.2028G	118.41	Inf	-Inf	109.64	3	Vertical	177	2.14	-	33.70	5.80	30.73

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz_TnomVnom




EUT_Z_8TX
Setting 19
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	67.48	74.00	-6.52	58.85	3	Horizontal	178	1.76	-	33.59	5.77	30.73
AV	5.1488G	53.79	54.00	-0.21	45.15	3	Horizontal	178	1.76	-	33.60	5.77	30.73
PK	5.196G	129.38	Inf	-Inf	120.62	3	Horizontal	178	1.76	-	33.69	5.80	30.73
AV	5.196G	116.94	Inf	-Inf	108.18	3	Horizontal	178	1.76	-	33.69	5.80	30.73

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 19
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59884G	57.95	74.00	-16.05	41.48	3	Vertical	99	1.71	-	37.51	10.34	31.38
AV	15.59562G	44.79	54.00	-9.21	28.30	3	Vertical	99	1.71	-	37.53	10.34	31.38

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 19
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59928G	58.26	74.00	-15.74	41.80	3	Horizontal	333	2.79	-	37.50	10.34	31.38
AV	15.59514G	47.76	54.00	-6.24	31.27	3	Horizontal	333	2.79	-	37.53	10.34	31.38

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz_TnomVnom




EUT_Z_8TX
Setting 22
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1194G	67.97	74.00	-6.03	59.40	3	Vertical	179	1.80	-	33.54	5.76	30.73
AV	5.15G	53.38	54.00	-0.62	44.73	3	Vertical	179	1.80	-	33.60	5.78	30.73
PK	5.2358G	130.84	Inf	-Inf	122.05	3	Vertical	179	1.80	-	33.70	5.82	30.73
AV	5.2364G	120.53	Inf	-Inf	111.74	3	Vertical	179	1.80	-	33.70	5.82	30.73
PK	5.3624G	63.72	74.00	-10.28	54.64	3	Vertical	179	1.80	-	33.92	5.88	30.72
AV	5.3762G	50.40	54.00	-3.60	41.28	3	Vertical	179	1.80	-	33.95	5.89	30.72

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz_TnomVnom




EUT_Z_8TX
Setting 22
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	64.35	74.00	-9.65	55.73	3	Horizontal	179	1.72	-	33.58	5.77	30.73
AV	5.141G	51.76	54.00	-2.24	43.14	3	Horizontal	179	1.72	-	33.58	5.77	30.73
PK	5.2364G	130.83	Inf	-Inf	122.04	3	Horizontal	179	1.72	-	33.70	5.82	30.73
AV	5.2382G	120.46	Inf	-Inf	111.67	3	Horizontal	179	1.72	-	33.70	5.82	30.73
PK	5.3594G	64.18	74.00	-9.82	55.10	3	Horizontal	179	1.72	-	33.92	5.88	30.72
AV	5.3762G	50.26	54.00	-3.74	41.14	3	Horizontal	179	1.72	-	33.95	5.89	30.72

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 22
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71532G	66.14	74.00	-7.86	49.69	3	Vertical	33	1.78	-	37.50	10.39	31.44
AV	15.7146G	51.91	54.00	-2.09	35.46	3	Vertical	33	1.78	-	37.50	10.39	31.44

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 22
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71496G	65.80	74.00	-8.20	49.35	3	Horizontal	110	1.93	-	37.50	10.39	31.44
AV	15.71484G	52.21	54.00	-1.79	35.76	3	Horizontal	110	1.93	-	37.50	10.39	31.44

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 21
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	65.09	68.20	-3.11	56.02	3	Vertical	176	1.94	-	33.80	6.10	30.83
PK	5.747G	129.35	Inf	-Inf	120.35	3	Vertical	176	1.94	-	33.81	6.10	30.91
AV	5.748G	118.22	Inf	-Inf	109.23	3	Vertical	176	1.94	-	33.80	6.10	30.91
PK	5.94G	60.51	68.20	-7.69	51.14	3	Vertical	176	1.94	-	34.18	6.24	31.05

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz_TnomVnom




EUT_Z_8TX
Setting 21
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.36	68.20	-1.84	57.29	3	Horizontal	179	1.79	-	33.80	6.10	30.83
PK	5.736G	127.40	Inf	-Inf	118.37	3	Horizontal	179	1.79	-	33.83	6.10	30.90
AV	5.736G	115.55	Inf	-Inf	106.52	3	Horizontal	179	1.79	-	33.83	6.10	30.90
PK	5.927G	60.34	68.20	-7.86	51.01	3	Horizontal	179	1.79	-	34.15	6.22	31.04

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 20.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.24244G	66.13	68.20	-2.07	43.23	3	Vertical	346	2.53	-	42.21	10.93	30.24

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 20.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.2422G	67.82	68.20	-0.38	44.92	3	Horizontal	99	1.94	-	42.21	10.93	30.24

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz_TnomVnom




EUT_Z_8TX
Setting 23
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.548G	62.83	68.20	-5.37	53.54	3	Vertical	173	1.98	-	34.00	6.05	30.76
PK	5.787G	130.71	Inf	-Inf	121.75	3	Vertical	173	1.98	-	33.80	6.10	30.94
AV	5.786G	120.02	Inf	-Inf	111.06	3	Vertical	173	1.98	-	33.80	6.10	30.94
PK	5.932G	61.39	68.20	-6.81	52.05	3	Vertical	173	1.98	-	34.16	6.23	31.05

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz_TnomVnom




EUT_Z_8TX
Setting 23
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.604G	61.62	68.20	-6.58	52.43	3	Horizontal	176	1.80	-	33.89	6.10	30.80
PK	5.788G	129.09	Inf	-Inf	120.13	3	Horizontal	176	1.80	-	33.80	6.10	30.94
AV	5.791G	117.16	Inf	-Inf	108.20	3	Horizontal	176	1.80	-	33.80	6.10	30.94
PK	5.938G	60.60	68.20	-7.60	51.24	3	Horizontal	176	1.80	-	34.18	6.23	31.05

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 23
02-F-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.35404G	65.67	68.20	-2.53	42.10	3	Vertical	223	1.64	-	42.82	10.97	30.22

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 23
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.35416G	67.48	68.20	-0.72	43.91	3	Horizontal	86	1.67	-	42.82	10.97	30.22

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz_TnomVnom




EUT_Z_8TX
Setting 22
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	62.42	68.20	-5.78	53.30	3	Vertical	176	2.05	-	33.84	6.10	30.82
PK	5.831G	130.80	Inf	-Inf	121.85	3	Vertical	176	2.05	-	33.80	6.12	30.97
AV	5.832G	117.23	Inf	-Inf	108.28	3	Vertical	176	2.05	-	33.80	6.12	30.97
PK	5.926G	65.13	68.20	-3.07	55.80	3	Vertical	176	2.05	-	34.15	6.22	31.04

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz_TnomVnom




EUT_Z_8TX
Setting 22
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.594G	61.95	68.20	-6.25	52.74	3	Horizontal	179	1.71	-	33.91	6.09	30.79
PK	5.823G	129.03	Inf	-Inf	120.09	3	Horizontal	179	1.71	-	33.80	6.11	30.97
AV	5.824G	117.44	Inf	-Inf	108.49	3	Horizontal	179	1.71	-	33.80	6.12	30.97
PK	5.926G	67.16	68.20	-1.04	57.83	3	Horizontal	179	1.71	-	34.15	6.22	31.04

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 22
02-F-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.49816G	65.58	68.20	-2.62	40.88	3	Vertical	328	1.11	-	43.89	11.02	30.21

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 22
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.48808G	67.55	68.20	-0.65	42.94	3	Horizontal	259	1.37	-	43.80	11.02	30.21

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 12.5
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	67.56	74.00	-6.44	58.93	3	Vertical	171	2.16	-	33.59	5.77	30.73
AV	5.15G	53.45	54.00	-0.55	44.80	3	Vertical	171	2.16	-	33.60	5.78	30.73
PK	5.1772G	120.98	Inf	-Inf	112.27	3	Vertical	171	2.16	-	33.65	5.79	30.73
AV	5.1764G	108.94	Inf	-Inf	100.23	3	Vertical	171	2.16	-	33.65	5.79	30.73

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 12.5
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	63.14	74.00	-10.86	54.51	3	Horizontal	181	1.54	-	33.59	5.77	30.73
AV	5.1488G	51.01	54.00	-2.99	42.37	3	Horizontal	181	1.54	-	33.60	5.77	30.73
PK	5.1884G	122.83	Inf	-Inf	114.09	3	Horizontal	181	1.54	-	33.68	5.79	30.73
AV	5.188G	108.83	Inf	-Inf	100.09	3	Horizontal	181	1.54	-	33.68	5.79	30.73

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 12.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56994G	58.50	74.00	-15.50	41.86	3	Vertical	319	2.02	-	37.68	10.33	31.37
AV	15.56566G	45.08	54.00	-8.92	28.40	3	Vertical	319	2.02	-	37.71	10.33	31.36

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 12.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57052G	58.29	74.00	-15.71	41.65	3	Horizontal	354	2.35	-	37.68	10.33	31.37
AV	15.57056G	45.16	54.00	-8.84	28.52	3	Horizontal	354	2.35	-	37.68	10.33	31.37

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz_TnomVnom




EUT_Z_8TX
Setting 17
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.58	74.00	-8.42	56.95	3	Vertical	173	1.80	-	33.59	5.77	30.73
AV	5.1472G	53.32	54.00	-0.68	44.69	3	Vertical	173	1.80	-	33.59	5.77	30.73
PK	5.227G	125.78	Inf	-Inf	117.00	3	Vertical	173	1.80	-	33.70	5.81	30.73
AV	5.227G	113.30	Inf	-Inf	104.52	3	Vertical	173	1.80	-	33.70	5.81	30.73
PK	5.3512G	64.85	74.00	-9.15	55.79	3	Vertical	173	1.80	-	33.90	5.88	30.72
AV	5.3764G	48.91	54.00	-5.09	39.79	3	Vertical	173	1.80	-	33.95	5.89	30.72

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz_TnomVnom




EUT_Z_8TX
Setting 17
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	66.15	74.00	-7.85	57.52	3	Horizontal	173	1.91	-	33.59	5.77	30.73
AV	5.15G	52.44	54.00	-1.56	43.80	3	Horizontal	173	1.91	-	33.60	5.77	30.73
PK	5.2378G	127.45	Inf	-Inf	118.66	3	Horizontal	173	1.91	-	33.70	5.82	30.73
AV	5.2372G	113.59	Inf	-Inf	104.80	3	Horizontal	173	1.91	-	33.70	5.82	30.73
PK	5.3518G	62.04	74.00	-11.96	52.98	3	Horizontal	173	1.91	-	33.90	5.88	30.72
AV	5.35G	49.00	54.00	-5.00	39.94	3	Horizontal	173	1.91	-	33.90	5.88	30.72

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz_TnomVnom




EUT Z_8TX
Setting 17
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68912G	57.95	74.00	-16.05	41.50	3	Vertical	308	2.91	-	37.50	10.38	31.43
AV	15.6856G	44.39	54.00	-9.61	27.95	3	Vertical	308	2.91	-	37.50	10.37	31.43

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz_TnomVnom




EUT Z_8TX
Setting 17
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69462G	57.85	74.00	-16.15	41.40	3	Horizontal	198	2.23	-	37.50	10.38	31.43
AV	15.68974G	44.34	54.00	-9.66	27.89	3	Horizontal	198	2.23	-	37.50	10.38	31.43

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz_TnomVnom




EUT_Z_8TX
Setting 18
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.12	68.94	-0.82	59.05	3	Vertical	170	1.92	-	33.80	6.10	30.83
PK	5.754G	123.80	Inf	-Inf	114.81	3	Vertical	170	1.92	-	33.80	6.10	30.91
AV	5.754G	112.96	Inf	-Inf	103.97	3	Vertical	170	1.92	-	33.80	6.10	30.91
PK	5.966G	60.45	68.20	-7.75	51.06	3	Vertical	170	1.92	-	34.20	6.26	31.07

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz_TnomVnom




EUT_Z_8TX
Setting 18
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	65.97	68.20	-2.23	56.89	3	Horizontal	176	1.76	-	33.81	6.10	30.83
PK	5.761G	124.78	Inf	-Inf	115.80	3	Horizontal	176	1.76	-	33.80	6.10	30.92
AV	5.762G	113.88	Inf	-Inf	104.90	3	Horizontal	176	1.76	-	33.80	6.10	30.92
PK	5.94G	60.35	68.20	-7.85	50.98	3	Horizontal	176	1.76	-	34.18	6.24	31.05

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz_TnomVnom




EUT_Z_8TX
Setting 18
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.26598G	63.80	68.20	-4.40	40.76	3	Vertical	284	2.03	-	42.33	10.94	30.23

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz_TnomVnom




EUT_Z_8TX
Setting 18
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.2635G	64.10	68.20	-4.10	41.07	3	Horizontal	213	1.06	-	42.32	10.94	30.23

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz_TnomVnom




EUT_Z_8TX
Setting 18.5
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	63.84	68.20	-4.36	54.75	3	Vertical	175	2.14	-	33.82	6.10	30.83
PK	5.782G	122.76	Inf	-Inf	113.79	3	Vertical	175	2.14	-	33.80	6.10	30.93
AV	5.777G	111.25	Inf	-Inf	102.28	3	Vertical	175	2.14	-	33.80	6.10	30.93
PK	5.927G	64.46	68.20	-3.74	55.13	3	Vertical	175	2.14	-	34.15	6.22	31.04

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz_TnomVnom




EUT_Z_8TX
Setting 18.5
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	61.33	68.20	-6.87	52.25	3	Horizontal	176	1.80	-	33.81	6.10	30.83
PK	5.803G	125.13	Inf	-Inf	116.19	3	Horizontal	176	1.80	-	33.80	6.09	30.95
AV	5.802G	112.80	Inf	-Inf	103.86	3	Horizontal	176	1.80	-	33.80	6.09	30.95
PK	5.925G	63.20	68.20	-5.00	53.87	3	Horizontal	176	1.80	-	34.15	6.22	31.04

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz_TnomVnom




EUT Z_8TX
Setting 18.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.381G	64.61	68.20	-3.59	40.86	3	Vertical	359	1.83	-	42.99	10.98	30.22

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz_TnomVnom




EUT Z_8TX
Setting 18.5
02-F-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.38106G	64.61	68.20	-3.59	40.86	3	Horizontal	274	2.71	-	42.99	10.98	30.22

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz_TnomVnom




EUT_Z_8TX
Setting 11.5
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	65.74	74.00	-8.26	57.11	3	Vertical	176	2.06	-	33.59	5.77	30.73
AV	5.1428G	53.70	54.00	-0.30	45.07	3	Vertical	176	2.06	-	33.59	5.77	30.73
PK	5.2156G	117.33	Inf	-Inf	108.55	3	Vertical	176	2.06	-	33.70	5.81	30.73
AV	5.2156G	105.87	Inf	-Inf	97.09	3	Vertical	176	2.06	-	33.70	5.81	30.73
PK	5.3636G	60.19	74.00	-13.81	51.10	3	Vertical	176	2.06	-	33.93	5.88	30.72
AV	5.3628G	47.74	54.00	-6.26	38.65	3	Vertical	176	2.06	-	33.93	5.88	30.72

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz_TnomVnom




EUT_Z_8TX
Setting 11.5
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	65.42	74.00	-8.58	56.83	3	Horizontal	177	1.50	-	33.56	5.76	30.73
AV	5.1284G	53.08	54.00	-0.92	44.49	3	Horizontal	177	1.50	-	33.56	5.76	30.73
PK	5.2292G	117.09	Inf	-Inf	108.31	3	Horizontal	177	1.50	-	33.70	5.81	30.73
AV	5.2292G	103.83	Inf	-Inf	95.05	3	Horizontal	177	1.50	-	33.70	5.81	30.73
PK	5.3564G	59.97	74.00	-14.03	50.90	3	Horizontal	177	1.50	-	33.91	5.88	30.72
AV	5.402G	47.53	54.00	-6.47	38.35	3	Horizontal	177	1.50	-	34.00	5.90	30.72

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz_TnomVnom




EUT Z_8TX
Setting 11.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6334G	58.38	74.00	-15.62	41.93	3	Vertical	18	1.31	-	37.50	10.35	31.40
AV	15.62546G	44.82	54.00	-9.18	28.37	3	Vertical	18	1.31	-	37.50	10.35	31.40

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz_TnomVnom




EUT Z_8TX
Setting 11.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62814G	58.06	74.00	-15.94	41.61	3	Horizontal	11	2.73	-	37.50	10.35	31.40
AV	15.625G	44.81	54.00	-9.19	28.35	3	Horizontal	11	2.73	-	37.50	10.35	31.39

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TnomVnom




EUT_Z_8TX
Setting 15
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	66.76	68.20	-1.44	57.69	3	Vertical	174	1.91	-	33.80	6.10	30.83
PK	5.774G	119.32	Inf	-Inf	110.35	3	Vertical	174	1.91	-	33.80	6.10	30.93
AV	5.774G	106.89	Inf	-Inf	97.92	3	Vertical	174	1.91	-	33.80	6.10	30.93
PK	5.927G	62.26	68.20	-5.94	52.93	3	Vertical	174	1.91	-	34.15	6.22	31.04

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TnomVnom




EUT Z_8TX
Setting 15
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	64.98	68.20	-3.22	55.87	3	Horizontal	176	1.78	-	33.83	6.10	30.82
PK	5.763G	119.30	Inf	-Inf	110.32	3	Horizontal	176	1.78	-	33.80	6.10	30.92
AV	5.762G	107.00	Inf	-Inf	98.02	3	Horizontal	176	1.78	-	33.80	6.10	30.92
PK	5.957G	60.37	68.20	-7.83	50.99	3	Horizontal	176	1.78	-	34.20	6.25	31.07

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TnomVnom




EUT Z_8TX
Setting 15
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.32106G	64.37	68.20	-3.83	41.01	3	Vertical	257	1.10	-	42.63	10.96	30.23

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TnomVnom



EUT_Z_8TX
Setting 15
02-F-S-8


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.32458G	64.31	68.20	-3.89	40.93	3	Horizontal	238	1.75	-	42.65	10.96	30.23



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	3.0336G	39.26	54.00	-14.74	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	3.0463G	44.72	74.00	-29.28	-1.55	3	Vertical	12	1.00	-	46.27	29.58	4.85	35.98
AV	3.0336G	39.26	54.00	-14.74	-1.66	3	Vertical	12	1.00	"Worst"	40.92	29.50	4.83	35.99

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	3.034G	49.83	74.00	-24.17	-1.66	3	Horizontal	8	1.25	-	51.49	29.50	4.83	35.99
AV	3.0386G	38.24	54.00	-15.76	-1.61	3	Horizontal	8	1.25	"Worst"	39.85	29.53	4.84	35.98