


802.11ax HEW40_Nss1,(MCS0)_8TX

5710MHz Straddle 5.725-5.85GHz

PSD

13/10/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.34	-0.34	-7.91	-10.35	-8.06	-7.39	-9.08	-9.37	-8.71	-10.41

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz

PSD

13/10/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.32	2.32	-6.24	-4.60	-4.59	-6.57	-6.35	-5.50	-6.25	-4.69

802.11ax HEW80_Nss1,(MCS0)_8TX

PSD

5530MHz

13/10/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.92	1.92	-5.85	-6.60	-6.01	-6.29	-5.78	-6.03	-6.08	-6.39

802.11ax HEW80_Nss1,(MCS0)_8TX

PSD

5610MHz

13/10/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.39	2.39	-5.68	-6.15	-5.06	-5.44	-5.82	-6.51	-6.58	-7.40

802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz

PSD

13/10/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.49	2.49	-5.40	-5.25	-4.55	-5.62	-6.40	-5.99	-6.25	-7.96

802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.725-5.85GHz

PSD

13/10/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.56	-1.56	-9.39	-11.28	-8.88	-8.47	-9.73	-11.24	-11.33	-11.80



For UNII 2A and 2C (include Straddle Channel) indoor + outdoor

Summary

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_8TX	-2.65
802.11ax HEW20_Nss1,(MCS0)_8TX	-2.87
802.11ax HEW40_Nss1,(MCS0)_8TX	-3.02
802.11ax HEW80_Nss1,(MCS0)_8TX	-2.75
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_8TX	-2.73
802.11ax HEW20_Nss1,(MCS0)_8TX	-2.82
802.11ax HEW40_Nss1,(MCS0)_8TX	-2.72
802.11ax HEW80_Nss1,(MCS0)_8TX	-2.71
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_8TX	-5.22
802.11ax HEW20_Nss1,(MCS0)_8TX	-5.02
802.11ax HEW40_Nss1,(MCS0)_8TX	-5.48
802.11ax HEW80_Nss1,(MCS0)_8TX	-7.29



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:




Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	19.62	-10.45	-10.17	-11.99	-11.95	-11.43	-11.14	-11.68	-10.42	-2.65	-2.62
5300MHz	Pass	19.62	-11.05	-11.11	-9.49	-11.21	-11.57	-12.29	-11.53	-11.02	-2.70	-2.62
5320MHz	Pass	19.62	-10.86	-11.60	-11.32	-10.57	-10.94	-11.42	-11.18	-10.44	-2.81	-2.62
5500MHz	Pass	19.68	-11.91	-10.88	-11.61	-11.78	-10.65	-10.83	-11.67	-10.71	-2.73	-2.68
5580MHz	Pass	19.68	-12.31	-11.42	-11.24	-12.61	-10.98	-11.33	-12.72	-11.66	-3.12	-2.68
5700MHz	Pass	19.68	-10.38	-11.61	-12.30	-12.41	-10.48	-11.61	-11.43	-12.08	-3.16	-2.68
5720MHz Straddle 5.47-5.725GHz	Pass	19.68	-11.45	-12.52	-11.74	-12.08	-9.59	-10.39	-11.19	-11.32	-2.86	-2.68
5720MHz Straddle 5.725-5.85GHz	Pass	19.74	-13.54	-16.90	-15.49	-14.11	-12.19	-13.44	-13.41	-13.78	-5.22	16.26
802.11ax HEW20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	19.62	-11.78	-10.55	-9.98	-11.94	-11.53	-11.31	-11.82	-10.59	-2.92	-2.62
5300MHz	Pass	19.62	-11.38	-11.52	-10.38	-11.45	-12.01	-12.16	-11.56	-11.11	-3.00	-2.62
5320MHz	Pass	19.62	-11.25	-11.63	-10.52	-11.30	-11.77	-11.42	-11.10	-11.29	-2.87	-2.62
5500MHz	Pass	19.68	-11.44	-11.31	-10.46	-11.66	-10.82	-11.00	-11.35	-10.08	-2.82	-2.68
5580MHz	Pass	19.68	-11.21	-11.65	-11.00	-11.61	-10.77	-10.53	-11.95	-11.00	-3.02	-2.68
5700MHz	Pass	19.68	-10.36	-11.41	-10.37	-11.71	-10.23	-11.20	-11.27	-11.64	-2.85	-2.68
5720MHz Straddle 5.47-5.725GHz	Pass	19.68	-11.44	-12.08	-10.82	-11.81	-9.98	-11.39	-11.54	-12.27	-2.99	-2.68
5720MHz Straddle 5.725-5.85GHz	Pass	19.74	-14.83	-14.36	-13.64	-13.74	-12.20	-13.46	-13.07	-13.51	-5.02	16.26
802.11ax HEW40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	19.62	-11.28	-9.62	-10.27	-11.58	-11.35	-11.35	-11.48	-10.40	-3.02	-2.62
5310MHz	Pass	19.62	-11.20	-10.56	-10.37	-11.84	-11.32	-11.72	-11.48	-11.27	-3.03	-2.62
5510MHz	Pass	19.68	-11.68	-11.81	-11.05	-12.16	-10.68	-10.43	-11.64	-10.76	-3.04	-2.68
5550MHz	Pass	19.68	-11.29	-11.24	-11.13	-11.95	-10.46	-10.78	-11.39	-10.78	-2.72	-2.68
5670MHz	Pass	19.68	-11.02	-10.83	-11.34	-12.39	-10.54	-10.92	-11.84	-12.04	-2.88	-2.68
5710MHz Straddle 5.47-5.725GHz	Pass	19.68	-10.33	-10.70	-10.74	-11.74	-10.06	-10.95	-11.44	-11.97	-2.78	-2.68
5710MHz Straddle 5.725-5.85GHz	Pass	19.74	-13.84	-15.93	-13.96	-14.14	-12.83	-13.88	-13.72	-14.46	-5.48	16.26
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	19.62	-11.38	-10.09	-10.13	-11.76	-10.93	-10.69	-11.49	-9.23	-2.75	-2.62
5530MHz	Pass	19.68	-11.67	-11.73	-11.36	-11.48	-10.42	-11.07	-11.59	-11.36	-3.03	-2.68
5610MHz	Pass	19.68	-10.63	-11.34	-10.73	-10.89	-10.44	-11.45	-11.98	-12.44	-2.71	-2.68
5690MHz Straddle 5.47-5.725GHz	Pass	19.68	-10.72	-11.12	-11.10	-11.74	-11.40	-11.80	-12.29	-13.41	-3.41	-2.68
5690MHz Straddle 5.725-5.85GHz	Pass	19.74	-15.27	-17.24	-15.28	-15.20	-15.39	-16.21	-15.58	-16.88	-7.29	16.26

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;









5.47-5.725GHz_802.11a_Nss1,(6Mbps)_8TX



5500MHz


PSD



20/10/2022








































For 80+80 UNII 1, 2A Indoor / UNII 2C Indoor/Outdoor

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW80+80_Nss1,(MCS0)_4TX	-1.56
5.25-5.35GHz	-
802.11ax HEW80+80_Nss1,(MCS0)_4TX	-2.02
5.47-5.725GHz	-
802.11ax HEW80+80_Nss2,(MCS0)_8TX	-0.03

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW80+80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,#5290MHz	Pass	11.86	-6.79	-6.16	-6.44	-8.00					-1.56	11.14
802.11ax HEW80+80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz,#5290MHz	Pass	11.53	-	-	-	-	-7.79	-7.53	-7.95	-6.74	-2.02	5.47
802.11ax HEW80+80_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	11.26	-5.13	-5.89	-4.59	-5.88	-6.03	-5.35	-5.93	-6.14	-0.03	5.74


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW80+80_Nss1,(MCS0)_4TX

PSD

#5210MHz,5290MHz

13/10/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.56	-1.56	-6.79	-6.16	-6.44	-8.00

802.11ax HEW80+80_Nss1,(MCS0)_4TX

PSD

5210MHz,#5290MHz

13/10/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.02	-2.02	-	-	-	-	-7.79	-7.53	-7.95	-6.74

802.11ax HEW80+80_Nss2,(MCS0)_8TX

PSD

#5530MHz,#5610MHz

13/10/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.03	-0.03	-5.13	-5.89	-4.59	-5.88	-6.03	-5.35	-5.93	-6.14



For 80+80 UNII 1, 2A Outdoor
Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW80+80_Nss1,(MCS0)_4TX	-1.56
5.25-5.35GHz	-
802.11ax HEW80+80_Nss1,(MCS0)_4TX	-2.02

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW80+80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	11.86	-6.79	-6.16	-6.44	-8.00					-1.56	11.14
5210MHz,#5290MHz	Pass	11.53	-	-	-	-	-7.79	-7.53	-7.95	-6.74	-2.02	5.47


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW80+80_Nss1,(MCS0)_4TX

PSD

#5210MHz,5290MHz

13/10/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.56	-1.56	-6.79	-6.16	-6.44	-8.00

802.11ax HEW80+80_Nss1,(MCS0)_4TX

PSD

5210MHz,#5290MHz

13/10/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.02	-2.02	-	-	-	-	-7.79	-7.53	-7.95	-6.74



For 80+80 UNII 1, 2A Indoor / UNII 2C Indoor/Outdoor

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW80+80_Nss1,(MCS0)_4TX	-4.98
5.25-5.35GHz	-
802.11ax HEW80+80_Nss1,(MCS0)_4TX	-5.20
5.47-5.725GHz	-
802.11ax HEW80+80_Nss2,(MCS0)_8TX	-5.90


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:




Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW80+80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	16.72	-10.10	-9.46	-10.04	-11.50					-4.98	6.28
5210MHz,#5290MHz	Pass	16.57	-	-	-	-	-11.13	-11.18	-11.13	-9.78	-5.20	0.43
802.11ax HEW80+80_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	16.68	-11.02	-11.37	-10.45	-11.62	-11.42	-11.49	-12.10	-12.06	-5.90	0.32

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;







For 80+80 UNII 1, 2A Outdoor
Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW80+80_Nss1,(MCS0)_4TX	-4.98
5.25-5.35GHz	-
802.11ax HEW80+80_Nss1,(MCS0)_4TX	-5.20


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW80+80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	16.72	-10.10	-9.46	-10.04	-11.50					-4.98	6.28
5210MHz,#5290MHz	Pass	16.57	-	-	-	-	-11.13	-11.18	-11.13	-9.78	-5.20	0.43

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;






For UNII 2A and 2C (include Straddle Channel) indoor + outdoor

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	PK	17.15632G	68.13	68.20	-0.07	3	Horizontal	172	2.95	-

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TnomVnom




EUT_V_8TX
Setting 23
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	60.93	74.00	-13.07	55.03	3	Vertical	199	1.80	-	32.72	5.97	32.79
AV	5.1484G	46.45	54.00	-7.55	40.57	3	Vertical	199	1.80	-	32.70	5.97	32.79
PK	5.2576G	127.29	Inf	-Inf	121.18	3	Vertical	199	1.80	-	32.82	6.03	32.74
AV	5.2576G	117.51	Inf	-Inf	111.40	3	Vertical	199	1.80	-	32.82	6.03	32.74
PK	5.353G	60.75	74.00	-13.25	54.36	3	Vertical	199	1.80	-	33.01	6.08	32.70
AV	5.35G	48.40	54.00	-5.60	42.02	3	Vertical	199	1.80	-	33.00	6.08	32.70

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
Setting 19.5
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52012G	56.80	68.20	-11.40	52.38	3	Vertical	210	2.05	-	38.52	8.51	42.61
PK	15.77064G	68.65	74.00	-5.35	61.81	3	Vertical	172	2.73	-	38.12	10.61	41.89
AV	15.77178G	52.07	54.00	-1.93	45.22	3	Vertical	172	2.73	-	38.13	10.61	41.89

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
Setting 19.5
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52G	56.85	68.20	-11.35	52.43	3	Horizontal	200	2.28	-	38.52	8.51	42.61
PK	15.77076G	68.96	74.00	-5.04	62.12	3	Horizontal	179	1.93	-	38.12	10.61	41.89
AV	15.77118G	52.80	54.00	-1.20	45.95	3	Horizontal	179	1.93	-	38.13	10.61	41.89

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TnomVnom




EUT V_8TX
Setting 20
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3032G	124.91	Inf	-Inf	118.67	3	Vertical	310	2.20	-	32.91	6.05	32.72
AV	5.304G	115.36	Inf	-Inf	109.12	3	Vertical	310	2.20	-	32.91	6.05	32.72
PK	5.3524G	66.96	74.00	-7.04	60.57	3	Vertical	310	2.20	-	33.01	6.08	32.70
AV	5.352G	52.51	54.00	-1.49	46.12	3	Vertical	310	2.20	-	33.01	6.08	32.70

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TnomVnom




EUT_Z_8TX
Setting 18.5
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59994G	57.60	68.20	-10.60	53.08	3	Vertical	164	2.10	-	38.60	8.54	42.62
PK	15.89778G	68.59	74.00	-5.41	61.38	3	Vertical	173	2.73	-	38.40	10.66	41.85
AV	15.89784G	52.92	54.00	-1.08	45.71	3	Vertical	173	2.73	-	38.40	10.66	41.85

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TnomVnom




EUT_Z_8TX
Setting 18.5
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59997G	57.85	68.20	-10.35	53.33	3	Horizontal	201	1.97	-	38.60	8.54	42.62
PK	15.8934G	67.22	74.00	-6.78	60.02	3	Horizontal	174	1.95	-	38.39	10.66	41.85
AV	15.8973G	52.37	54.00	-1.63	45.16	3	Horizontal	174	1.95	-	38.40	10.66	41.85

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TnomVnom




EUT V_8TX
Setting 16.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	122.95	Inf	-Inf	116.68	3	Vertical	300	2.17	-	32.93	6.06	32.72
AV	5.3168G	113.06	Inf	-Inf	106.79	3	Vertical	300	2.17	-	32.93	6.06	32.72
PK	5.351G	67.78	74.00	-6.22	61.40	3	Vertical	300	2.17	-	33.00	6.08	32.70
AV	5.3504G	52.68	54.00	-1.32	46.30	3	Vertical	300	2.17	-	33.00	6.08	32.70

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 16.5
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64G	57.59	74.00	-16.41	53.05	3	Vertical	197	1.80	-	38.60	8.56	42.62
AV	10.64006G	49.60	54.00	-4.40	45.06	3	Vertical	197	1.80	-	38.60	8.56	42.62
PK	15.96882G	59.61	74.00	-14.39	52.35	3	Vertical	177	1.79	-	38.40	10.69	41.83
AV	15.96972G	44.87	54.00	-9.13	37.61	3	Vertical	177	1.79	-	38.40	10.69	41.83

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 16.5
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63994G	58.24	74.00	-15.76	53.70	3	Horizontal	200	2.14	-	38.60	8.56	42.62
AV	10.64G	53.39	54.00	-0.61	48.85	3	Horizontal	200	2.14	-	38.60	8.56	42.62
PK	15.95298G	60.07	74.00	-13.93	52.83	3	Horizontal	183	2.84	-	38.40	10.68	41.84
AV	15.96306G	45.50	54.00	-8.50	38.24	3	Horizontal	183	2.84	-	38.40	10.69	41.83

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TnomVnom




EUT_V_8TX
Setting 15.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	61.07	74.00	-12.93	53.90	3	Vertical	27	2.10	-	33.70	6.13	32.66
AV	5.455G	47.65	54.00	-6.35	40.48	3	Vertical	27	2.10	-	33.70	6.13	32.66
PK	5.465G	66.39	68.20	-1.81	59.21	3	Vertical	27	2.10	-	33.70	6.13	32.65
PK	5.5054G	122.43	Inf	-Inf	115.20	3	Vertical	27	2.10	-	33.72	6.15	32.64
AV	5.5054G	111.68	Inf	-Inf	104.45	3	Vertical	27	2.10	-	33.72	6.15	32.64

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 15.5
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99988G	57.75	74.00	-16.25	53.21	3	Vertical	168	2.66	-	38.50	8.70	42.66
AV	11G	52.72	54.00	-1.28	48.18	3	Vertical	168	2.66	-	38.50	8.70	42.66
PK	16.50408G	67.47	68.20	-0.73	58.22	3	Vertical	185	1.91	-	40.30	10.90	41.95

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 15.5
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00006G	58.36	74.00	-15.64	53.82	3	Horizontal	164	1.80	-	38.50	8.70	42.66
AV	11G	53.65	54.00	-0.35	49.11	3	Horizontal	164	1.80	-	38.50	8.70	42.66
PK	16.509G	66.38	68.20	-1.82	57.13	3	Horizontal	175	1.79	-	40.30	10.90	41.95

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TnomVnom




EUT_V_8TX
Setting 23
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	63.96	74.00	-10.04	56.79	3	Vertical	184	1.76	-	33.70	6.13	32.66
AV	5.4592G	48.39	54.00	-5.61	41.22	3	Vertical	184	1.76	-	33.70	6.13	32.66
PK	5.4688G	61.69	68.20	-6.51	54.51	3	Vertical	184	1.76	-	33.70	6.13	32.65
PK	5.5816G	126.50	Inf	-Inf	119.14	3	Vertical	184	1.76	-	33.84	6.19	32.67
AV	5.5816G	116.40	Inf	-Inf	109.04	3	Vertical	184	1.76	-	33.84	6.19	32.67
PK	5.748G	60.49	68.20	-7.71	52.58	3	Vertical	184	1.76	-	34.38	6.27	32.74

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TnomVnom




EUT Z_8TX
Setting 15.5
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16018G	54.86	74.00	-19.14	50.44	3	Vertical	197	1.79	-	38.34	8.76	42.68
AV	11.16G	47.88	54.00	-6.12	43.46	3	Vertical	197	1.79	-	38.34	8.76	42.68
PK	16.74612G	67.49	68.20	-0.71	57.91	3	Vertical	174	1.90	-	40.45	11.00	41.87

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TnomVnom




EUT Z_8TX
Setting 15.5
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16006G	56.33	74.00	-17.67	51.91	3	Horizontal	194	1.98	-	38.34	8.76	42.68
AV	11.16006G	49.29	54.00	-4.71	44.87	3	Horizontal	194	1.98	-	38.34	8.76	42.68
PK	16.74258G	68.10	68.20	-0.10	58.53	3	Horizontal	178	2.84	-	40.44	11.00	41.87

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TnomVnom




EUT V_8TX
Setting 14.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7008G	119.54	Inf	-Inf	112.00	3	Vertical	315	1.80	-	34.01	6.25	32.72
AV	5.701G	109.93	Inf	-Inf	102.39	3	Vertical	315	1.80	-	34.01	6.25	32.72
PK	5.726G	67.71	68.20	-0.49	59.97	3	Vertical	315	1.80	-	34.21	6.26	32.73

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TnomVnom




EUT_Z_8TX
Setting 14.5
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39994G	54.58	74.00	-19.42	50.04	3	Vertical	166	2.28	-	38.40	8.86	42.72
AV	11.4G	45.19	54.00	-8.81	40.65	3	Vertical	166	2.28	-	38.40	8.86	42.72
PK	17.09298G	61.24	68.20	-6.96	50.53	3	Vertical	178	1.84	-	41.38	11.14	41.81

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TnomVnom




EUT_Z_8TX
Setting 14.5
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40006G	55.57	74.00	-18.43	51.03	3	Horizontal	198	2.13	-	38.40	8.86	42.72
AV	11.4G	49.09	54.00	-4.91	44.55	3	Horizontal	198	2.13	-	38.40	8.86	42.72
PK	17.09292G	65.34	68.20	-2.86	54.63	3	Horizontal	192	2.86	-	41.38	11.14	41.81

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_8TX
Setting 23
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	128.41	Inf	-Inf	120.68	3	Vertical	336	1.99	-	34.20	6.26	32.73
AV	5.7256G	118.43	Inf	-Inf	110.70	3	Vertical	336	1.99	-	34.20	6.26	32.73
PK	5.85G	60.57	68.20	-7.63	52.22	3	Vertical	336	1.99	-	34.80	6.33	32.78

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_8TX
Setting 15
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44G	54.45	74.00	-19.55	49.89	3	Vertical	167	2.40	-	38.40	8.88	42.72
AV	11.44G	45.40	54.00	-8.60	40.84	3	Vertical	167	2.40	-	38.40	8.88	42.72
PK	17.16558G	66.61	68.20	-1.59	55.73	3	Vertical	194	2.90	-	41.53	11.17	41.82

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
Setting 15
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43994G	55.24	74.00	-18.76	50.68	3	Horizontal	160	1.80	-	38.40	8.88	42.72
AV	11.44G	47.33	54.00	-6.67	42.77	3	Horizontal	160	1.80	-	38.40	8.88	42.72
PK	17.1636G	67.30	68.20	-0.90	56.42	3	Horizontal	194	2.90	-	41.53	11.17	41.82

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT V_8TX
Setting 23
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	59.44	74.00	-14.56	53.55	3	Vertical	310	2.00	-	32.71	5.97	32.79
AV	5.1466G	46.71	54.00	-7.29	40.82	3	Vertical	310	2.00	-	32.71	5.97	32.79
PK	5.2642G	127.78	Inf	-Inf	121.66	3	Vertical	310	2.00	-	32.83	6.03	32.74
AV	5.2642G	118.46	Inf	-Inf	112.34	3	Vertical	310	2.00	-	32.83	6.03	32.74
PK	5.3536G	63.01	74.00	-10.99	56.62	3	Vertical	310	2.00	-	33.01	6.08	32.70
AV	5.3512G	49.19	54.00	-4.81	42.81	3	Vertical	310	2.00	-	33.00	6.08	32.70

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT Z_8TX
Setting 20
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52006G	56.98	68.20	-11.22	52.56	3	Vertical	212	2.00	-	38.52	8.51	42.61
PK	15.78612G	67.28	74.00	-6.72	60.34	3	Vertical	173	2.72	-	38.22	10.61	41.89
AV	15.78678G	52.38	54.00	-1.62	45.44	3	Vertical	173	2.72	-	38.22	10.61	41.89

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT Z_8TX
Setting 20
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51982G	56.65	68.20	-11.55	52.23	3	Horizontal	327	2.95	-	38.52	8.51	42.61
PK	15.77688G	69.39	74.00	-4.61	62.51	3	Horizontal	187	2.00	-	38.16	10.61	41.89
AV	15.77682G	53.69	54.00	-0.31	46.81	3	Horizontal	187	2.00	-	38.16	10.61	41.89

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT V_8TX
Setting 20
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	127.48	Inf	-Inf	121.24	3	Vertical	194	1.80	-	32.91	6.05	32.72
AV	5.3028G	115.91	Inf	-Inf	109.67	3	Vertical	194	1.80	-	32.91	6.05	32.72
PK	5.35G	66.36	74.00	-7.64	59.98	3	Vertical	194	1.80	-	33.00	6.08	32.70
AV	5.35G	52.69	54.00	-1.31	46.31	3	Vertical	194	1.80	-	33.00	6.08	32.70

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 18.5
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59985G	57.87	68.20	-10.33	53.35	3	Vertical	165	2.12	-	38.60	8.54	42.62
PK	15.89418G	67.76	74.00	-6.24	60.56	3	Vertical	174	2.74	-	38.39	10.66	41.85
AV	15.89772G	51.78	54.00	-2.22	44.57	3	Vertical	174	2.74	-	38.40	10.66	41.85

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 18.5
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59991G	58.08	68.20	-10.12	53.56	3	Horizontal	200	2.15	-	38.60	8.54	42.62
PK	15.89676G	68.93	74.00	-5.07	61.72	3	Horizontal	178	2.62	-	38.40	10.66	41.85
AV	15.89748G	52.78	54.00	-1.22	45.57	3	Horizontal	178	2.62	-	38.40	10.66	41.85

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT Y_8TX
Setting 17
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3156G	126.00	Inf	-Inf	119.73	3	Vertical	28	2.16	-	32.93	6.06	32.72
AV	5.3156G	113.43	Inf	-Inf	107.16	3	Vertical	28	2.16	-	32.93	6.06	32.72
PK	5.3504G	69.28	74.00	-4.72	62.90	3	Vertical	28	2.16	-	33.00	6.08	32.70
AV	5.3504G	52.90	54.00	-1.10	46.52	3	Vertical	28	2.16	-	33.00	6.08	32.70

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 17
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64012G	56.95	74.00	-17.05	52.41	3	Vertical	196	1.80	-	38.60	8.56	42.62
AV	10.63994G	50.01	54.00	-3.99	45.47	3	Vertical	196	1.80	-	38.60	8.56	42.62
PK	15.9546G	63.22	74.00	-10.78	55.97	3	Vertical	186	2.49	-	38.40	10.68	41.83
AV	15.9534G	47.40	54.00	-6.60	40.15	3	Vertical	186	2.49	-	38.40	10.68	41.83

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 17
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64018G	56.63	74.00	-17.37	52.09	3	Horizontal	88	2.78	-	38.60	8.56	42.62
AV	10.63994G	48.07	54.00	-5.93	43.53	3	Horizontal	88	2.78	-	38.60	8.56	42.62
PK	15.9663G	61.20	74.00	-12.80	53.94	3	Horizontal	176	2.40	-	38.40	10.69	41.83
AV	15.95538G	45.71	54.00	-8.29	38.46	3	Horizontal	176	2.40	-	38.40	10.68	41.83

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT V_8TX
Setting 16.5
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	66.10	74.00	-7.90	58.93	3	Vertical	161	1.80	-	33.70	6.13	32.66
AV	5.4578G	51.50	54.00	-2.50	44.33	3	Vertical	161	1.80	-	33.70	6.13	32.66
PK	5.469G	67.72	68.20	-0.48	60.54	3	Vertical	161	1.80	-	33.70	6.13	32.65
PK	5.4956G	123.59	Inf	-Inf	116.38	3	Vertical	161	1.80	-	33.70	6.15	32.64
AV	5.4966G	110.67	Inf	-Inf	103.46	3	Vertical	161	1.80	-	33.70	6.15	32.64

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT Z_8TX
Setting 15
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00012G	57.52	74.00	-16.48	52.98	3	Vertical	172	2.73	-	38.50	8.70	42.66
AV	11G	52.43	54.00	-1.57	47.89	3	Vertical	172	2.73	-	38.50	8.70	42.66
PK	16.5117G	66.80	68.20	-1.40	57.55	3	Vertical	185	1.85	-	40.30	10.90	41.95

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT Z_8TX
Setting 15
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00006G	58.58	74.00	-15.42	54.04	3	Horizontal	163	1.94	-	38.50	8.70	42.66
AV	11G	53.91	54.00	-0.09	49.37	3	Horizontal	163	1.94	-	38.50	8.70	42.66
PK	16.50666G	68.12	68.20	-0.08	58.87	3	Horizontal	174	1.80	-	40.30	10.90	41.95

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT V_8TX
Setting 23
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	61.41	74.00	-12.59	54.24	3	Vertical	23	2.13	-	33.70	6.13	32.66
AV	5.4592G	48.57	54.00	-5.43	41.40	3	Vertical	23	2.13	-	33.70	6.13	32.66
PK	5.4688G	62.30	68.20	-5.90	55.12	3	Vertical	23	2.13	-	33.70	6.13	32.65
PK	5.5872G	128.58	Inf	-Inf	121.23	3	Vertical	23	2.13	-	33.83	6.19	32.67
AV	5.5872G	117.11	Inf	-Inf	109.76	3	Vertical	23	2.13	-	33.83	6.19	32.67
PK	5.7456G	60.01	68.20	-8.19	52.12	3	Vertical	23	2.13	-	34.36	6.27	32.74

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT Z_8TX
Setting 15.5
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15982G	56.17	74.00	-17.83	51.75	3	Vertical	198	1.80	-	38.34	8.76	42.68
AV	11.16G	48.35	54.00	-5.65	43.93	3	Vertical	198	1.80	-	38.34	8.76	42.68
PK	16.73562G	63.67	68.20	-4.53	54.11	3	Vertical	188	3.00	-	40.44	10.99	41.87

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT Z_8TX
Setting 15.5
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16G	56.64	74.00	-17.36	52.22	3	Horizontal	194	1.87	-	38.34	8.76	42.68
AV	11.16G	49.60	54.00	-4.40	45.18	3	Horizontal	194	1.87	-	38.34	8.76	42.68
PK	16.72992G	67.90	68.20	-0.30	58.36	3	Horizontal	179	2.57	-	40.43	10.99	41.88

802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TnomVnom




EUT Y_8TX
Setting 14
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	122.56	Inf	-Inf	115.01	3	Vertical	275	2.20	-	34.02	6.25	32.72
AV	5.702G	109.24	Inf	-Inf	101.69	3	Vertical	275	2.20	-	34.02	6.25	32.72
PK	5.7254G	67.08	68.20	-1.12	59.35	3	Vertical	275	2.20	-	34.20	6.26	32.73

802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TnomVnom




EUT_Z_8TX
Setting 14
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39984G	54.22	74.00	-19.78	49.68	3	Vertical	166	2.15	-	38.40	8.86	42.72
AV	11.39996G	44.30	54.00	-9.70	39.76	3	Vertical	166	2.15	-	38.40	8.86	42.72
PK	17.10036G	61.60	68.20	-6.60	50.87	3	Vertical	165	2.44	-	41.40	11.14	41.81

802.11ax HEW20_Nss1,(MCS0)_8TX


5700MHz_TnomVnom



EUT Z_8TX
Setting 14
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40008G	56.43	74.00	-17.57	51.89	3	Horizontal	199	2.10	-	38.40	8.86	42.72
AV	11.4G	48.65	54.00	-5.35	44.11	3	Horizontal	199	2.10	-	38.40	8.86	42.72
PK	17.0986G	63.65	68.20	-4.55	52.92	3	Horizontal	192	1.84	-	41.40	11.14	41.81


802.11ax HEW20_Nss1,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT V_8TX
 Setting 23
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	128.68	Inf	-Inf	120.95	3	Vertical	309	1.79	-	34.20	6.26	32.73
AV	5.7256G	117.99	Inf	-Inf	110.26	3	Vertical	309	1.79	-	34.20	6.26	32.73
PK	5.852G	61.13	68.20	-7.07	52.78	3	Vertical	309	1.79	-	34.80	6.33	32.78


802.11ax HEW20_Nss1,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_8TX
 Setting 15
 01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43984G	53.69	74.00	-20.31	49.13	3	Vertical	167	2.18	-	38.40	8.88	42.72
AV	11.44008G	44.64	54.00	-9.36	40.08	3	Vertical	167	2.18	-	38.40	8.88	42.72
PK	17.1568G	65.42	68.20	-2.78	54.57	3	Vertical	175	2.05	-	41.51	11.16	41.82

802.11ax HEW20_Nss1,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_8TX
 Setting 15
 01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44008G	55.22	74.00	-18.78	50.66	3	Horizontal	160	1.88	-	38.40	8.88	42.72
AV	11.43996G	46.77	54.00	-7.23	42.21	3	Horizontal	160	1.88	-	38.40	8.88	42.72
PK	17.15632G	68.13	68.20	-0.07	57.28	3	Horizontal	172	2.95	-	41.51	11.16	41.82

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT V_8TX
Setting 17.5
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	60.18	74.00	-13.82	54.29	3	Vertical	312	2.17	-	32.71	5.97	32.79
AV	5.15G	47.35	54.00	-6.65	41.47	3	Vertical	312	2.17	-	32.70	5.97	32.79
PK	5.2766G	125.83	Inf	-Inf	119.67	3	Vertical	312	2.17	-	32.85	6.04	32.73
AV	5.2778G	112.68	Inf	-Inf	106.51	3	Vertical	312	2.17	-	32.86	6.04	32.73
PK	5.3534G	66.78	74.00	-7.22	60.39	3	Vertical	312	2.17	-	33.01	6.08	32.70
AV	5.351G	52.76	54.00	-1.24	46.38	3	Vertical	312	2.17	-	33.00	6.08	32.70

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT Z_8TX
Setting 17.5
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53984G	56.22	68.20	-11.98	51.77	3	Vertical	190	2.00	-	38.54	8.52	42.61
PK	15.81396G	60.84	74.00	-13.16	53.78	3	Vertical	172	1.80	-	38.31	10.63	41.88
AV	15.80524G	44.28	54.00	-9.72	37.23	3	Vertical	172	1.80	-	38.31	10.62	41.88

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT Z_8TX
Setting 17.5
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5398G	56.64	68.20	-11.56	52.19	3	Horizontal	201	2.35	-	38.54	8.52	42.61
PK	15.81234G	62.79	74.00	-11.21	55.74	3	Horizontal	179	2.66	-	38.31	10.62	41.88
AV	15.8007G	46.78	54.00	-7.22	39.74	3	Horizontal	179	2.66	-	38.30	10.62	41.88

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT Y_8TX
Setting 15
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	123.00	Inf	-Inf	116.76	3	Vertical	325	1.80	-	32.91	6.05	32.72
AV	5.304G	109.86	Inf	-Inf	103.62	3	Vertical	325	1.80	-	32.91	6.05	32.72
PK	5.3516G	70.12	74.00	-3.88	63.73	3	Vertical	325	1.80	-	33.01	6.08	32.70
AV	5.3504G	53.26	54.00	-0.74	46.88	3	Vertical	325	1.80	-	33.00	6.08	32.70

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT_Z_8TX
Setting 15
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61996G	58.08	74.00	-15.92	53.55	3	Vertical	167	2.08	-	38.60	8.55	42.62
AV	10.61996G	51.60	54.00	-2.40	47.07	3	Vertical	167	2.08	-	38.60	8.55	42.62
PK	15.93648G	56.27	74.00	-17.73	49.04	3	Vertical	176	1.84	-	38.40	10.67	41.84
AV	15.93764G	42.30	54.00	-11.70	35.06	3	Vertical	176	1.84	-	38.40	10.68	41.84

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT Z_8TX
Setting 15
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61996G	58.04	74.00	-15.96	53.51	3	Horizontal	201	1.80	-	38.60	8.55	42.62
AV	10.62G	51.43	54.00	-2.57	46.90	3	Horizontal	201	1.80	-	38.60	8.55	42.62
PK	15.93984G	56.64	74.00	-17.36	49.40	3	Horizontal	169	2.73	-	38.40	10.68	41.84
AV	15.93416G	42.32	54.00	-11.68	35.09	3	Horizontal	169	2.73	-	38.40	10.67	41.84

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT V_8TX
Setting 14
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	62.60	74.00	-11.40	55.43	3	Vertical	210	1.80	-	33.70	6.13	32.66
AV	5.45G	49.47	54.00	-4.53	42.31	3	Vertical	210	1.80	-	33.70	6.12	32.66
PK	5.4696G	68.13	68.20	-0.07	60.95	3	Vertical	210	1.80	-	33.70	6.13	32.65
PK	5.5108G	121.41	Inf	-Inf	114.15	3	Vertical	210	1.80	-	33.74	6.16	32.64
AV	5.5112G	108.35	Inf	-Inf	101.09	3	Vertical	210	1.80	-	33.74	6.16	32.64

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT Z_8TX
Setting 14
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02008G	57.33	74.00	-16.67	52.80	3	Vertical	168	2.58	-	38.48	8.71	42.66
AV	11.02G	51.99	54.00	-2.01	47.46	3	Vertical	168	2.58	-	38.48	8.71	42.66
PK	16.53424G	59.68	68.20	-8.52	50.41	3	Vertical	186	1.88	-	40.30	10.91	41.94

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT_Z_8TX
Setting 14
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01988G	57.82	74.00	-16.18	53.29	3	Horizontal	165	2.01	-	38.48	8.71	42.66
AV	11.02G	52.12	54.00	-1.88	47.59	3	Horizontal	165	2.01	-	38.48	8.71	42.66
PK	16.53408G	60.04	68.20	-8.16	50.77	3	Horizontal	174	1.82	-	40.30	10.91	41.94

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT V_8TX
Setting 17.5
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	65.27	74.00	-8.73	58.10	3	Vertical	287	1.80	-	33.70	6.13	32.66
AV	5.4564G	50.66	54.00	-3.34	43.49	3	Vertical	287	1.80	-	33.70	6.13	32.66
PK	5.466G	67.96	68.20	-0.24	60.78	3	Vertical	287	1.80	-	33.70	6.13	32.65
PK	5.5458G	125.71	Inf	-Inf	118.32	3	Vertical	287	1.80	-	33.88	6.17	32.66
AV	5.5452G	112.15	Inf	-Inf	104.76	3	Vertical	287	1.80	-	33.88	6.17	32.66

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT Z_8TX
Setting 16
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1G	57.92	74.00	-16.08	53.45	3	Vertical	194	2.89	-	38.40	8.74	42.67
AV	11.09996G	51.74	54.00	-2.26	47.27	3	Vertical	194	2.89	-	38.40	8.74	42.67
PK	16.65368G	66.27	68.20	-1.93	56.86	3	Vertical	183	2.60	-	40.35	10.96	41.90

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT Z_8TX
Setting 16
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09992G	59.77	74.00	-14.23	55.30	3	Horizontal	221	1.84	-	38.40	8.74	42.67
AV	11.09996G	53.84	54.00	-0.16	49.37	3	Horizontal	221	1.84	-	38.40	8.74	42.67
PK	16.653G	67.95	68.20	-0.25	58.54	3	Horizontal	170	2.96	-	40.35	10.96	41.90

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUT Y_8TX
Setting 14
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6644G	122.39	Inf	-Inf	114.80	3	Vertical	320	2.13	-	34.07	6.23	32.71
AV	5.664G	108.92	Inf	-Inf	101.33	3	Vertical	320	2.13	-	34.07	6.23	32.71
PK	5.7256G	66.47	68.20	-1.73	58.74	3	Vertical	320	2.13	-	34.20	6.26	32.73

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUT Z_8TX
Setting 14
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34012G	54.81	74.00	-19.19	50.28	3	Vertical	164	2.29	-	38.40	8.84	42.71
AV	11.33996G	46.63	54.00	-7.37	42.10	3	Vertical	164	2.29	-	38.40	8.84	42.71
PK	17.00048G	59.95	68.20	-8.25	49.54	3	Vertical	171	1.80	-	41.10	11.10	41.79

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUT Z_8TX
Setting 14
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33504G	53.01	74.00	-20.99	48.49	3	Horizontal	158	1.80	-	38.40	8.83	42.71
AV	11.34008G	41.37	54.00	-12.63	36.84	3	Horizontal	158	1.80	-	38.40	8.84	42.71
PK	17.01152G	62.67	68.20	-5.53	52.23	3	Horizontal	176	2.66	-	41.13	11.10	41.79

802.11ax HEW40_Nss1,(MCS0)_8TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT V_8TX
Setting 19.5
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	126.10	Inf	-Inf	118.56	3	Vertical	342	1.98	-	34.01	6.25	32.72
AV	5.6948G	114.32	Inf	-Inf	106.78	3	Vertical	342	1.98	-	34.01	6.25	32.72
PK	5.8604G	68.09	68.20	-0.11	59.72	3	Vertical	342	1.98	-	34.82	6.33	32.78


802.11ax HEW40_Nss1,(MCS0)_8TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_8TX
 Setting 16
 01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42016G	54.02	74.00	-19.98	49.47	3	Vertical	194	2.21	-	38.40	8.87	42.72
AV	11.42G	43.95	54.00	-10.05	39.40	3	Vertical	194	2.21	-	38.40	8.87	42.72
PK	17.1334G	67.90	68.20	-0.30	57.10	3	Vertical	183	3.00	-	41.47	11.15	41.82

802.11ax HEW40_Nss1,(MCS0)_8TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_8TX
 Setting 16
 01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41988G	54.75	74.00	-19.25	50.20	3	Horizontal	200	1.79	-	38.40	8.87	42.72
AV	11.41996G	46.13	54.00	-7.87	41.58	3	Horizontal	200	1.79	-	38.40	8.87	42.72
PK	17.13148G	61.30	68.20	-6.90	50.51	3	Horizontal	194	2.21	-	41.46	11.15	41.82

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUT V_8TX
Setting 13.5
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.122G	59.90	74.00	-14.10	53.98	3	Vertical	30	2.16	-	32.76	5.96	32.80
AV	5.146G	46.81	54.00	-7.19	40.92	3	Vertical	30	2.16	-	32.71	5.97	32.79
PK	5.285G	119.37	Inf	-Inf	113.19	3	Vertical	30	2.16	-	32.87	6.04	32.73
AV	5.286G	106.49	Inf	-Inf	100.31	3	Vertical	30	2.16	-	32.87	6.04	32.73
PK	5.367G	67.09	74.00	-6.91	60.64	3	Vertical	30	2.16	-	33.07	6.08	32.70
AV	5.365G	52.64	54.00	-1.36	46.20	3	Vertical	30	2.16	-	33.06	6.08	32.70
PK	5.467G	61.72	68.20	-6.48	54.54	3	Vertical	30	2.16	-	33.70	6.13	32.65

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUT Z_8TX
Setting 13.5
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5798G	57.16	68.20	-11.04	52.67	3	Vertical	164	2.18	-	38.58	8.53	42.62
PK	15.8644G	55.14	74.00	-18.86	47.98	3	Vertical	168	2.15	-	38.37	10.65	41.86
AV	15.87472G	41.08	54.00	-12.92	33.92	3	Vertical	168	2.15	-	38.37	10.65	41.86

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUT Z_8TX
Setting 13.5
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58G	56.73	68.20	-11.47	52.24	3	Horizontal	160	1.88	-	38.58	8.53	42.62
PK	15.87368G	55.37	74.00	-18.63	48.21	3	Horizontal	207	2.94	-	38.37	10.65	41.86
AV	15.87752G	41.09	54.00	-12.91	33.92	3	Horizontal	207	2.94	-	38.38	10.65	41.86

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUT_V_8TX
Setting 12
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.343G	60.18	68.20	-8.02	53.83	3	Vertical	317	2.14	-	32.99	6.07	32.71
AV	5.35G	47.03	54.00	-6.97	40.66	3	Vertical	317	2.14	-	33.00	6.07	32.70
PK	5.427G	63.02	74.00	-10.98	56.11	3	Vertical	317	2.14	-	33.47	6.11	32.67
PK	5.464G	67.48	68.20	-0.72	60.31	3	Vertical	317	2.14	-	33.70	6.13	32.66
AV	5.458G	50.37	54.00	-3.63	43.20	3	Vertical	317	2.14	-	33.70	6.13	32.66
PK	5.545G	117.74	Inf	-Inf	110.35	3	Vertical	317	2.14	-	33.88	6.17	32.66
AV	5.544G	104.62	Inf	-Inf	97.23	3	Vertical	317	2.14	-	33.88	6.17	32.66
PK	5.757G	62.09	68.20	-6.11	54.15	3	Vertical	317	2.14	-	34.40	6.28	32.74

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUT Z_8TX
Setting 12
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06008G	58.35	74.00	-15.65	53.86	3	Vertical	189	2.83	-	38.44	8.72	42.67
AV	11.06G	53.21	54.00	-0.79	48.72	3	Vertical	189	2.83	-	38.44	8.72	42.67
PK	16.59464G	59.85	68.20	-8.35	50.53	3	Vertical	354	1.15	-	40.30	10.94	41.92

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUT Z_8TX
Setting 12
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05992G	58.48	74.00	-15.52	53.99	3	Horizontal	162	1.80	-	38.44	8.72	42.67
AV	11.06G	53.26	54.00	-0.74	48.77	3	Horizontal	162	1.80	-	38.44	8.72	42.67
PK	16.59836G	59.66	68.20	-8.54	50.34	3	Horizontal	185	2.03	-	40.30	10.94	41.92

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TnomVnom




EUT V_8TX
Setting 15
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	61.96	74.00	-12.04	54.79	3	Vertical	290	2.10	-	33.70	6.13	32.66
PK	5.464G	62.43	68.20	-5.77	55.26	3	Vertical	290	2.10	-	33.70	6.13	32.66
AV	5.459G	49.13	54.00	-4.87	41.96	3	Vertical	290	2.10	-	33.70	6.13	32.66
PK	5.607G	118.57	Inf	-Inf	111.21	3	Vertical	290	2.10	-	33.84	6.20	32.68
AV	5.606G	106.84	Inf	-Inf	99.48	3	Vertical	290	2.10	-	33.84	6.20	32.68
PK	5.725G	66.98	68.20	-1.22	59.25	3	Vertical	290	2.10	-	34.20	6.26	32.73

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TnomVnom




EUT_Z_8TX
Setting 15
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22012G	55.19	74.00	-18.81	50.77	3	Vertical	167	2.18	-	38.32	8.79	42.69
AV	11.21996G	47.64	54.00	-6.36	43.22	3	Vertical	167	2.18	-	38.32	8.79	42.69
PK	16.8342G	61.62	68.20	-6.58	51.76	3	Vertical	200	2.61	-	40.67	11.03	41.84

802.11ax HEW80_Nss1,(MCS0)_8TX


5610MHz_TnomVnom



EUT Z_8TX
Setting 15
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22004G	54.01	74.00	-19.99	49.59	3	Horizontal	218	1.80	-	38.32	8.79	42.69
AV	11.21996G	44.31	54.00	-9.69	39.89	3	Horizontal	218	1.80	-	38.32	8.79	42.69
PK	16.83384G	60.20	68.20	-8.00	50.34	3	Horizontal	183	1.78	-	40.67	11.03	41.84


802.11ax HEW80_Nss1,(MCS0)_8TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT V_8TX
 Setting 17
 01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	62.04	74.00	-11.96	54.87	3	Vertical	344	2.01	-	33.70	6.13	32.66
AV	5.459G	48.99	54.00	-5.01	41.82	3	Vertical	344	2.01	-	33.70	6.13	32.66
PK	5.463G	61.83	68.20	-6.37	54.66	3	Vertical	344	2.01	-	33.70	6.13	32.66
PK	5.695G	121.50	Inf	-Inf	113.96	3	Vertical	344	2.01	-	34.01	6.25	32.72
AV	5.695G	109.61	Inf	-Inf	102.07	3	Vertical	344	2.01	-	34.01	6.25	32.72
PK	5.855G	67.31	68.20	-0.89	58.95	3	Vertical	344	2.01	-	34.81	6.33	32.78

802.11ax HEW80_Nss1,(MCS0)_8TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_8TX
 Setting 16.5
 01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38016G	54.86	74.00	-19.14	50.32	3	Vertical	162	2.00	-	38.40	8.85	42.71
AV	11.37992G	45.76	54.00	-8.24	41.22	3	Vertical	162	2.00	-	38.40	8.85	42.71
PK	17.07756G	63.13	68.20	-5.07	52.48	3	Vertical	176	2.45	-	41.33	11.13	41.81

802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_8TX
Setting 16.5
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38G	55.76	74.00	-18.24	51.22	3	Horizontal	199	1.99	-	38.40	8.85	42.71
AV	11.37996G	48.80	54.00	-5.20	44.26	3	Horizontal	199	1.99	-	38.40	8.85	42.71
PK	17.07136G	68.06	68.20	-0.14	57.42	3	Horizontal	175	2.56	-	41.31	11.13	41.80




For UNII 2A and 2C (include Straddle Channel) indoor + outdoor

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	AV	5.3516G	53.98	54.00	-0.02	3	Vertical	182	1.80	-

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
Setting 22
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1394G	66.89	74.00	-7.11	61.79	3	Vertical	180	1.99	-	31.92	5.64	32.46
AV	5.149G	50.96	54.00	-3.04	45.87	3	Vertical	180	1.99	-	31.90	5.65	32.46
PK	5.266G	130.57	Inf	-Inf	125.70	3	Vertical	180	1.99	-	31.54	5.80	32.47
AV	5.2666G	121.29	Inf	-Inf	116.43	3	Vertical	180	1.99	-	31.53	5.80	32.47
PK	5.3806G	67.55	74.00	-6.45	62.65	3	Vertical	180	1.99	-	31.42	5.97	32.49
AV	5.3542G	52.02	54.00	-1.98	47.25	3	Vertical	180	1.99	-	31.32	5.93	32.48

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
Setting 22
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	64.17	74.00	-9.83	59.08	3	Horizontal	182	1.80	-	31.90	5.65	32.46
AV	5.1496G	51.68	54.00	-2.32	46.59	3	Horizontal	182	1.80	-	31.90	5.65	32.46
PK	5.2612G	130.71	Inf	-Inf	125.83	3	Horizontal	182	1.80	-	31.56	5.79	32.47
AV	5.2612G	122.32	Inf	-Inf	117.44	3	Horizontal	182	1.80	-	31.56	5.79	32.47
PK	5.3506G	65.83	74.00	-8.17	61.08	3	Horizontal	182	1.80	-	31.30	5.93	32.48
AV	5.3578G	52.93	54.00	-1.07	48.14	3	Horizontal	182	1.80	-	31.33	5.94	32.48

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
Setting 22
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51968G	57.26	68.20	-10.94	43.45	3	Vertical	284	1.80	-	40.18	8.33	34.70
PK	15.7748G	67.43	74.00	-6.57	53.93	3	Vertical	314	1.80	-	37.90	10.40	34.80
AV	15.7754G	53.61	54.00	-0.39	40.11	3	Vertical	314	1.80	-	37.90	10.40	34.80

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
Setting 22
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52936G	57.35	68.20	-10.85	43.54	3	Horizontal	308	2.12	-	40.17	8.34	34.70
PK	15.77492G	67.41	74.00	-6.59	53.91	3	Horizontal	287	2.56	-	37.90	10.40	34.80
AV	15.77596G	52.95	54.00	-1.05	39.45	3	Horizontal	287	2.56	-	37.90	10.40	34.80

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TnomVnom




EUT_Z_8TX
Setting 19
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2994G	129.53	Inf	-Inf	124.76	3	Vertical	180	1.80	-	31.40	5.85	32.48
AV	5.2994G	118.45	Inf	-Inf	113.68	3	Vertical	180	1.80	-	31.40	5.85	32.48
PK	5.35G	66.55	74.00	-7.45	61.80	3	Vertical	180	1.80	-	31.30	5.93	32.48
AV	5.35G	53.84	54.00	-0.16	49.09	3	Vertical	180	1.80	-	31.30	5.93	32.48

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TnomVnom




EUT_Z_8TX
Setting 19
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2958G	130.27	Inf	-Inf	125.49	3	Horizontal	179	1.64	-	31.42	5.84	32.48
AV	5.297G	119.97	Inf	-Inf	115.19	3	Horizontal	179	1.64	-	31.41	5.85	32.48
PK	5.3522G	65.16	74.00	-8.84	60.40	3	Horizontal	179	1.64	-	31.31	5.93	32.48
AV	5.3564G	51.25	54.00	-2.75	46.47	3	Horizontal	179	1.64	-	31.33	5.93	32.48

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TnomVnom




EUT_Z_8TX
Setting 19
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59996G	58.84	68.20	-9.36	45.06	3	Vertical	261	2.14	-	40.10	8.37	34.69
PK	15.89788G	62.33	74.00	-11.67	48.98	3	Vertical	263	1.80	-	37.70	10.45	34.80
AV	15.90048G	48.48	54.00	-5.52	35.12	3	Vertical	263	1.80	-	37.70	10.46	34.80

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TnomVnom




EUT_Z_8TX
Setting 19
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5998G	57.97	68.20	-10.23	44.19	3	Horizontal	300	1.80	-	40.10	8.37	34.69
PK	15.89936G	60.39	74.00	-13.61	47.04	3	Horizontal	266	1.79	-	37.70	10.45	34.80
AV	15.89964G	46.61	54.00	-7.39	33.26	3	Horizontal	266	1.79	-	37.70	10.45	34.80

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TnomVnom




EUT_Z_8TX
Setting 15.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3228G	125.56	Inf	-Inf	120.81	3	Vertical	182	1.80	-	31.35	5.88	32.48
AV	5.3228G	115.61	Inf	-Inf	110.86	3	Vertical	182	1.80	-	31.35	5.88	32.48
PK	5.3512G	69.25	74.00	-4.75	64.50	3	Vertical	182	1.80	-	31.30	5.93	32.48
AV	5.3516G	53.98	54.00	-0.02	49.22	3	Vertical	182	1.80	-	31.31	5.93	32.48

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TnomVnom




EUT_Z_8TX
Setting 15.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	129.10	Inf	-Inf	124.34	3	Horizontal	180	1.85	-	31.36	5.88	32.48
AV	5.3232G	116.93	Inf	-Inf	112.18	3	Horizontal	180	1.85	-	31.35	5.88	32.48
PK	5.3504G	63.82	74.00	-10.18	59.07	3	Horizontal	180	1.85	-	31.30	5.93	32.48
AV	5.35G	51.46	54.00	-2.54	46.71	3	Horizontal	180	1.85	-	31.30	5.93	32.48

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 15.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63992G	58.69	74.00	-15.31	44.89	3	Vertical	258	1.80	-	40.10	8.39	34.69
AV	10.64G	49.40	54.00	-4.60	35.60	3	Vertical	258	1.80	-	40.10	8.39	34.69
PK	15.96324G	59.46	74.00	-14.54	46.13	3	Vertical	108	1.53	-	37.64	10.48	34.79
AV	15.96092G	46.36	54.00	-7.64	33.03	3	Vertical	108	1.53	-	37.64	10.48	34.79

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 15.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6398G	59.21	74.00	-14.79	45.41	3	Horizontal	300	2.20	-	40.10	8.39	34.69
AV	10.63992G	52.12	54.00	-1.88	38.32	3	Horizontal	300	2.20	-	40.10	8.39	34.69
PK	15.95728G	59.11	74.00	-14.89	45.78	3	Horizontal	3	1.49	-	37.64	10.48	34.79
AV	15.95468G	46.53	54.00	-7.47	33.19	3	Horizontal	3	1.49	-	37.65	10.48	34.79

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 14.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	61.41	74.00	-12.59	56.17	3	Vertical	183	1.80	-	31.73	6.00	32.49
AV	5.41G	49.91	54.00	-4.09	44.86	3	Vertical	183	1.80	-	31.54	6.00	32.49
PK	5.4668G	67.76	68.20	-0.44	62.49	3	Vertical	183	1.80	-	31.77	6.00	32.50
PK	5.4964G	123.32	Inf	-Inf	117.93	3	Vertical	183	1.80	-	31.89	6.00	32.50
AV	5.4964G	113.60	Inf	-Inf	108.21	3	Vertical	183	1.80	-	31.89	6.00	32.50

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 14.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	60.83	74.00	-13.17	55.62	3	Horizontal	184	1.59	-	31.70	6.00	32.49
AV	5.4448G	48.23	54.00	-5.77	43.04	3	Horizontal	184	1.59	-	31.68	6.00	32.49
PK	5.4676G	64.33	68.20	-3.87	59.06	3	Horizontal	184	1.59	-	31.77	6.00	32.50
PK	5.4932G	124.70	Inf	-Inf	119.33	3	Horizontal	184	1.59	-	31.87	6.00	32.50
AV	5.4928G	115.08	Inf	-Inf	109.71	3	Horizontal	184	1.59	-	31.87	6.00	32.50

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 14.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00032G	57.97	74.00	-16.03	43.47	3	Vertical	287	1.80	-	40.60	8.55	34.65
AV	11.00004G	50.42	54.00	-3.58	35.92	3	Vertical	287	1.80	-	40.60	8.55	34.65
PK	16.49932G	61.00	68.20	-7.20	45.50	3	Vertical	57	3.00	-	39.69	10.75	34.94

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 14.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11G	58.66	74.00	-15.34	44.16	3	Horizontal	297	1.98	-	40.60	8.55	34.65
AV	11.00006G	50.81	54.00	-3.19	36.31	3	Horizontal	297	1.98	-	40.60	8.55	34.65
PK	16.50988G	61.66	68.20	-6.54	46.17	3	Horizontal	201	2.99	-	39.68	10.75	34.94

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TnomVnom




EUT_Z_8TX
Setting 18.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4306G	61.36	74.00	-12.64	56.23	3	Vertical	178	1.80	-	31.62	6.00	32.49
AV	5.4444G	48.84	54.00	-5.16	43.65	3	Vertical	178	1.80	-	31.68	6.00	32.49
PK	5.463G	60.96	68.20	-7.24	55.71	3	Vertical	178	1.80	-	31.75	6.00	32.50
PK	5.5854G	125.13	Inf	-Inf	119.70	3	Vertical	178	1.80	-	31.90	6.00	32.47
AV	5.5854G	115.40	Inf	-Inf	109.97	3	Vertical	178	1.80	-	31.90	6.00	32.47
PK	5.7282G	60.46	68.20	-7.74	54.72	3	Vertical	178	1.80	-	32.11	6.06	32.43

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TnomVnom




EUT_Z_8TX
Setting 18.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4462G	63.61	74.00	-10.39	58.42	3	Horizontal	183	1.80	-	31.68	6.00	32.49
AV	5.4432G	51.21	54.00	-2.79	46.03	3	Horizontal	183	1.80	-	31.67	6.00	32.49
PK	5.4624G	62.33	68.20	-5.87	57.08	3	Horizontal	183	1.80	-	31.75	6.00	32.50
PK	5.5872G	127.34	Inf	-Inf	121.91	3	Horizontal	183	1.80	-	31.90	6.00	32.47
AV	5.5872G	116.74	Inf	-Inf	111.31	3	Horizontal	183	1.80	-	31.90	6.00	32.47
PK	5.7294G	62.72	68.20	-5.48	56.97	3	Horizontal	183	1.80	-	32.12	6.06	32.43

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TnomVnom




EUT_Z_8TX
Setting 18.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16G	58.85	74.00	-15.15	44.85	3	Vertical	240	2.13	-	40.02	8.62	34.64
AV	11.16G	49.41	54.00	-4.59	35.41	3	Vertical	240	2.13	-	40.02	8.62	34.64
PK	16.73668G	67.28	68.20	-0.92	50.96	3	Vertical	294	1.90	-	40.29	10.87	34.84

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TnomVnom




EUT_Z_8TX
Setting 18.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15988G	58.73	74.00	-15.27	44.73	3	Horizontal	256	2.18	-	40.02	8.62	34.64
AV	11.15996G	49.78	54.00	-4.22	35.78	3	Horizontal	256	2.18	-	40.02	8.62	34.64
PK	16.74268G	63.37	68.20	-4.83	47.00	3	Horizontal	73	1.80	-	40.34	10.87	34.84

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TnomVnom




EUT_Z_8TX
Setting 14
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6994G	122.60	Inf	-Inf	116.99	3	Vertical	180	1.80	-	32.00	6.05	32.44
AV	5.6994G	112.86	Inf	-Inf	107.25	3	Vertical	180	1.80	-	32.00	6.05	32.44
PK	5.73G	67.65	68.20	-0.55	61.90	3	Vertical	180	1.80	-	32.12	6.06	32.43

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TnomVnom




EUT_Z_8TX
Setting 14
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6982G	123.83	Inf	-Inf	118.23	3	Horizontal	182	1.59	-	31.99	6.05	32.44
AV	5.6988G	113.94	Inf	-Inf	108.33	3	Horizontal	182	1.59	-	32.00	6.05	32.44
PK	5.7252G	66.02	68.20	-2.18	60.29	3	Horizontal	182	1.59	-	32.10	6.06	32.43

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TnomVnom




EUT_Z_8TX
Setting 14
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4G	57.55	74.00	-16.45	43.35	3	Vertical	333	1.80	-	40.10	8.73	34.63
AV	11.4G	46.94	54.00	-7.06	32.74	3	Vertical	333	1.80	-	40.10	8.73	34.63
PK	17.10576G	51.30	68.20	-16.90	34.19	3	Vertical	26	1.80	-	40.92	11.05	34.86

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TnomVnom




EUT Z_8TX
Setting 14
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39992G	58.66	74.00	-15.34	44.46	3	Horizontal	323	2.14	-	40.10	8.73	34.63
AV	11.39996G	49.79	54.00	-4.21	35.59	3	Horizontal	323	2.14	-	40.10	8.73	34.63
PK	17.1086G	64.70	68.20	-3.50	47.59	3	Horizontal	90	2.01	-	40.93	11.05	34.87

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
Setting 23
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7152G	131.18	Inf	-Inf	125.49	3	Vertical	180	1.80	-	32.06	6.06	32.43
AV	5.7146G	121.21	Inf	-Inf	115.52	3	Vertical	180	1.80	-	32.06	6.06	32.43
PK	5.8646G	63.17	68.20	-5.03	57.09	3	Vertical	180	1.80	-	32.39	6.07	32.38

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
Setting 23
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7218G	131.41	Inf	-Inf	125.69	3	Horizontal	181	1.80	-	32.09	6.06	32.43
AV	5.7218G	122.51	Inf	-Inf	116.79	3	Horizontal	181	1.80	-	32.09	6.06	32.43
PK	5.8526G	64.64	68.20	-3.56	58.64	3	Horizontal	181	1.80	-	32.32	6.07	32.39

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
Setting 23
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44844G	57.70	74.00	-16.30	43.48	3	Vertical	275	1.78	-	40.10	8.75	34.63
AV	11.43992G	47.41	54.00	-6.59	33.19	3	Vertical	275	1.78	-	40.10	8.75	34.63
PK	17.16424G	66.73	68.20	-1.47	49.43	3	Vertical	290	1.80	-	41.16	11.08	34.94

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
Setting 23
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43976G	59.45	74.00	-14.55	45.23	3	Horizontal	295	2.18	-	40.10	8.75	34.63
AV	11.44G	49.60	54.00	-4.40	35.38	3	Horizontal	295	2.18	-	40.10	8.75	34.63
PK	17.1598G	65.30	68.20	-2.90	48.01	3	Horizontal	80	1.78	-	41.14	11.08	34.93

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
Setting 23
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	69.09	74.00	-4.91	63.99	3	Vertical	180	1.80	-	31.92	5.64	32.46
AV	5.1496G	52.41	54.00	-1.59	47.32	3	Vertical	180	1.80	-	31.90	5.65	32.46
PK	5.26G	130.70	Inf	-Inf	125.82	3	Vertical	180	1.80	-	31.56	5.79	32.47
AV	5.2588G	121.54	Inf	-Inf	116.66	3	Vertical	180	1.80	-	31.56	5.79	32.47
PK	5.35G	68.06	74.00	-5.94	63.31	3	Vertical	180	1.80	-	31.30	5.93	32.48
AV	5.3512G	53.91	54.00	-0.09	49.16	3	Vertical	180	1.80	-	31.30	5.93	32.48

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
Setting 23
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	65.62	74.00	-8.38	60.53	3	Horizontal	185	1.80	-	31.90	5.65	32.46
AV	5.1478G	51.61	54.00	-2.39	46.52	3	Horizontal	185	1.80	-	31.90	5.65	32.46
PK	5.2636G	131.18	Inf	-Inf	126.30	3	Horizontal	185	1.80	-	31.55	5.80	32.47
AV	5.2636G	122.97	Inf	-Inf	118.09	3	Horizontal	185	1.80	-	31.55	5.80	32.47
PK	5.3506G	66.69	74.00	-7.31	61.94	3	Horizontal	185	1.80	-	31.30	5.93	32.48
AV	5.3512G	53.06	54.00	-0.94	48.31	3	Horizontal	185	1.80	-	31.30	5.93	32.48

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT Z_8TX
Setting 23
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52792G	55.85	68.20	-12.35	42.04	3	Vertical	139	1.80	-	40.17	8.34	34.70
PK	15.77828G	59.14	74.00	-14.86	45.64	3	Vertical	211	1.80	-	37.90	10.40	34.80
AV	15.77072G	44.70	54.00	-9.30	31.20	3	Vertical	211	1.80	-	37.90	10.40	34.80

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT Z_8TX
Setting 23
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5268G	55.93	68.20	-12.27	42.12	3	Horizontal	195	1.80	-	40.17	8.34	34.70
PK	15.7724G	58.76	74.00	-15.24	45.26	3	Horizontal	97	1.80	-	37.90	10.40	34.80
AV	15.77412G	44.72	54.00	-9.28	31.22	3	Horizontal	97	1.80	-	37.90	10.40	34.80

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 18.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2916G	130.10	Inf	-Inf	125.30	3	Vertical	183	1.80	-	31.43	5.84	32.47
AV	5.2928G	116.74	Inf	-Inf	111.95	3	Vertical	183	1.80	-	31.43	5.84	32.48
PK	5.3528G	68.24	74.00	-5.76	63.48	3	Vertical	183	1.80	-	31.31	5.93	32.48
AV	5.3504G	53.75	54.00	-0.25	49.00	3	Vertical	183	1.80	-	31.30	5.93	32.48

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT_Z_8TX
Setting 18.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3006G	130.27	Inf	-Inf	125.50	3	Horizontal	185	1.67	-	31.40	5.85	32.48
AV	5.2988G	119.13	Inf	-Inf	114.36	3	Horizontal	185	1.67	-	31.40	5.85	32.48
PK	5.3534G	65.42	74.00	-8.58	60.66	3	Horizontal	185	1.67	-	31.31	5.93	32.48
AV	5.3534G	52.18	54.00	-1.82	47.42	3	Horizontal	185	1.67	-	31.31	5.93	32.48

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 18.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6044G	56.52	74.00	-17.48	42.74	3	Vertical	156	1.80	-	40.10	8.37	34.69
AV	10.6066G	42.55	54.00	-11.45	28.77	3	Vertical	156	1.80	-	40.10	8.37	34.69
PK	15.89708G	57.96	74.00	-16.04	44.60	3	Vertical	58	2.98	-	37.71	10.45	34.80
AV	15.9078G	44.49	54.00	-9.51	31.14	3	Vertical	58	2.98	-	37.69	10.46	34.80

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 18.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60892G	55.46	74.00	-18.54	41.68	3	Horizontal	236	1.00	-	40.10	8.37	34.69
AV	10.60612G	42.18	54.00	-11.82	28.40	3	Horizontal	236	1.00	-	40.10	8.37	34.69
PK	15.905G	58.01	74.00	-15.99	44.65	3	Horizontal	265	1.80	-	37.70	10.46	34.80
AV	15.90912G	44.56	54.00	-9.44	31.21	3	Horizontal	265	1.80	-	37.69	10.46	34.80

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT_Z_8TX
Setting 15
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	127.22	Inf	-Inf	122.45	3	Vertical	179	1.80	-	31.38	5.87	32.48
AV	5.3124G	113.32	Inf	-Inf	108.55	3	Vertical	179	1.80	-	31.38	5.87	32.48
PK	5.3516G	70.69	74.00	-3.31	65.93	3	Vertical	179	1.80	-	31.31	5.93	32.48
AV	5.3518G	53.97	54.00	-0.03	49.21	3	Vertical	179	1.80	-	31.31	5.93	32.48

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT_Z_8TX
Setting 15
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3152G	129.93	Inf	-Inf	125.17	3	Horizontal	180	1.80	-	31.37	5.87	32.48
AV	5.316G	114.86	Inf	-Inf	110.10	3	Horizontal	180	1.80	-	31.37	5.87	32.48
PK	5.353G	67.68	74.00	-6.32	62.92	3	Horizontal	180	1.80	-	31.31	5.93	32.48
AV	5.3544G	51.80	54.00	-2.20	47.03	3	Horizontal	180	1.80	-	31.32	5.93	32.48

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 15
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63544G	55.73	74.00	-18.27	41.93	3	Vertical	219	1.12	-	40.10	8.39	34.69
AV	10.63136G	42.06	54.00	-11.94	28.27	3	Vertical	219	1.12	-	40.10	8.38	34.69
PK	15.95736G	59.84	74.00	-14.16	46.51	3	Vertical	54	1.91	-	37.64	10.48	34.79
AV	15.95096G	45.34	54.00	-8.66	32.00	3	Vertical	54	1.91	-	37.65	10.48	34.79

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 15
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6364G	55.69	74.00	-18.31	41.89	3	Horizontal	254	1.80	-	40.10	8.39	34.69
AV	10.64256G	42.07	54.00	-11.93	28.27	3	Horizontal	254	1.80	-	40.10	8.39	34.69
PK	15.96052G	59.30	74.00	-14.70	45.97	3	Horizontal	85	1.24	-	37.64	10.48	34.79
AV	15.954G	45.16	54.00	-8.84	31.82	3	Horizontal	85	1.24	-	37.65	10.48	34.79

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 14
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4076G	61.61	74.00	-12.39	56.57	3	Vertical	178	1.80	-	31.53	6.00	32.49
AV	5.4084G	48.63	54.00	-5.37	43.59	3	Vertical	178	1.80	-	31.53	6.00	32.49
PK	5.4692G	64.80	68.20	-3.40	59.52	3	Vertical	178	1.80	-	31.78	6.00	32.50
PK	5.5032G	127.69	Inf	-Inf	122.29	3	Vertical	178	1.80	-	31.90	6.00	32.50
AV	5.5036G	113.26	Inf	-Inf	107.86	3	Vertical	178	1.80	-	31.90	6.00	32.50

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 14
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4104G	62.98	74.00	-11.02	57.93	3	Horizontal	180	1.80	-	31.54	6.00	32.49
AV	5.41G	50.61	54.00	-3.39	45.56	3	Horizontal	180	1.80	-	31.54	6.00	32.49
PK	5.4692G	66.71	68.20	-1.49	61.43	3	Horizontal	180	1.80	-	31.78	6.00	32.50
PK	5.5068G	129.21	Inf	-Inf	123.81	3	Horizontal	180	1.80	-	31.90	6.00	32.50
AV	5.5076G	114.72	Inf	-Inf	109.32	3	Horizontal	180	1.80	-	31.90	6.00	32.50

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 14
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00024G	57.93	74.00	-16.07	43.43	3	Vertical	285	1.80	-	40.60	8.55	34.65
AV	11G	49.50	54.00	-4.50	35.00	3	Vertical	285	1.80	-	40.60	8.55	34.65
PK	16.49868G	61.19	68.20	-7.01	45.69	3	Vertical	79	2.10	-	39.69	10.75	34.94

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 14
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99976G	57.09	74.00	-16.91	42.59	3	Horizontal	299	1.80	-	40.60	8.55	34.65
AV	10.99996G	48.10	54.00	-5.90	33.60	3	Horizontal	299	1.80	-	40.60	8.55	34.65
PK	16.5012G	61.45	68.20	-6.75	45.94	3	Horizontal	77	1.29	-	39.70	10.75	34.94

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT_Z_8TX
Setting 22
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	66.18	74.00	-7.82	60.94	3	Vertical	179	1.80	-	31.73	6.00	32.49
AV	5.4558G	50.73	54.00	-3.27	45.50	3	Vertical	179	1.80	-	31.72	6.00	32.49
PK	5.4618G	65.36	68.20	-2.84	60.11	3	Vertical	179	1.80	-	31.75	6.00	32.50
PK	5.5812G	130.75	Inf	-Inf	125.32	3	Vertical	179	1.80	-	31.90	6.00	32.47
AV	5.5806G	119.29	Inf	-Inf	113.86	3	Vertical	179	1.80	-	31.90	6.00	32.47
PK	5.7258G	62.03	68.20	-6.17	56.30	3	Vertical	179	1.80	-	32.10	6.06	32.43

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT_Z_8TX
Setting 22
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	68.46	74.00	-5.54	63.22	3	Horizontal	182	1.80	-	31.74	6.00	32.50
AV	5.46G	53.58	54.00	-0.42	48.34	3	Horizontal	182	1.80	-	31.74	6.00	32.50
PK	5.4624G	67.67	68.20	-0.53	62.42	3	Horizontal	182	1.80	-	31.75	6.00	32.50
PK	5.577G	131.14	Inf	-Inf	125.72	3	Horizontal	182	1.80	-	31.90	6.00	32.48
AV	5.577G	121.26	Inf	-Inf	115.84	3	Horizontal	182	1.80	-	31.90	6.00	32.48
PK	5.7282G	63.62	68.20	-4.58	57.88	3	Horizontal	182	1.80	-	32.11	6.06	32.43

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT Z_8TX
Setting 22
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.154G	55.80	74.00	-18.20	41.78	3	Vertical	3.2	1.76	-	40.04	8.62	34.64
AV	11.16084G	42.15	54.00	-11.85	28.15	3	Vertical	3.2	1.76	-	40.02	8.62	34.64
PK	16.73596G	62.05	68.20	-6.15	45.73	3	Vertical	301	1.80	-	40.29	10.87	34.84

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT Z_8TX
Setting 22
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1634G	56.16	74.00	-17.84	42.17	3	Horizontal	183	1.80	-	40.01	8.62	34.64
AV	11.16864G	42.08	54.00	-11.92	28.10	3	Horizontal	183	1.80	-	39.99	8.63	34.64
PK	16.74304G	62.08	68.20	-6.12	45.71	3	Horizontal	41	1.85	-	40.34	10.87	34.84

802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TnomVnom




EUT_Z_8TX
Setting 13.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6964G	124.52	Inf	-Inf	118.92	3	Vertical	183	1.80	-	31.99	6.05	32.44
AV	5.6964G	111.97	Inf	-Inf	106.37	3	Vertical	183	1.80	-	31.99	6.05	32.44
PK	5.7348G	64.94	68.20	-3.26	59.15	3	Vertical	183	1.80	-	32.14	6.07	32.42

802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TnomVnom




EUT_Z_8TX
Setting 13.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6958G	130.62	Inf	-Inf	125.03	3	Horizontal	179	1.80	-	31.98	6.05	32.44
AV	5.6952G	114.80	Inf	-Inf	109.21	3	Horizontal	179	1.80	-	31.98	6.05	32.44
PK	5.733G	67.27	68.20	-0.93	61.50	3	Horizontal	179	1.80	-	32.13	6.07	32.43

802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TnomVnom




EUT Z_8TX
Setting 13.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39192G	56.42	74.00	-17.58	42.24	3	Vertical	188	1.80	-	40.08	8.73	34.63
AV	11.40828G	42.22	54.00	-11.78	28.02	3	Vertical	188	1.80	-	40.10	8.73	34.63
PK	17.10444G	62.76	68.20	-5.44	45.65	3	Vertical	296	1.66	-	40.92	11.05	34.86

802.11ax HEW20_Nss1,(MCS0)_8TX


5700MHz_TnomVnom



EUT Z_8TX
Setting 13.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40544G	56.15	74.00	-17.85	41.95	3	Horizontal	315	1.74	-	40.10	8.73	34.63
AV	11.39696G	42.23	54.00	-11.77	28.04	3	Horizontal	315	1.74	-	40.09	8.73	34.63
PK	17.10412G	64.60	68.20	-3.60	47.49	3	Horizontal	360	1.80	-	40.92	11.05	34.86

802.11ax HEW20_Nss1,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
 Setting 23
 06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	131.09	Inf	-Inf	125.39	3	Vertical	179	1.80	-	32.07	6.06	32.43
AV	5.7192G	119.75	Inf	-Inf	114.04	3	Vertical	179	1.80	-	32.08	6.06	32.43
PK	5.8648G	63.68	68.20	-4.52	57.60	3	Vertical	179	1.80	-	32.39	6.07	32.38

802.11ax HEW20_Nss1,(MCS0)_8TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_8TX
Setting 23
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7144G	131.44	Inf	-Inf	125.75	3	Horizontal	179	1.80	-	32.06	6.06	32.43
AV	5.7144G	121.60	Inf	-Inf	115.91	3	Horizontal	179	1.80	-	32.06	6.06	32.43
PK	5.8504G	64.31	68.20	-3.89	58.33	3	Horizontal	179	1.80	-	32.30	6.07	32.39


802.11ax HEW20_Nss1,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_8TX
 Setting 23
 06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44428G	57.12	74.00	-16.88	42.90	3	Vertical	309	1.80	-	40.10	8.75	34.63
AV	11.43564G	42.21	54.00	-11.79	27.99	3	Vertical	309	1.80	-	40.10	8.75	34.63
PK	17.16412G	63.90	68.20	-4.30	46.60	3	Vertical	37.6	2.77	-	41.16	11.08	34.94

802.11ax HEW20_Nss1,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
 Setting 23
 06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4338G	55.51	74.00	-18.49	41.29	3	Horizontal	313	1.05	-	40.10	8.75	34.63
AV	11.43304G	42.12	54.00	-11.88	27.91	3	Horizontal	313	1.05	-	40.10	8.74	34.63
PK	17.16356G	63.62	68.20	-4.58	46.33	3	Horizontal	67	1.83	-	41.15	11.08	34.94

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT_Z_8TX
Setting 17.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.272G	128.98	Inf	-Inf	124.13	3	Vertical	178	1.80	-	31.51	5.81	32.47
AV	5.272G	114.18	Inf	-Inf	109.33	3	Vertical	178	1.80	-	31.51	5.81	32.47
PK	5.3516G	67.75	74.00	-6.25	62.99	3	Vertical	178	1.80	-	31.31	5.93	32.48
AV	5.3512G	53.96	54.00	-0.04	49.21	3	Vertical	178	1.80	-	31.30	5.93	32.48

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT Z_8TX
Setting 17.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.26G	129.48	Inf	-Inf	124.60	3	Horizontal	182	1.94	-	31.56	5.79	32.47
AV	5.26G	114.51	Inf	-Inf	109.63	3	Horizontal	182	1.94	-	31.56	5.79	32.47
PK	5.3508G	65.25	74.00	-8.75	60.50	3	Horizontal	182	1.94	-	31.30	5.93	32.48
AV	5.3524G	52.40	54.00	-1.60	47.64	3	Horizontal	182	1.94	-	31.31	5.93	32.48

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUTZ_8TX
Setting 17.5
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54006G	57.37	68.20	-10.83	43.28	3	Vertical	122	1.96	-	39.00	8.16	33.07
PK	15.794G	59.00	74.00	-15.00	45.08	3	Vertical	125	2.94	-	37.59	10.23	33.90
AV	15.8175G	45.40	54.00	-8.60	31.49	3	Vertical	125	2.94	-	37.58	10.24	33.91

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUTZ_8TX
Setting 17.5
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53998G	59.71	68.20	-8.49	45.62	3	Horizontal	122	2.13	-	39.00	8.16	33.07
PK	15.7961G	61.34	74.00	-12.66	47.42	3	Horizontal	103	1.89	-	37.59	10.23	33.90
AV	15.795G	46.74	54.00	-7.26	32.82	3	Horizontal	103	1.89	-	37.59	10.23	33.90

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT_Z_8TX
Setting 13
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	60.04	74.00	-13.96	54.95	3	Vertical	177	1.80	-	31.90	5.65	32.46
AV	5.1172G	47.63	54.00	-6.37	42.49	3	Vertical	177	1.80	-	31.97	5.62	32.45
PK	5.3124G	120.12	Inf	-Inf	115.35	3	Vertical	177	1.80	-	31.38	5.87	32.48
AV	5.3132G	108.28	Inf	-Inf	103.52	3	Vertical	177	1.80	-	31.37	5.87	32.48
PK	5.3516G	65.76	74.00	-8.24	61.00	3	Vertical	177	1.80	-	31.31	5.93	32.48
AV	5.3524G	53.52	54.00	-0.48	48.76	3	Vertical	177	1.80	-	31.31	5.93	32.48
PK	5.4772G	60.27	68.20	-7.93	54.96	3	Vertical	177	1.80	-	31.81	6.00	32.50

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT_Z_8TX
Setting 13
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1324G	59.99	74.00	-14.01	54.88	3	Horizontal	185	1.80	-	31.94	5.63	32.46
AV	5.1476G	47.42	54.00	-6.58	42.33	3	Horizontal	185	1.80	-	31.90	5.65	32.46
PK	5.3004G	123.16	Inf	-Inf	118.39	3	Horizontal	185	1.80	-	31.40	5.85	32.48
AV	5.3012G	111.03	Inf	-Inf	106.26	3	Horizontal	185	1.80	-	31.40	5.85	32.48
PK	5.35G	65.62	74.00	-8.38	60.87	3	Horizontal	185	1.80	-	31.30	5.93	32.48
AV	5.35G	52.79	54.00	-1.21	48.04	3	Horizontal	185	1.80	-	31.30	5.93	32.48
PK	5.494G	60.09	68.20	-8.11	54.71	3	Horizontal	185	1.80	-	31.88	6.00	32.50

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUTZ_8TX
Setting 13
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61988G	56.00	74.00	-18.00	41.91	3	Vertical	78	2.15	-	39.04	8.19	33.14
AV	10.62G	44.62	54.00	-9.38	30.53	3	Vertical	78	2.15	-	39.04	8.19	33.14
PK	15.93654G	58.39	74.00	-15.61	44.64	3	Vertical	142	1.74	-	37.46	10.28	33.99
AV	15.94206G	44.88	54.00	-9.12	31.13	3	Vertical	142	1.74	-	37.46	10.28	33.99

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUTZ_8TX
Setting 13
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61994G	59.23	74.00	-14.77	45.14	3	Horizontal	80	2.20	-	39.04	8.19	33.14
AV	10.61998G	52.65	54.00	-1.35	38.56	3	Horizontal	80	2.20	-	39.04	8.19	33.14
PK	15.9378G	58.37	74.00	-15.63	44.62	3	Horizontal	75	1.51	-	37.46	10.28	33.99
AV	15.931G	44.74	54.00	-9.26	30.98	3	Horizontal	75	1.51	-	37.47	10.28	33.99

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT_Z_8TX
Setting 13.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3396G	59.87	68.20	-8.33	55.12	3	Vertical	179	1.84	-	31.32	5.91	32.48
PK	5.458G	66.31	74.00	-7.69	61.07	3	Vertical	179	1.84	-	31.73	6.00	32.49
AV	5.4588G	51.42	54.00	-2.58	46.18	3	Vertical	179	1.84	-	31.74	6.00	32.50
PK	5.4652G	66.76	68.20	-1.44	61.50	3	Vertical	179	1.84	-	31.76	6.00	32.50
PK	5.5172G	122.26	Inf	-Inf	116.85	3	Vertical	179	1.84	-	31.90	6.00	32.49
AV	5.5172G	109.55	Inf	-Inf	104.14	3	Vertical	179	1.84	-	31.90	6.00	32.49

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT_Z_8TX
Setting 13.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3468G	60.60	68.20	-7.60	55.85	3	Horizontal	178	1.65	-	31.31	5.92	32.48
PK	5.45G	63.43	74.00	-10.57	58.22	3	Horizontal	178	1.65	-	31.70	6.00	32.49
AV	5.4524G	50.47	54.00	-3.53	45.25	3	Horizontal	178	1.65	-	31.71	6.00	32.49
PK	5.4692G	67.51	68.20	-0.69	62.23	3	Horizontal	178	1.65	-	31.78	6.00	32.50
PK	5.5172G	125.35	Inf	-Inf	119.94	3	Horizontal	178	1.65	-	31.90	6.00	32.49
AV	5.5164G	112.42	Inf	-Inf	107.01	3	Horizontal	178	1.65	-	31.90	6.00	32.49

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUTZ_8TX
Setting 13.5
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02004G	56.15	74.00	-17.85	42.43	3	Vertical	126	1.80	-	38.90	8.31	33.49
AV	11.02G	46.49	54.00	-7.51	32.77	3	Vertical	126	1.80	-	38.90	8.31	33.49

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUTZ_8TX
Setting 13.5
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01988G	57.88	74.00	-16.12	44.16	3	Horizontal	85	2.19	-	38.90	8.31	33.49
AV	11.02G	51.35	54.00	-2.65	37.63	3	Horizontal	85	2.19	-	38.90	8.31	33.49

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT_Z_8TX
Setting 16.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	65.54	74.00	-8.46	60.30	3	Vertical	179	1.80	-	31.74	6.00	32.50
AV	5.458G	51.36	54.00	-2.64	46.12	3	Vertical	179	1.80	-	31.73	6.00	32.49
PK	5.4636G	64.59	68.20	-3.61	59.34	3	Vertical	179	1.80	-	31.75	6.00	32.50
PK	5.5556G	124.24	Inf	-Inf	118.82	3	Vertical	179	1.80	-	31.90	6.00	32.48
AV	5.5556G	112.20	Inf	-Inf	106.78	3	Vertical	179	1.80	-	31.90	6.00	32.48
PK	5.7356G	60.59	68.20	-7.61	54.80	3	Vertical	179	1.80	-	32.14	6.07	32.42

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT_Z_8TX
Setting 16.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	63.85	74.00	-10.15	58.61	3	Horizontal	185	1.67	-	31.74	6.00	32.50
AV	5.4596G	51.49	54.00	-2.51	46.25	3	Horizontal	185	1.67	-	31.74	6.00	32.50
PK	5.466G	66.53	68.20	-1.67	61.27	3	Horizontal	185	1.67	-	31.76	6.00	32.50
PK	5.5548G	128.13	Inf	-Inf	122.71	3	Horizontal	185	1.67	-	31.90	6.00	32.48
AV	5.5548G	115.04	Inf	-Inf	109.62	3	Horizontal	185	1.67	-	31.90	6.00	32.48
PK	5.7348G	61.98	68.20	-6.22	56.19	3	Horizontal	185	1.67	-	32.14	6.07	32.42

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUTZ_8TX
Setting 16.5
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10004G	60.32	74.00	-13.68	46.68	3	Vertical	106	1.88	-	38.90	8.33	33.59
AV	11.1G	53.82	54.00	-0.18	40.18	3	Vertical	106	1.88	-	38.90	8.33	33.59
PK	16.654G	60.92	68.20	-7.28	45.62	3	Vertical	75	2.01	-	38.19	10.73	33.62

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUTZ_8TX
Setting 16.5
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10006G	58.57	74.00	-15.43	44.93	3	Horizontal	134	1.92	-	38.90	8.33	33.59
AV	11.09998G	52.48	54.00	-1.52	38.84	3	Horizontal	134	1.92	-	38.90	8.33	33.59
PK	16.6544G	61.97	68.20	-6.23	46.67	3	Horizontal	133	2.04	-	38.19	10.73	33.62

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUT_Z_8TX
Setting 14
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6788G	123.48	Inf	-Inf	117.96	3	Vertical	179	2.00	-	31.92	6.04	32.44
AV	5.6772G	111.45	Inf	-Inf	105.94	3	Vertical	179	2.00	-	31.91	6.04	32.44
PK	5.7308G	66.14	68.20	-2.06	60.38	3	Vertical	179	2.00	-	32.12	6.07	32.43

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUT_Z_8TX
Setting 14
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6756G	123.82	Inf	-Inf	118.32	3	Horizontal	186	1.78	-	31.90	6.04	32.44
AV	5.6748G	111.79	Inf	-Inf	106.29	3	Horizontal	186	1.78	-	31.90	6.04	32.44
PK	5.7252G	68.02	68.20	-0.18	62.29	3	Horizontal	186	1.78	-	32.10	6.06	32.43

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUTZ_8TX
Setting 14
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33992G	57.45	74.00	-16.55	43.84	3	Vertical	84	2.08	-	39.10	8.40	33.89
AV	11.34G	46.30	54.00	-7.70	32.69	3	Vertical	84	2.08	-	39.10	8.40	33.89

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUTZ_8TX
Setting 14
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33978G	57.22	74.00	-16.78	43.61	3	Horizontal	105	2.00	-	39.10	8.40	33.89
AV	11.34G	47.40	54.00	-6.60	33.79	3	Horizontal	105	2.00	-	39.10	8.40	33.89

802.11ax HEW40_Nss1,(MCS0)_8TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
Setting 18.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.706G	130.31	Inf	-Inf	124.67	3	Vertical	179	1.48	-	32.02	6.05	32.43
AV	5.706G	115.47	Inf	-Inf	109.83	3	Vertical	179	1.48	-	32.02	6.05	32.43
PK	5.8508G	66.02	68.20	-2.18	60.04	3	Vertical	179	1.48	-	32.30	6.07	32.39

802.11ax HEW40_Nss1,(MCS0)_8TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_8TX
Setting 18.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	130.63	Inf	-Inf	125.04	3	Horizontal	181	1.74	-	31.98	6.05	32.44
AV	5.6956G	116.95	Inf	-Inf	111.36	3	Horizontal	181	1.74	-	31.98	6.05	32.44
PK	5.8564G	66.67	68.20	-1.53	60.65	3	Horizontal	181	1.74	-	32.34	6.07	32.39

802.11ax HEW40_Nss1,(MCS0)_8TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUTZ_8TX
 Setting 18.5
 04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4199G	56.51	74.00	-17.49	42.97	3	Vertical	106	2.00	-	39.10	8.43	33.99
AV	11.42G	47.12	54.00	-6.88	33.58	3	Vertical	106	2.00	-	39.10	8.43	33.99
PK	17.1205G	64.13	68.20	-4.07	48.20	3	Vertical	128	1.80	-	38.48	11.03	33.58

802.11ax HEW40_Nss1,(MCS0)_8TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUTZ_8TX
Setting 18.5
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42G	58.82	74.00	-15.18	45.28	3	Horizontal	77	2.25	-	39.10	8.43	33.99
AV	11.42G	51.83	54.00	-2.17	38.29	3	Horizontal	77	2.25	-	39.10	8.43	33.99
PK	17.1336G	67.82	68.20	-0.38	51.83	3	Horizontal	114	1.80	-	38.53	11.04	33.58

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUT_Z_8TX
Setting 13
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.107G	61.31	74.00	-12.69	56.16	3	Vertical	177	1.80	-	31.99	5.61	32.45
AV	5.08G	48.16	54.00	-5.84	43.07	3	Vertical	177	1.80	-	31.96	5.58	32.45
PK	5.273G	119.06	Inf	-Inf	114.21	3	Vertical	177	1.80	-	31.51	5.81	32.47
AV	5.272G	106.66	Inf	-Inf	101.81	3	Vertical	177	1.80	-	31.51	5.81	32.47
PK	5.353G	68.90	74.00	-5.10	64.14	3	Vertical	177	1.80	-	31.31	5.93	32.48
AV	5.352G	53.81	54.00	-0.19	49.05	3	Vertical	177	1.80	-	31.31	5.93	32.48
PK	5.52G	61.14	68.20	-7.06	55.73	3	Vertical	177	1.80	-	31.90	6.00	32.49

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUT_Z_8TX
Setting 13
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.075G	61.65	74.00	-12.35	56.57	3	Horizontal	181	1.68	-	31.95	5.58	32.45
AV	5.149G	48.80	54.00	-5.20	43.71	3	Horizontal	181	1.68	-	31.90	5.65	32.46
PK	5.291G	121.64	Inf	-Inf	116.83	3	Horizontal	181	1.68	-	31.44	5.84	32.47
AV	5.291G	108.72	Inf	-Inf	103.91	3	Horizontal	181	1.68	-	31.44	5.84	32.47
PK	5.352G	66.32	74.00	-7.68	61.56	3	Horizontal	181	1.68	-	31.31	5.93	32.48
AV	5.354G	53.38	54.00	-0.62	48.61	3	Horizontal	181	1.68	-	31.32	5.93	32.48
PK	5.502G	62.11	68.20	-6.09	56.71	3	Horizontal	181	1.68	-	31.90	6.00	32.50

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUTZ_8TX
Setting 13
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57988G	56.46	68.20	-11.74	42.40	3	Vertical	83	2.45	-	39.00	8.17	33.11
PK	15.88128G	58.45	74.00	-15.55	44.62	3	Vertical	253	1.34	-	37.52	10.26	33.95
AV	15.88008G	44.45	54.00	-9.55	30.62	3	Vertical	253	1.34	-	37.52	10.26	33.95

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUTZ_8TX
Setting 13
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57994G	58.22	68.20	-9.98	44.16	3	Horizontal	80	2.24	-	39.00	8.17	33.11
PK	15.8646G	57.64	74.00	-16.36	43.79	3	Horizontal	197	2.01	-	37.54	10.25	33.94
AV	15.8763G	44.68	54.00	-9.32	30.85	3	Horizontal	197	2.01	-	37.52	10.26	33.95

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUTZ_8TX
Setting 12
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.343G	59.24	68.20	-8.96	54.50	3	Vertical	179	1.80	-	31.31	5.91	32.48
PK	5.457G	64.84	74.00	-9.16	59.60	3	Vertical	179	1.80	-	31.73	6.00	32.49
AV	5.458G	53.49	54.00	-0.51	48.25	3	Vertical	179	1.80	-	31.73	6.00	32.49
PK	5.464G	65.14	68.20	-3.06	59.88	3	Vertical	179	1.80	-	31.76	6.00	32.50
PK	5.511G	118.05	Inf	-Inf	112.65	3	Vertical	179	1.80	-	31.90	6.00	32.50
AV	5.536G	105.25	Inf	-Inf	99.84	3	Vertical	179	1.80	-	31.90	6.00	32.49
PK	5.754G	59.90	68.20	-8.30	54.03	3	Vertical	179	1.80	-	32.21	6.08	32.42

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUTZ_8TX
Setting 12
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.327G	59.86	68.20	-8.34	55.10	3	Horizontal	178	1.69	-	31.35	5.89	32.48
PK	5.458G	68.16	74.00	-5.84	62.92	3	Horizontal	178	1.69	-	31.73	6.00	32.49
AV	5.457G	53.22	54.00	-0.78	47.98	3	Horizontal	178	1.69	-	31.73	6.00	32.49
PK	5.465G	67.00	68.20	-1.20	61.74	3	Horizontal	178	1.69	-	31.76	6.00	32.50
PK	5.535G	118.54	Inf	-Inf	113.13	3	Horizontal	178	1.69	-	31.90	6.00	32.49
AV	5.536G	107.24	Inf	-Inf	101.83	3	Horizontal	178	1.69	-	31.90	6.00	32.49
PK	5.757G	60.19	68.20	-8.01	54.32	3	Horizontal	178	1.69	-	32.21	6.08	32.42

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUTZ_8TX
Setting 12
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06002G	58.17	74.00	-15.83	44.49	3	Vertical	106	1.89	-	38.90	8.32	33.54
AV	11.05996G	51.98	54.00	-2.02	38.30	3	Vertical	106	1.89	-	38.90	8.32	33.54

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUTZ_8TX
Setting 12
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06006G	59.64	74.00	-14.36	45.96	3	Horizontal	84	2.25	-	38.90	8.32	33.54
AV	11.06002G	53.95	54.00	-0.05	40.27	3	Horizontal	84	2.25	-	38.90	8.32	33.54

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TnomVnom




EUT_Z_8TX
Setting 14
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	60.19	74.00	-13.81	54.97	3	Vertical	183	1.80	-	31.71	6.00	32.49
AV	5.457G	47.80	54.00	-6.20	42.56	3	Vertical	183	1.80	-	31.73	6.00	32.49
PK	5.465G	62.00	68.20	-6.20	56.74	3	Vertical	183	1.80	-	31.76	6.00	32.50
PK	5.615G	118.65	Inf	-Inf	113.23	3	Vertical	183	1.80	-	31.87	6.01	32.46
AV	5.616G	107.22	Inf	-Inf	101.80	3	Vertical	183	1.80	-	31.87	6.01	32.46
PK	5.729G	64.69	68.20	-3.51	58.94	3	Vertical	183	1.80	-	32.12	6.06	32.43

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TnomVnom




EUT_Z_8TX
Setting 14
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.363G	61.89	74.00	-12.11	57.08	3	Horizontal	185	1.80	-	31.35	5.94	32.48
PK	5.47G	62.38	68.20	-5.82	57.10	3	Horizontal	185	1.80	-	31.78	6.00	32.50
AV	5.449G	49.64	54.00	-4.36	44.43	3	Horizontal	185	1.80	-	31.70	6.00	32.49
PK	5.594G	121.31	Inf	-Inf	115.88	3	Horizontal	185	1.80	-	31.90	6.00	32.47
AV	5.595G	108.81	Inf	-Inf	103.38	3	Horizontal	185	1.80	-	31.90	6.00	32.47
PK	5.738G	67.62	68.20	-0.58	61.82	3	Horizontal	185	1.80	-	32.15	6.07	32.42

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TnomVnom




EUTZ_8TX
Setting 14
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22008G	56.77	74.00	-17.23	43.04	3	Vertical	72	1.91	-	39.10	8.37	33.74
AV	11.22004G	45.09	54.00	-8.91	31.36	3	Vertical	72	1.91	-	39.10	8.37	33.74

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TnomVnom




EUTZ_8TX
Setting 14
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21998G	57.32	74.00	-16.68	43.59	3	Horizontal	137	1.80	-	39.10	8.37	33.74
AV	11.22002G	47.76	54.00	-6.24	34.03	3	Horizontal	137	1.80	-	39.10	8.37	33.74

802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
Setting 16.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	61.13	74.00	-12.87	55.92	3	Vertical	180	1.80	-	31.70	6.00	32.49
AV	5.451G	48.87	54.00	-5.13	43.66	3	Vertical	180	1.80	-	31.70	6.00	32.49
PK	5.464G	62.06	68.20	-6.14	56.80	3	Vertical	180	1.80	-	31.76	6.00	32.50
PK	5.678G	122.04	Inf	-Inf	116.53	3	Vertical	180	1.80	-	31.91	6.04	32.44
AV	5.677G	109.99	Inf	-Inf	104.48	3	Vertical	180	1.80	-	31.91	6.04	32.44
PK	5.862G	67.56	68.20	-0.64	61.50	3	Vertical	180	1.80	-	32.37	6.07	32.38

802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
Setting 16.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	62.75	74.00	-11.25	57.52	3	Horizontal	180	1.80	-	31.72	6.00	32.49
AV	5.459G	50.07	54.00	-3.93	44.83	3	Horizontal	180	1.80	-	31.74	6.00	32.50
PK	5.466G	62.20	68.20	-6.00	56.94	3	Horizontal	180	1.80	-	31.76	6.00	32.50
PK	5.693G	124.25	Inf	-Inf	118.67	3	Horizontal	180	1.80	-	31.97	6.05	32.44
AV	5.694G	112.45	Inf	-Inf	106.86	3	Horizontal	180	1.80	-	31.98	6.05	32.44
PK	5.86G	66.71	68.20	-1.49	60.66	3	Horizontal	180	1.80	-	32.36	6.07	32.38

802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUTZ_8TX
Setting 16.5
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38018G	57.63	74.00	-16.37	44.06	3	Vertical	84	2.24	-	39.10	8.41	33.94
AV	11.38004G	48.00	54.00	-6.00	34.43	3	Vertical	84	2.24	-	39.10	8.41	33.94
PK	17.0537G	61.39	68.20	-6.81	45.67	3	Vertical	82	1.97	-	38.31	10.98	33.57

802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUTZ_8TX
Setting 16.5
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37978G	58.14	74.00	-15.86	44.57	3	Horizontal	82	2.15	-	39.10	8.41	33.94
AV	11.38G	49.51	54.00	-4.49	35.94	3	Horizontal	82	2.15	-	39.10	8.41	33.94
PK	17.0639G	60.97	68.20	-7.23	45.22	3	Horizontal	110	1.80	-	38.33	10.99	33.57




For 80+80 indoor + outdoor

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80+80_Nss1,(MCS0)_8TX	Pass	AV	5.13G	53.98	54.00	-0.02	3	Vertical	327	1.89	-

802.11ax HEW80+80_Nss1,(MCS0)_8TX

#5210MHz,5290MHz_TnomVnom




EUT_V_4TX
Setting 11
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	63.81	74.00	-10.19	57.92	3	Vertical	168	2.06	-	32.71	5.97	32.79
AV	5.13G	51.20	54.00	-2.80	45.30	3	Vertical	168	2.06	-	32.74	5.96	32.80
PK	5.2884G	111.55	Inf	-Inf	105.36	3	Vertical	168	2.06	-	32.88	6.04	32.73
AV	5.2868G	99.29	Inf	-Inf	93.11	3	Vertical	168	2.06	-	32.87	6.04	32.73
PK	5.3652G	62.01	74.00	-11.99	55.57	3	Vertical	168	2.06	-	33.06	6.08	32.70
AV	5.35G	49.85	54.00	-4.15	43.47	3	Vertical	168	2.06	-	33.00	6.08	32.70
PK	5.4644G	60.61	68.20	-7.59	53.43	3	Vertical	168	2.06	-	33.70	6.13	32.65

802.11ax HEW80+80_Nss1,(MCS0)_8TX

#5210MHz,5290MHz_TnomVnom




EUT_Z_4TX
Setting 11
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42006G	52.99	68.20	-15.21	48.69	3	Vertical	32	2.42	-	38.42	8.47	42.59
PK	15.63372G	55.43	74.00	-18.57	49.05	3	Vertical	277	1.80	-	37.77	10.55	41.94
AV	15.61554G	41.90	54.00	-12.10	35.51	3	Vertical	277	1.80	-	37.78	10.55	41.94

802.11ax HEW80+80_Nss1,(MCS0)_8TX

#5210MHz,5290MHz_TnomVnom




EUT_Z_4TX
Setting 11
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41988G	53.97	68.20	-14.23	49.67	3	Horizontal	204	1.94	-	38.42	8.47	42.59
PK	15.61938G	55.89	74.00	-18.11	49.50	3	Horizontal	318	1.80	-	37.78	10.55	41.94
AV	15.61746G	42.02	54.00	-11.98	35.63	3	Horizontal	318	1.80	-	37.78	10.55	41.94

802.11ax HEW80+80_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TnomVnom




EUT_V_4TX
Setting 11
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	62.34	74.00	-11.66	56.44	3	Vertical	327	1.89	-	32.74	5.96	32.80
AV	5.13G	53.98	54.00	-0.02	48.08	3	Vertical	327	1.89	-	32.74	5.96	32.80
PK	5.2804G	111.36	Inf	-Inf	105.19	3	Vertical	327	1.89	-	32.86	6.04	32.73
AV	5.2996G	100.12	Inf	-Inf	93.89	3	Vertical	327	1.89	-	32.90	6.05	32.72
PK	5.362G	61.92	74.00	-12.08	55.49	3	Vertical	327	1.89	-	33.05	6.08	32.70
AV	5.3604G	49.14	54.00	-4.86	42.72	3	Vertical	327	1.89	-	33.04	6.08	32.70
PK	5.6116G	60.01	68.20	-8.19	52.61	3	Vertical	327	1.89	-	33.87	6.21	32.68

802.11ax HEW80+80_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TnomVnom




EUT_Z_4TX
Setting 11
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58006G	54.58	68.20	-13.62	50.09	3	Vertical	88	1.14	-	38.58	8.53	42.62
PK	15.86574G	54.52	74.00	-19.48	47.36	3	Vertical	209	2.34	-	38.37	10.65	41.86
AV	15.88482G	41.54	54.00	-12.46	34.37	3	Vertical	209	2.34	-	38.38	10.65	41.86

802.11ax HEW80+80_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TnomVnom




EUT_Z_4TX
Setting 11
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58006G	55.47	68.20	-12.73	50.98	3	Horizontal	209	2.02	-	38.58	8.53	42.62
PK	15.88092G	54.42	74.00	-19.58	47.25	3	Horizontal	305	2.27	-	38.38	10.65	41.86
AV	15.88482G	41.53	54.00	-12.47	34.36	3	Horizontal	305	2.27	-	38.38	10.65	41.86

802.11ax HEW80+80_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TnomVnom




EUT_V_4TX
Setting 13
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.1396G	45.74	54.00	-8.26	39.84	3	Vertical	18	1.74	-	32.72	5.97	32.79
PK	5.3348G	61.06	68.20	-7.14	54.73	3	Vertical	18	1.74	-	32.97	6.07	32.71
PK	5.458G	65.87	74.00	-8.13	58.70	3	Vertical	18	1.74	-	33.70	6.13	32.66
AV	5.458G	53.41	54.00	-0.59	46.24	3	Vertical	18	1.74	-	33.70	6.13	32.66
PK	5.466G	65.29	68.20	-2.91	58.11	3	Vertical	18	1.74	-	33.70	6.13	32.65
PK	5.5364G	114.20	Inf	-Inf	106.83	3	Vertical	18	1.74	-	33.85	6.17	32.65
AV	5.5172G	101.05	Inf	-Inf	93.77	3	Vertical	18	1.74	-	33.77	6.16	32.65
PK	5.8676G	61.87	68.20	-6.33	53.49	3	Vertical	18	1.74	-	34.84	6.33	32.79

802.11ax HEW80+80_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TnomVnom




EUT_Z_4TX
Setting 13
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06012G	53.13	74.00	-20.87	48.64	3	Vertical	232	2.63	-	38.44	8.72	42.67
AV	11.06G	42.94	54.00	-11.06	38.45	3	Vertical	232	2.63	-	38.44	8.72	42.67
PK	16.58604G	59.56	68.20	-8.64	50.25	3	Vertical	209	1.06	-	40.30	10.93	41.92

802.11ax HEW80+80_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TnomVnom




EUT_Z_4TX
Setting 13
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05988G	53.22	74.00	-20.78	48.73	3	Horizontal	161	1.80	-	38.44	8.72	42.67
AV	11.06G	42.98	54.00	-11.02	38.49	3	Horizontal	161	1.80	-	38.44	8.72	42.67
PK	16.587G	59.62	68.20	-8.58	50.31	3	Horizontal	147	1.80	-	40.30	10.93	41.92

802.11ax HEW80+80_Nss2,(MCS0)_8TX

5530MHz,#5610MHz_TnomVnom




EUT_V_4TX
Setting 13
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3364G	60.21	68.20	-7.99	53.88	3	Vertical	158	2.06	-	32.97	6.07	32.71
PK	5.4596G	65.04	74.00	-8.96	57.87	3	Vertical	158	2.06	-	33.70	6.13	32.66
AV	5.458G	52.37	54.00	-1.63	45.20	3	Vertical	158	2.06	-	33.70	6.13	32.66
PK	5.4644G	64.07	68.20	-4.13	56.89	3	Vertical	158	2.06	-	33.70	6.13	32.65
PK	5.6212G	113.53	Inf	-Inf	106.08	3	Vertical	158	2.06	-	33.93	6.21	32.69
AV	5.6228G	100.87	Inf	-Inf	93.41	3	Vertical	158	2.06	-	33.94	6.21	32.69
PK	5.7476G	61.50	68.20	-6.70	53.59	3	Vertical	158	2.06	-	34.38	6.27	32.74

802.11ax HEW80+80_Nss2,(MCS0)_8TX

5530MHz,#5610MHz_TnomVnom




EUT_Z_4TX
Setting 13
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22G	53.03	74.00	-20.97	48.61	3	Vertical	181	1.87	-	38.32	8.79	42.69
AV	11.22G	42.51	54.00	-11.49	38.09	3	Vertical	181	1.87	-	38.32	8.79	42.69
PK	16.83336G	59.42	68.20	-8.78	49.56	3	Vertical	184	1.57	-	40.67	11.03	41.84

802.11ax HEW80+80_Nss2,(MCS0)_8TX

5530MHz,#5610MHz_TnomVnom



EUT_Z_4TX
Setting 13
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22006G	53.79	74.00	-20.21	49.37	3	Horizontal	175	2.20	-	38.32	8.79	42.69
AV	11.22006G	42.66	54.00	-11.34	38.24	3	Horizontal	175	2.20	-	38.32	8.79	42.69
PK	16.82898G	58.78	68.20	-9.42	48.95	3	Horizontal	91	1.80	-	40.64	11.03	41.84




For 80+80 indoor + outdoor

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80+80_Nss2,(MCS0)_8TX	Pass	PK	5.463G	67.98	68.20	-0.22	3	Horizontal	360	1.68	-

802.11ax HEW80+80_Nss1,(MCS0)_8TX

#5210MHz,5290MHz_TnomVnom




EUT_Z_8TX
Setting 7
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0916G	60.71	74.00	-13.29	54.73	3	Vertical	356	1.87	-	33.13	5.39	32.54
AV	5.13G	51.78	54.00	-2.22	45.84	3	Vertical	356	1.87	-	33.04	5.43	32.53
PK	5.2132G	109.34	Inf	-Inf	103.36	3	Vertical	356	1.87	-	32.97	5.51	32.50
AV	5.2132G	96.11	Inf	-Inf	90.13	3	Vertical	356	1.87	-	32.97	5.51	32.50
PK	5.362G	62.48	74.00	-11.52	56.45	3	Vertical	356	1.87	-	32.92	5.58	32.47
AV	5.35G	48.51	54.00	-5.49	42.50	3	Vertical	356	1.87	-	32.90	5.58	32.47
PK	5.5556G	59.09	68.20	-9.11	53.23	3	Vertical	356	1.87	-	32.71	5.60	32.45

802.11ax HEW80+80_Nss1,(MCS0)_8TX

#5210MHz,5290MHz_TnomVnom




EUT_Z_8TX
Setting 7
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	61.01	74.00	-12.99	55.08	3	Horizontal	357	1.53	-	33.00	5.45	32.52
AV	5.1476G	48.94	54.00	-5.06	43.01	3	Horizontal	357	1.53	-	33.00	5.45	32.52
PK	5.2068G	111.55	Inf	-Inf	105.57	3	Horizontal	357	1.53	-	32.99	5.50	32.51
AV	5.2084G	98.62	Inf	-Inf	92.65	3	Horizontal	357	1.53	-	32.98	5.50	32.51
PK	5.35G	58.91	74.00	-15.09	52.90	3	Horizontal	357	1.53	-	32.90	5.58	32.47
AV	5.35G	47.40	54.00	-6.60	41.39	3	Horizontal	357	1.53	-	32.90	5.58	32.47
PK	5.5444G	59.03	68.20	-9.17	53.16	3	Horizontal	357	1.53	-	32.71	5.60	32.44

802.11ax HEW80+80_Nss1,(MCS0)_8TX

#5210MHz,5290MHz_TnomVnom




EUTZ_8TX
Setting 7
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41976G	56.64	68.20	-11.56	42.68	3	Vertical	121	1.00	-	38.84	8.13	33.01
PK	15.63724G	56.80	74.00	-17.20	42.84	3	Vertical	84	2.47	-	37.59	10.17	33.80
AV	15.62632G	43.81	54.00	-10.19	29.81	3	Vertical	84	2.47	-	37.62	10.17	33.79

802.11ax HEW80+80_Nss1,(MCS0)_8TX

#5210MHz,5290MHz_TnomVnom




EUTZ_8TX
Setting 7
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41998G	56.97	68.20	-11.23	43.01	3	Horizontal	118	1.97	-	38.84	8.13	33.01
PK	15.62244G	57.83	74.00	-16.17	43.82	3	Horizontal	78	1.79	-	37.63	10.17	33.79
AV	15.6342G	43.82	54.00	-10.18	29.85	3	Horizontal	78	1.79	-	37.60	10.17	33.80

802.11ax HEW80+80_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TnomVnom




EUT_Z_8TX
Setting 7
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	61.51	74.00	-12.49	55.57	3	Vertical	4	1.80	-	33.04	5.43	32.53
AV	5.13G	53.26	54.00	-0.74	47.32	3	Vertical	4	1.80	-	33.04	5.43	32.53
PK	5.282G	110.01	Inf	-Inf	104.06	3	Vertical	4	1.80	-	32.90	5.54	32.49
AV	5.282G	97.82	Inf	-Inf	91.87	3	Vertical	4	1.80	-	32.90	5.54	32.49
PK	5.35G	65.70	74.00	-8.30	59.69	3	Vertical	4	1.80	-	32.90	5.58	32.47
AV	5.3508G	49.15	54.00	-4.85	43.14	3	Vertical	4	1.80	-	32.90	5.58	32.47
PK	5.4964G	59.35	68.20	-8.85	53.37	3	Vertical	4	1.80	-	32.81	5.60	32.43

802.11ax HEW80+80_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TnomVnom




EUT_Z_8TX
Setting 7
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1188G	61.34	74.00	-12.66	55.39	3	Horizontal	4	1.84	-	33.06	5.42	32.53
AV	5.13G	50.98	54.00	-3.02	45.04	3	Horizontal	4	1.84	-	33.04	5.43	32.53
PK	5.2804G	110.11	Inf	-Inf	104.16	3	Horizontal	4	1.84	-	32.90	5.54	32.49
AV	5.2996G	98.24	Inf	-Inf	92.27	3	Horizontal	4	1.84	-	32.90	5.55	32.48
PK	5.362G	60.96	74.00	-13.04	54.93	3	Horizontal	4	1.84	-	32.92	5.58	32.47
AV	5.3604G	48.57	54.00	-5.43	42.54	3	Horizontal	4	1.84	-	32.92	5.58	32.47
PK	5.5108G	59.55	68.20	-8.65	53.60	3	Horizontal	4	1.84	-	32.78	5.60	32.43

802.11ax HEW80+80_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TnomVnom




EUTZ_8TX
Setting 7
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57996G	56.44	68.20	-11.76	42.38	3	Vertical	78	2.40	-	39.00	8.17	33.11
PK	15.87924G	58.78	74.00	-15.22	44.95	3	Vertical	30	2.72	-	37.52	10.26	33.95
AV	15.87728G	44.98	54.00	-9.02	31.15	3	Vertical	30	2.72	-	37.52	10.26	33.95

802.11ax HEW80+80_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TnomVnom




EUTZ_8TX
Setting 7
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58008G	57.90	68.20	-10.30	43.84	3	Horizontal	122	2.08	-	39.00	8.17	33.11
PK	15.8788G	58.70	74.00	-15.30	44.87	3	Horizontal	159	2.50	-	37.52	10.26	33.95
AV	15.86712G	45.08	54.00	-8.92	31.24	3	Horizontal	159	2.50	-	37.53	10.25	33.94

802.11ax HEW80+80_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TnomVnom




EUTZ_8TX
Setting 11.5
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.345G	58.98	68.20	-9.22	52.98	3	Vertical	356	1.80	-	32.90	5.57	32.47
PK	5.457G	66.81	74.00	-7.19	60.76	3	Vertical	356	1.80	-	32.89	5.60	32.44
AV	5.458G	53.16	54.00	-0.84	47.12	3	Vertical	356	1.80	-	32.88	5.60	32.44
PK	5.47G	66.69	68.20	-1.51	60.67	3	Vertical	356	1.80	-	32.86	5.60	32.44
PK	5.537G	114.16	Inf	-Inf	108.27	3	Vertical	356	1.80	-	32.73	5.60	32.44
AV	5.517G	101.54	Inf	-Inf	95.61	3	Vertical	356	1.80	-	32.77	5.60	32.44
PK	5.753G	60.62	68.20	-7.58	53.74	3	Vertical	356	1.80	-	33.71	5.68	32.51

802.11ax HEW80+80_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TnomVnom




EUT_Z_8TX
Setting 11.5
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	59.84	68.20	-8.36	53.84	3	Horizontal	360	1.68	-	32.90	5.57	32.47
PK	5.447G	66.58	74.00	-7.42	60.51	3	Horizontal	360	1.68	-	32.91	5.60	32.44
AV	5.449G	51.92	54.00	-2.08	45.86	3	Horizontal	360	1.68	-	32.90	5.60	32.44
PK	5.463G	67.98	68.20	-0.22	61.95	3	Horizontal	360	1.68	-	32.87	5.60	32.44
PK	5.527G	114.21	Inf	-Inf	108.30	3	Horizontal	360	1.68	-	32.75	5.60	32.44
AV	5.527G	101.85	Inf	-Inf	95.94	3	Horizontal	360	1.68	-	32.75	5.60	32.44
PK	5.736G	61.72	68.20	-6.48	54.96	3	Horizontal	360	1.68	-	33.59	5.67	32.50

802.11ax HEW80+80_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TnomVnom




EUTZ_8TX
Setting 11.5
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0598G	56.20	74.00	-17.80	42.52	3	Vertical	106	1.90	-	38.90	8.32	33.54
AV	11.06G	45.24	54.00	-8.76	31.56	3	Vertical	106	1.90	-	38.90	8.32	33.54

802.11ax HEW80+80_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TnomVnom




EUTZ_8TX
Setting 11.5
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06002G	57.69	74.00	-16.31	44.01	3	Horizontal	85	2.12	-	38.90	8.32	33.54
AV	11.06002G	48.58	54.00	-5.42	34.90	3	Horizontal	85	2.12	-	38.90	8.32	33.54

802.11ax HEW80+80_Nss2,(MCS0)_8TX

5530MHz,#5610MHz_TnomVnom




EUTZ_8TX
Setting 11.5
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	65.17	74.00	-8.83	59.12	3	Vertical	4	1.80	-	32.89	5.60	32.44
AV	5.45G	52.73	54.00	-1.27	46.67	3	Vertical	4	1.80	-	32.90	5.60	32.44
PK	5.47G	64.37	68.20	-3.83	58.35	3	Vertical	4	1.80	-	32.86	5.60	32.44
PK	5.517G	113.49	Inf	-Inf	107.56	3	Vertical	4	1.80	-	32.77	5.60	32.44
AV	5.605G	100.38	Inf	-Inf	94.44	3	Vertical	4	1.80	-	32.80	5.60	32.46
PK	5.729G	60.24	68.20	-7.96	53.55	3	Vertical	4	1.80	-	33.53	5.66	32.50

802.11ax HEW80+80_Nss2,(MCS0)_8TX

5530MHz,#5610MHz_TnomVnom




EUTZ_8TX
Setting 11.5
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	64.99	74.00	-9.01	58.92	3	Horizontal	-0	1.63	-	32.91	5.60	32.44
AV	5.45G	51.55	54.00	-2.45	45.49	3	Horizontal	-0	1.63	-	32.90	5.60	32.44
PK	5.466G	67.49	68.20	-0.71	61.46	3	Horizontal	-0	1.63	-	32.87	5.60	32.44
PK	5.525G	114.74	Inf	-Inf	108.83	3	Horizontal	-0	1.63	-	32.75	5.60	32.44
AV	5.525G	101.71	Inf	-Inf	95.80	3	Horizontal	-0	1.63	-	32.75	5.60	32.44
PK	5.736G	62.60	68.20	-5.60	55.84	3	Horizontal	-0	1.63	-	33.59	5.67	32.50

802.11ax HEW80+80_Nss2,(MCS0)_8TX

5530MHz,#5610MHz_TnomVnom




EUTZ_8TX
Setting 11.5
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22004G	56.00	74.00	-18.00	42.27	3	Vertical	66	1.83	-	39.10	8.37	33.74
AV	11.21996G	43.02	54.00	-10.98	29.29	3	Vertical	66	1.83	-	39.10	8.37	33.74

802.11ax HEW80+80_Nss2,(MCS0)_8TX

5530MHz,#5610MHz_TnomVnom



EUTZ_8TX
Setting 11.5
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22008G	56.12	74.00	-17.88	42.39	3	Horizontal	140	2.07	-	39.10	8.37	33.74
AV	11.22002G	42.97	54.00	-11.03	29.24	3	Horizontal	140	2.07	-	39.10	8.37	33.74