


5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT X\_2TX  
 Setting 20  
 03-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	82.72	88.20	-5.48	76.03	3	Vertical	8	1.71	-	34.53	7.26	35.10
RMS	5.925G	66.14	68.20	-2.06	59.43	3	Vertical	8	1.71	-	34.55	7.26	35.10
PK	5.9842G	107.65	Inf	-Inf	100.82	3	Vertical	8	1.71	-	34.67	7.29	35.13
RMS	5.9746G	97.70	Inf	-Inf	90.89	3	Vertical	8	1.71	-	34.65	7.29	35.13

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT X\_2TX  
 Setting 20  
 03-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	78.85	88.20	-9.35	72.15	3	Horizontal	71	2.97	-	34.54	7.26	35.10
RMS	5.9202G	67.20	68.20	-1.00	60.50	3	Horizontal	71	2.97	-	34.54	7.26	35.10
PK	5.9786G	110.52	Inf	-Inf	103.70	3	Horizontal	71	2.97	-	34.66	7.29	35.13
RMS	5.989G	99.54	Inf	-Inf	92.70	3	Horizontal	71	2.97	-	34.68	7.29	35.13

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT X\_2TX  
Setting 20  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9696G	45.70	74.00	-28.30	58.54	3	Vertical	0	1.24	-	39.26	13.08	65.18
AV	11.97004G	37.43	54.00	-16.57	50.27	3	Vertical	0	1.24	-	39.26	13.08	65.18
PK	17.95156G	49.64	74.00	-24.36	49.91	3	Vertical	346	1.02	-	44.80	17.87	62.94
AV	17.94736G	36.99	54.00	-17.01	37.26	3	Vertical	346	1.02	-	44.79	17.87	62.93

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_X\_2TX  
Setting 20  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96996G	44.54	74.00	-29.46	57.38	3	Horizontal	34	1.80	-	39.26	13.08	65.18
AV	11.96996G	35.28	54.00	-18.72	48.12	3	Horizontal	34	1.80	-	39.26	13.08	65.18
PK	17.954G	48.24	74.00	-25.76	48.50	3	Horizontal	323	1.75	-	44.81	17.87	62.94
AV	17.95396G	35.82	54.00	-18.18	36.08	3	Horizontal	323	1.75	-	44.81	17.87	62.94

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45556G	58.95	74.00	-15.05	40.70	3	Vertical	302	1.84	-	38.80	13.46	34.01
AV	12.4424G	46.81	54.00	-7.19	28.58	3	Vertical	302	1.84	-	38.80	13.45	34.02

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44496G	58.80	74.00	-15.20	40.56	3	Horizontal	170	1.34	-	38.80	13.46	34.02
AV	12.44468G	46.83	54.00	-7.17	28.59	3	Horizontal	170	1.34	-	38.80	13.46	34.02

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67819G	59.26	83.54	-24.28	55.35	1	Vertical	64	1.50	-	37.67	16.72	50.48
AV	18.66859G	47.18	63.54	-16.36	43.27	1	Vertical	64	1.50	-	37.67	16.71	50.47

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6225MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67821G	61.00	83.54	-22.54	57.09	1	Horizontal	314	1.50	-	37.67	16.72	50.48
AV	18.66941G	49.45	63.54	-14.09	45.54	1	Horizontal	314	1.50	-	37.67	16.71	50.47



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76908G	60.53	88.20	-27.67	41.35	3	Vertical	133	1.95	-	39.07	13.72	33.61
RMS	12.76564G	47.86	68.20	-20.34	28.70	3	Vertical	133	1.95	-	39.07	13.71	33.62

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7668G	60.41	88.20	-27.79	41.25	3	Horizontal	190	2.24	-	39.07	13.71	33.62
RMS	12.77236G	47.87	68.20	-20.33	28.69	3	Horizontal	190	2.24	-	39.07	13.72	33.61

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14787G	55.58	83.54	-27.96	52.09	1	Vertical	121	1.50	-	37.56	16.91	50.98
AV	19.13787G	44.27	63.54	-19.27	40.77	1	Vertical	121	1.50	-	37.56	16.91	50.97

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15897G	63.30	83.54	-20.24	59.81	1	Horizontal	310	1.63	-	37.56	16.92	50.99
AV	19.14737G	51.40	63.54	-12.14	47.91	1	Horizontal	310	1.63	-	37.56	16.91	50.98

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92592G	60.12	88.20	-28.08	40.33	3	Vertical	128	2.12	-	39.35	13.84	33.40
RMS	12.92092G	47.94	68.20	-20.26	28.17	3	Vertical	128	2.12	-	39.34	13.84	33.41

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92772G	59.99	88.20	-28.21	40.19	3	Horizontal	210	1.92	-	39.36	13.84	33.40
RMS	12.92104G	47.85	68.20	-20.35	28.08	3	Horizontal	210	1.92	-	39.34	13.84	33.41

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.36863G	60.08	83.54	-23.46	56.67	1	Vertical	52	1.57	-	37.65	17.00	51.24
AV	19.36903G	48.70	63.54	-14.84	45.29	1	Vertical	52	1.57	-	37.65	17.00	51.24

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.37145G	63.80	83.54	-19.74	60.40	1	Horizontal	50	1.53	-	37.65	17.00	51.25
AV	19.36985G	52.74	63.54	-10.80	49.33	1	Horizontal	50	1.53	-	37.65	17.00	51.24



6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09868G	60.78	88.20	-27.42	40.28	3	Vertical	80	1.78	-	39.70	13.98	33.18
RMS	13.0874G	48.58	68.20	-19.62	28.14	3	Vertical	80	1.78	-	39.67	13.97	33.20

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08276G	60.75	88.20	-27.45	40.31	3	Horizontal	262	1.28	-	39.67	13.97	33.20
RMS	13.09952G	48.61	68.20	-19.59	28.11	3	Horizontal	262	1.28	-	39.70	13.98	33.18

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.64158G	60.79	83.54	-22.75	57.58	1	Vertical	48	1.50	-	37.64	17.11	51.54
AV	19.63378G	49.78	63.54	-13.76	46.55	1	Vertical	48	1.50	-	37.65	17.11	51.53

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT X\_2TX  
 Setting 25  
 03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.65657G	60.94	83.54	-22.60	57.74	1	Horizontal	49	1.54	-	37.64	17.12	51.56
AV	19.64417G	49.29	63.54	-14.25	46.08	1	Horizontal	49	1.54	-	37.64	17.11	51.54

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25904G	61.54	74.00	-12.46	40.44	3	Vertical	197	2.95	-	39.98	14.11	32.99
AV	13.25396G	49.25	54.00	-4.75	28.19	3	Vertical	197	2.95	-	39.96	14.10	33.00

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25312G	61.36	74.00	-12.64	40.30	3	Horizontal	253	1.85	-	39.96	14.10	33.00
AV	13.25056G	49.30	54.00	-4.70	28.25	3	Horizontal	253	1.85	-	39.95	14.10	33.00

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.83584G	54.66	83.54	-28.88	51.68	1	Vertical	51	1.50	-	37.53	17.19	51.74
AV	19.84384G	42.84	63.54	-20.70	39.86	1	Vertical	51	1.50	-	37.52	17.20	51.74

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.85143G	56.73	83.54	-26.81	53.76	1	Horizontal	48	1.60	-	37.52	17.20	51.75
AV	19.85183G	43.45	63.54	-20.09	40.48	1	Horizontal	48	1.60	-	37.52	17.20	51.75



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41784G	62.11	88.20	-26.09	40.43	3	Vertical	243	2.90	-	40.25	14.23	32.80
RMS	13.4058G	49.89	68.20	-18.31	28.26	3	Vertical	243	2.90	-	40.22	14.22	32.81

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40476G	62.28	88.20	-25.92	40.66	3	Horizontal	251	2.53	-	40.21	14.22	32.81
RMS	13.40968G	49.84	68.20	-18.36	28.19	3	Horizontal	251	2.53	-	40.23	14.23	32.81

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04746G	47.11	83.54	-36.43	44.30	1	Vertical	49	1.54	-	37.44	17.28	51.91
AV	20.08506G	34.35	63.54	-29.19	31.50	1	Vertical	49	1.54	-	37.47	17.30	51.92

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05465G	45.73	83.54	-37.81	42.92	1	Horizontal	45	1.52	-	37.44	17.28	51.91
AV	20.05405G	33.66	63.54	-29.88	30.85	1	Horizontal	45	1.52	-	37.44	17.28	51.91

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57132G	62.68	88.20	-25.52	40.58	3	Vertical	119	2.34	-	40.43	14.36	32.69
RMS	13.57944G	50.03	68.20	-18.17	27.93	3	Vertical	119	2.34	-	40.42	14.36	32.68

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57996G	62.19	88.20	-26.01	40.09	3	Horizontal	253	2.69	-	40.42	14.36	32.68
RMS	13.5782G	50.03	68.20	-18.17	27.93	3	Horizontal	253	2.69	-	40.42	14.36	32.68

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36536G	51.83	83.54	-31.71	48.73	1	Vertical	56	1.55	-	37.65	17.42	51.97
AV	20.36536G	40.50	63.54	-23.04	37.40	1	Vertical	56	1.55	-	37.65	17.42	51.97

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3734G	54.85	83.54	-28.69	51.75	1	Horizontal	316	1.74	-	37.65	17.42	51.97
AV	20.3746G	43.33	63.54	-20.21	40.23	1	Horizontal	316	1.74	-	37.65	17.42	51.97



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72512G	62.96	88.20	-25.24	40.50	3	Vertical	3	1.09	-	40.63	14.48	32.65
RMS	13.72692G	50.75	68.20	-17.45	28.29	3	Vertical	3	1.09	-	40.63	14.48	32.65

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73416G	62.66	88.20	-25.54	40.19	3	Horizontal	353	2.56	-	40.63	14.49	32.65
RMS	13.73512G	50.69	68.20	-17.51	28.21	3	Horizontal	353	2.56	-	40.64	14.49	32.65

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62456G	51.77	83.54	-31.77	48.51	1	Vertical	3	1.50	-	37.75	17.53	52.02
AV	20.62376G	40.03	63.54	-23.51	36.77	1	Vertical	3	1.50	-	37.75	17.53	52.02

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5634G	56.00	83.54	-27.54	52.77	1	Horizontal	317	1.73	-	37.73	17.51	52.01
AV	20.5842G	43.63	63.54	-19.91	40.41	1	Horizontal	317	1.73	-	37.73	17.51	52.02

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.887G	63.04	88.20	-25.16	40.18	3	Vertical	239	2.40	-	40.87	14.61	32.62
RMS	13.88888G	50.99	68.20	-17.21	28.12	3	Vertical	239	2.40	-	40.88	14.61	32.62

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89456G	63.97	88.20	-24.23	41.08	3	Horizontal	78	1.13	-	40.89	14.62	32.62
RMS	13.89184G	51.00	68.20	-17.20	28.13	3	Horizontal	78	1.13	-	40.88	14.61	32.62

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT X\_2TX  
 Setting 25  
 03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.85382G	52.07	83.54	-31.47	48.50	1	Vertical	64	1.50	-	38.01	17.63	52.07
AV	20.84302G	39.56	63.54	-23.98	36.01	1	Vertical	64	1.50	-	37.99	17.63	52.07

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8634G	55.04	83.54	-28.50	51.44	1	Horizontal	358	1.50	-	38.03	17.64	52.07
AV	20.8542G	42.96	63.54	-20.58	39.39	1	Horizontal	358	1.50	-	38.01	17.63	52.07



6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT X\_2TX  
Setting 21.5  
03-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0154G	109.91	Inf	-Inf	101.53	3	Vertical	32	1.94	-	35.60	8.33	35.55
RMS	7.0154G	98.61	Inf	-Inf	90.23	3	Vertical	32	1.94	-	35.60	8.33	35.55
PK	7.1274G	74.57	88.20	-13.63	65.56	3	Vertical	32	1.94	-	35.95	8.55	35.49
RMS	7.1258G	63.63	68.20	-4.57	54.62	3	Vertical	32	1.94	-	35.95	8.55	35.49

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT X\_2TX  
 Setting 21.5  
 03-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.017G	113.12	Inf	-Inf	104.74	3	Horizontal	68	2.72	-	35.60	8.33	35.55
RMS	7.0166G	103.01	Inf	-Inf	94.63	3	Horizontal	68	2.72	-	35.60	8.33	35.55
PK	7.1274G	79.97	88.20	-8.23	70.96	3	Horizontal	68	2.72	-	35.95	8.55	35.49
RMS	7.1278G	67.96	68.20	-0.24	58.93	3	Horizontal	68	2.72	-	35.96	8.56	35.49

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT X\_2TX  
Setting 21.5  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05504G	64.04	88.20	-24.16	40.54	3	Vertical	45	1.80	-	41.36	14.76	32.62
RMS	14.05872G	51.75	68.20	-16.45	28.26	3	Vertical	45	1.80	-	41.36	14.76	32.63

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT X\_2TX  
 Setting 21.5  
 03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05624G	64.17	88.20	-24.03	40.67	3	Horizontal	106	1.20	-	41.36	14.76	32.62
RMS	14.05568G	51.72	68.20	-16.48	28.22	3	Horizontal	106	1.20	-	41.36	14.76	32.62

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT X\_2TX  
 Setting 21.5  
 03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.08624G	47.69	83.54	-35.85	43.83	1	Vertical	35	1.50	-	38.23	17.73	52.10
AV	21.07744G	35.87	63.54	-27.67	32.00	1	Vertical	35	1.50	-	38.24	17.73	52.10

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT X\_2TX  
 Setting 21.5  
 03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06862G	52.60	83.54	-30.94	48.73	1	Horizontal	54	1.73	-	38.25	17.72	52.10
AV	21.08062G	40.69	63.54	-22.85	36.82	1	Horizontal	54	1.73	-	38.24	17.73	52.10

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT X\_2TX  
Setting 20  
03-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	79.93	88.20	-8.27	73.23	3	Vertical	25	1.54	-	34.54	7.26	35.10
RMS	5.923G	67.57	68.20	-0.63	60.86	3	Vertical	25	1.54	-	34.55	7.26	35.10
PK	5.993G	106.74	Inf	-Inf	99.89	3	Vertical	25	1.54	-	34.69	7.30	35.14
RMS	6.0035G	95.83	Inf	-Inf	88.95	3	Vertical	25	1.54	-	34.71	7.31	35.14

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT X\_2TX  
Setting 20  
03-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92G	79.16	88.20	-9.04	72.46	3	Horizontal	78	2.98	-	34.54	7.26	35.10
RMS	5.919G	68.06	68.20	-0.14	61.36	3	Horizontal	78	2.98	-	34.54	7.26	35.10
PK	5.989G	107.22	Inf	-Inf	100.38	3	Horizontal	78	2.98	-	34.68	7.29	35.13
RMS	5.9885G	96.79	Inf	-Inf	89.95	3	Horizontal	78	2.98	-	34.68	7.29	35.13



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
Setting 20  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04704G	60.09	74.00	-13.91	42.16	3	Vertical	260	1.70	-	39.11	13.14	34.32
AV	12.05456G	47.25	54.00	-6.75	29.33	3	Vertical	260	1.70	-	39.09	13.14	34.31

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
Setting 20  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05704G	59.75	74.00	-14.25	41.82	3	Horizontal	101	1.51	-	39.09	13.15	34.31
AV	12.05064G	47.21	54.00	-6.79	29.28	3	Horizontal	101	1.51	-	39.10	13.14	34.31

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
 Setting 20  
 03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.97473G	52.60	83.54	-30.94	48.25	1	Vertical	331	1.46	-	37.45	16.43	49.53
AV	17.99473G	39.87	63.54	-23.67	35.53	1	Vertical	331	1.46	-	37.49	16.44	49.59

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_X\_2TX  
 Setting 20  
 03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.00105G	51.05	83.54	-32.49	46.71	1	Horizontal	18	1.50	-	37.50	16.44	49.60
AV	18.00145G	37.90	63.54	-25.64	33.56	1	Horizontal	18	1.50	-	37.50	16.44	49.60

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36176G	59.80	74.00	-14.20	41.69	3	Vertical	168	2.61	-	38.80	13.39	34.08
AV	12.3718G	47.29	54.00	-6.71	29.16	3	Vertical	168	2.61	-	38.80	13.40	34.07

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37596G	59.28	74.00	-14.72	41.15	3	Horizontal	191	1.78	-	38.80	13.40	34.07
AV	12.36516G	47.32	54.00	-6.68	29.21	3	Horizontal	191	1.78	-	38.80	13.39	34.08

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58208G	56.61	83.54	-26.93	52.68	1	Vertical	54	1.50	-	37.63	16.68	50.38
AV	18.56928G	44.98	63.54	-18.56	41.05	1	Vertical	54	1.50	-	37.63	16.67	50.37

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6202G	56.85	83.54	-26.69	52.93	1	Horizontal	314	1.47	-	37.65	16.69	50.42
AV	18.6294G	44.60	63.54	-18.94	40.68	1	Horizontal	314	1.47	-	37.65	16.70	50.43



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68144G	59.85	74.00	-14.15	40.97	3	Vertical	334	1.21	-	38.96	13.65	33.73
AV	12.69052G	47.63	54.00	-6.37	28.72	3	Vertical	334	1.21	-	38.98	13.65	33.72

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6892G	60.07	74.00	-13.93	41.16	3	Horizontal	345	1.31	-	38.98	13.65	33.72
AV	12.68264G	47.58	54.00	-6.42	28.69	3	Horizontal	345	1.31	-	38.97	13.65	33.73

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02801G	58.58	83.54	-24.96	55.04	1	Vertical	28	1.50	-	37.51	16.86	50.83
AV	19.01801G	46.83	63.54	-16.71	43.28	1	Vertical	28	1.50	-	37.51	16.86	50.82

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03703G	59.18	83.54	-24.36	55.64	1	Horizontal	308	1.47	-	37.51	16.87	50.84
AV	19.01803G	47.42	63.54	-16.12	43.87	1	Horizontal	308	1.47	-	37.51	16.86	50.82

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00684G	61.11	88.20	-27.09	40.98	3	Vertical	247	2.24	-	39.51	13.91	33.29
RMS	13.0194G	48.64	68.20	-19.56	28.46	3	Vertical	247	2.24	-	39.54	13.92	33.28

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00404G	60.67	88.20	-27.53	40.56	3	Horizontal	88	1.49	-	39.51	13.90	33.30
RMS	13.01524G	48.72	68.20	-19.48	28.56	3	Horizontal	88	1.49	-	39.53	13.91	33.28

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57152G	56.18	83.54	-27.36	52.90	1	Vertical	52	1.77	-	37.67	17.08	51.47
AV	19.57602G	44.11	63.54	-19.43	40.83	1	Vertical	52	1.77	-	37.67	17.09	51.48

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45425G	53.54	83.54	-30.00	50.17	1	Horizontal	58	1.49	-	37.68	17.04	51.35
AV	19.48425G	42.81	63.54	-20.73	39.45	1	Horizontal	58	1.49	-	37.69	17.05	51.38



6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32184G	62.61	74.00	-11.39	41.24	3	Vertical	228	1.73	-	40.12	14.16	32.91
AV	13.32092G	49.50	54.00	-4.50	28.13	3	Vertical	228	1.73	-	40.12	14.16	32.91

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32388G	61.96	74.00	-12.04	40.59	3	Horizontal	118	2.30	-	40.12	14.16	32.91
AV	13.32152G	49.49	54.00	-4.51	28.12	3	Horizontal	118	2.30	-	40.12	14.16	32.91

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.95G	48.26	83.54	-35.28	45.43	1	Vertical	50	1.49	-	37.44	17.24	51.85
AV	19.9275G	37.30	63.54	-26.24	34.44	1	Vertical	50	1.49	-	37.46	17.23	51.83

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.94111G	48.95	83.54	-34.59	46.10	1	Horizontal	49	1.58	-	37.45	17.24	51.84
AV	19.93111G	37.28	63.54	-26.26	34.42	1	Horizontal	49	1.58	-	37.46	17.23	51.83

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64344G	62.91	88.20	-25.29	40.68	3	Vertical	298	2.99	-	40.49	14.41	32.67
RMS	13.64164G	50.31	68.20	-17.89	28.09	3	Vertical	298	2.99	-	40.48	14.41	32.67

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT X\_2TX  
Setting 25  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65776G	62.28	88.20	-25.92	40.00	3	Horizontal	284	1.39	-	40.52	14.43	32.67
RMS	13.64964G	50.38	68.20	-17.82	28.13	3	Horizontal	284	1.39	-	40.50	14.42	32.67

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.455G	52.91	83.54	-30.63	49.76	1	Vertical	2	1.50	-	37.68	17.46	51.99
AV	20.464G	41.47	63.54	-22.07	38.31	1	Vertical	2	1.50	-	37.69	17.46	51.99

6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_2TX  
Setting 25  
03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.44508G	55.07	83.54	-28.47	51.93	1	Horizontal	308	1.55	-	37.68	17.45	51.99
AV	20.44458G	43.57	63.54	-19.97	40.43	1	Horizontal	308	1.55	-	37.68	17.45	51.99



6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT X\_2TX  
 Setting 19.5  
 03-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.962G	105.35	Inf	-Inf	96.96	3	Vertical	32	1.77	-	35.68	8.22	35.51
RMS	6.964G	96.22	Inf	-Inf	87.84	3	Vertical	32	1.77	-	35.67	8.23	35.52
PK	7.129G	77.01	88.20	-11.19	67.98	3	Vertical	32	1.77	-	35.96	8.56	35.49
RMS	7.125G	63.85	68.20	-4.35	54.84	3	Vertical	32	1.77	-	35.95	8.55	35.49

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_X\_2TX  
 Setting 19.5  
 03-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.946G	110.37	Inf	-Inf	101.98	3	Horizontal	70	2.72	-	35.69	8.19	35.49
RMS	6.956G	99.46	Inf	-Inf	91.07	3	Horizontal	70	2.72	-	35.69	8.21	35.51
PK	7.127G	79.38	88.20	-8.82	70.37	3	Horizontal	70	2.72	-	35.95	8.55	35.49
RMS	7.1275G	68.06	68.20	-0.14	59.04	3	Horizontal	70	2.72	-	35.95	8.56	35.49

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT X\_2TX  
Setting 19.5  
03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97376G	63.68	88.20	-24.52	40.41	3	Vertical	253	1.98	-	41.20	14.68	32.61
RMS	13.97068G	51.59	68.20	-16.61	28.34	3	Vertical	253	1.98	-	41.18	14.68	32.61

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT X\_2TX  
 Setting 19.5  
 03-I-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97048G	64.28	88.20	-23.92	41.03	3	Horizontal	318	1.94	-	41.18	14.68	32.61
RMS	13.97376G	51.60	68.20	-16.60	28.33	3	Horizontal	318	1.94	-	41.20	14.68	32.61

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_X\_2TX  
 Setting 19.5  
 03-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94518G	47.81	83.54	-35.73	44.04	1	Vertical	38	1.50	-	38.19	17.67	52.09
AV	20.94618G	36.14	63.54	-27.40	32.37	1	Vertical	38	1.50	-	38.19	17.67	52.09



6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX



6985MHz\_TX





EUT\_X\_2TX  
 Setting 19.5  
 03-I-M-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.91412G	51.86	83.54	-31.68	48.15	1	Horizontal	3	1.50	-	38.13	17.66	52.08
AV	20.93462G	39.68	63.54	-23.86	35.93	1	Horizontal	3	1.50	-	38.17	17.67	52.09































6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6565MHz\_TX

01/08/2023

CF (Hz)  
6.565G

Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
20m

Detector Type  
RMS





Port 1 


Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.569449G	-7.69	6.6571G	-57.05	-47.69	-9.36	1
6.5632G	-9.25	6.6564G	-57.07	-49.25	-7.82	2













6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6545MHz Straddle 6.425-6.525GHz\_TX

01/08/2023

CF (Hz)  
6.545G

Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
20m


Detector Type  
RMS







Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5514G	-4.71	6.7035G	-54.18	-44.71	-9.47	1
6.5523G	-5.47	6.7049G	-54.24	-45.47	-8.77	2






















Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-62.07	5.93	-68.06	≤ -62
						Minimal	-63.07	5.93	-69.00	≤ -62
						ON	-76.07	5.93	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-61.02	5.98	-67.06	≤ -62
						Minimal	-62.02	5.98	-68.00	≤ -62
						ON	-76.02	5.98	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-64.02	5.98	-70.03	≤ -62
						Minimal	-65.02	5.98	-71.00	≤ -62
						ON	-76.02	5.98	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-63.42	5.58	-69.02	≤ -62
						Minimal	-64.42	5.58	-70.00	≤ -62
						ON	-76.42	5.58	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11ax HEW160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-66.07	5.93	-72.02	≤ -62
						Minimal	-67.07	5.93	-73.00	≤ -62
						ON	-76.07	5.93	-82.00	≤ -62
				Center	6185	OFF	-61.07	5.93	-67.06	≤ -62
						Minimal	-62.07	5.93	-68.00	≤ -62
						ON	-76.07	5.93	-82.00	≤ -62
				High edge	6260	OFF	-64.07	5.93	-70.02	≤ -62
						Minimal	-65.07	5.93	-71.00	≤ -62
						ON	-76.07	5.93	-82.00	≤ -62
6	111	160	6505	Low edge	6430	OFF	-61.02	5.98	-67.02	≤ -62
						Minimal	-62.02	5.98	-68.00	≤ -62
						ON	-76.02	5.98	-82.00	≤ -62
				Center	6505	OFF	-63.02	5.98	-69.02	≤ -62
						Minimal	-64.02	5.98	-70.00	≤ -62
						ON	-76.02	5.98	-82.00	≤ -62
				High edge	6580	OFF	-65.02	5.98	-71.06	≤ -62
						Minimal	-66.02	5.98	-72.00	≤ -62
						ON	-76.02	5.98	-82.00	≤ -62
7	143	160	6665	Low edge	6590	OFF	-65.02	5.98	-71.09	≤ -62
						Minimal	-66.02	5.98	-72.00	≤ -62
						ON	-76.02	5.98	-82.00	≤ -62
				Center	6665	OFF	-59.02	5.98	-65.02	≤ -62
						Minimal	-60.02	5.98	-66.00	≤ -62
						ON	-76.02	5.98	-82.00	≤ -62
				High edge	6740	OFF	-65.02	5.98	-71.08	≤ -62
						Minimal	-66.02	5.98	-72.00	≤ -62
						ON	-76.02	5.98	-82.00	≤ -62



**Contention-Based Protocol Result Radio 3**

**Appendix F**

8	207	160	6985	Low edge	6910	OFF	-67.42	5.58	-73.04	≤ -62
						Minimal	-68.42	5.58	-74.00	≤ -62
						ON	-76.42	5.58	-82.00	≤ -62
				Center	6985	OFF	-64.42	5.58	-70.05	≤ -62
						Minimal	-65.42	5.58	-71.00	≤ -62
						ON	-76.42	5.58	-82.00	≤ -62
				High edge	7060	OFF	-65.42	5.58	-71.06	≤ -62
						Minimal	-66.42	5.58	-72.00	≤ -62
						ON	-76.42	5.58	-82.00	≤ -62



Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-68.06	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-67.06	OFF	9	90	90	PASS
7	149	20	6695	Center	6695	-70.03	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-69.02	OFF	10	100	90	PASS




Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-72.02	OFF	9	90	90	PASS
				Center	6185	-67.06	OFF	10	100	90	PASS
				High edge	6260	-70.02	OFF	9	90	90	PASS
6	111	160	6505	Low edge	6430	-67.02	OFF	10	100	90	PASS
				Center	6505	-69.02	OFF	10	100	90	PASS
				High edge	6580	-71.06	OFF	10	100	90	PASS
7	143	160	6665	Low edge	6590	-71.09	OFF	9	90	90	PASS
				Center	6665	-65.02	OFF	9	90	90	PASS
				High edge	6740	-71.08	OFF	9	90	90	PASS
8	207	160	6985	Low edge	6910	-73.04	OFF	9	90	90	PASS
				Center	6985	-70.05	OFF	9	90	90	PASS
				High edge	7060	-71.06	OFF	10	100	90	PASS

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz







Date: 11.SEP.2023 19:20:19

Frequency (MHz): 6455 MHz







Date: 11.SEP.2023 19:26:50

































Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal







Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal





Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 3	Pass	AV	1.71088G	44.88	54.00	-9.12	Horizontal

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.71148G	48.83	74.00	-25.17	-7.25	3	Vertical	223	1.80	-	56.08	25.35	3.21	35.81
AV	1.72332G	39.81	54.00	-14.19	-7.18	3	Vertical	223	1.80	"Worst"	46.99	25.39	3.22	35.79

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.7112G	49.49	74.00	-24.51	-7.26	3	Horizontal	308	1.80	-	56.75	25.34	3.21	35.81
AV	1.71088G	44.88	54.00	-9.12	-7.26	3	Horizontal	308	1.80	"Worst"	52.14	25.34	3.21	35.81