


5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_V\_2TX  
Setting 18.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01552G	55.04	74.00	-18.96	39.88	3	Horizontal	267	2.87	-	38.50	8.66	32.00
AV	11.01536G	42.29	54.00	-11.71	27.13	3	Horizontal	267	2.87	-	38.50	8.66	32.00

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_V\_2TX  
Setting 20  
02-L-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4384G	66.57	74.00	-7.43	57.46	3	Vertical	186	2.06	-	34.08	5.94	30.91
PK	5.4684G	67.40	68.20	-0.80	58.26	3	Vertical	186	2.06	-	34.10	5.97	30.93
AV	5.4594G	52.06	54.00	-1.94	42.93	3	Vertical	186	2.06	-	34.10	5.96	30.93
PK	5.5632G	118.07	Inf	-Inf	108.93	3	Vertical	186	2.06	-	34.07	6.06	30.99
AV	5.553G	105.94	Inf	-Inf	96.78	3	Vertical	186	2.06	-	34.09	6.05	30.98

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_V\_2TX  
Setting 20  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09544G	56.11	74.00	-17.89	40.86	3	Vertical	200	2.80	-	38.59	8.68	32.02
AV	11.10116G	42.64	54.00	-11.36	27.37	3	Vertical	200	2.80	-	38.60	8.69	32.02

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT Y\_2TX  
Setting 20  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10342G	55.46	74.00	-18.54	40.20	3	Horizontal	55	2.23	-	38.60	8.69	32.03
AV	11.10012G	42.53	54.00	-11.47	27.26	3	Horizontal	55	2.23	-	38.60	8.69	32.02

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT Y\_2TX  
Setting 18  
02-L-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.673G	116.59	Inf	-Inf	107.58	3	Vertical	180	2.44	-	33.95	6.10	31.04
AV	5.673G	104.71	Inf	-Inf	95.70	3	Vertical	180	2.44	-	33.95	6.10	31.04
PK	5.727G	67.95	68.20	-0.25	58.91	3	Vertical	180	2.44	-	34.00	6.10	31.06

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_V\_2TX  
Setting 18  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34054G	55.18	74.00	-18.82	39.92	3	Vertical	0	1.14	-	38.60	8.77	32.11
AV	11.33556G	42.57	54.00	-11.43	27.30	3	Vertical	0	1.14	-	38.60	8.77	32.10

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_V\_2TX  
Setting 18  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34102G	55.27	74.00	-18.73	40.01	3	Horizontal	104	1.90	-	38.60	8.77	32.11
AV	11.33574G	42.57	54.00	-11.43	27.30	3	Horizontal	104	1.90	-	38.60	8.77	32.10

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 22.5  
02-L-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	62.37	74.00	-11.63	53.23	3	Vertical	178	2.13	-	34.10	5.96	30.92
AV	5.4568G	50.47	54.00	-3.53	41.34	3	Vertical	178	2.13	-	34.10	5.96	30.93
PK	5.4664G	61.71	68.20	-6.49	52.57	3	Vertical	178	2.13	-	34.10	5.97	30.93
PK	5.7088G	122.99	Inf	-Inf	113.95	3	Vertical	178	2.13	-	34.00	6.10	31.06
AV	5.7088G	110.00	Inf	-Inf	100.96	3	Vertical	178	2.13	-	34.00	6.10	31.06
PK	5.85G	67.73	68.20	-0.47	58.71	3	Vertical	178	2.13	-	34.00	6.14	31.12



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 22.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41714G	54.86	74.00	-19.14	39.46	3	Vertical	8	1.91	-	38.73	8.80	32.13
AV	11.42102G	42.33	54.00	-11.67	26.92	3	Vertical	8	1.91	-	38.74	8.80	32.13

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 22.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42482G	55.08	74.00	-18.92	39.66	3	Horizontal	169	2.65	-	38.75	8.80	32.13
AV	11.41532G	42.37	54.00	-11.63	26.97	3	Horizontal	169	2.65	-	38.73	8.80	32.13

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Y\_2TX  
Setting 17.5  
02-L-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.091G	62.83	74.00	-11.17	54.21	3	Vertical	356	1.81	-	33.50	5.75	30.63
AV	5.137G	50.16	54.00	-3.84	41.49	3	Vertical	356	1.81	-	33.57	5.77	30.67
PK	5.3G	112.77	Inf	-Inf	103.82	3	Vertical	356	1.81	-	33.90	5.85	30.80
AV	5.299G	100.73	Inf	-Inf	91.78	3	Vertical	356	1.81	-	33.90	5.85	30.80
PK	5.369G	69.93	74.00	-4.07	60.91	3	Vertical	356	1.81	-	34.00	5.88	30.86
AV	5.35G	53.61	54.00	-0.39	44.58	3	Vertical	356	1.81	-	34.00	5.87	30.84
PK	5.461G	62.64	68.20	-5.56	53.51	3	Vertical	356	1.81	-	34.10	5.96	30.93

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT Y\_2TX  
 Setting 17.5  
 02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87374G	55.64	74.00	-18.36	39.87	3	Vertical	304	2.04	-	37.30	10.45	31.98
AV	15.86682G	43.73	54.00	-10.27	27.96	3	Vertical	304	2.04	-	37.30	10.45	31.98

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT Y\_2TX  
Setting 17.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86828G	56.63	74.00	-17.37	40.86	3	Horizontal	223	2.25	-	37.30	10.45	31.98
AV	15.875G	43.72	54.00	-10.28	27.95	3	Horizontal	223	2.25	-	37.30	10.45	31.98

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_V\_2TX  
Setting 18  
02-L-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3G	62.07	68.20	-6.13	53.12	3	Vertical	182	1.80	-	33.90	5.85	30.80
PK	5.446G	66.96	74.00	-7.04	57.84	3	Vertical	182	1.80	-	34.09	5.95	30.92
PK	5.463G	67.95	68.20	-0.25	58.82	3	Vertical	182	1.80	-	34.10	5.96	30.93
AV	5.456G	52.76	54.00	-1.24	43.62	3	Vertical	182	1.80	-	34.10	5.96	30.92
PK	5.517G	112.54	Inf	-Inf	103.39	3	Vertical	182	1.80	-	34.10	6.02	30.97
AV	5.526G	100.28	Inf	-Inf	91.12	3	Vertical	182	1.80	-	34.10	6.03	30.97
PK	5.729G	62.56	68.20	-5.64	53.53	3	Vertical	182	1.80	-	34.00	6.10	31.07

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT Y\_2TX  
Setting 18  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06018G	55.10	74.00	-18.90	39.92	3	Vertical	252	1.70	-	38.52	8.67	32.01
AV	11.05818G	42.50	54.00	-11.50	27.32	3	Vertical	252	1.70	-	38.52	8.67	32.01

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_V\_2TX  
Setting 18  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0589G	54.97	74.00	-19.03	39.79	3	Horizontal	183	1.93	-	38.52	8.67	32.01
AV	11.05736G	42.49	54.00	-11.51	27.32	3	Horizontal	183	1.93	-	38.51	8.67	32.01



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_V\_2TX  
Setting 18.5  
02-L-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	64.63	74.00	-9.37	55.50	3	Vertical	181	2.12	-	34.10	5.96	30.93
AV	5.457G	50.69	54.00	-3.31	41.56	3	Vertical	181	2.12	-	34.10	5.96	30.93
PK	5.466G	64.04	68.20	-4.16	54.90	3	Vertical	181	2.12	-	34.10	5.97	30.93
PK	5.617G	111.81	Inf	-Inf	102.75	3	Vertical	181	2.12	-	33.97	6.10	31.01
AV	5.617G	100.66	Inf	-Inf	91.60	3	Vertical	181	2.12	-	33.97	6.10	31.01
PK	5.727G	67.79	68.20	-0.41	58.75	3	Vertical	181	2.12	-	34.00	6.10	31.06

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT Y\_2TX  
Setting 18.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21906G	55.22	74.00	-18.78	39.91	3	Vertical	228	2.33	-	38.64	8.73	32.06
AV	11.22294G	42.69	54.00	-11.31	27.38	3	Vertical	228	2.33	-	38.65	8.73	32.07

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_V\_2TX  
 Setting 18.5  
 02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21772G	55.76	74.00	-18.24	40.45	3	Horizontal	346	2.93	-	38.64	8.73	32.06
AV	11.2157G	42.60	54.00	-11.40	27.30	3	Horizontal	346	2.93	-	38.63	8.73	32.06

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_2TX  
Setting 20  
02-L-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4452G	68.76	74.00	-5.24	59.64	3	Vertical	176	2.15	-	34.09	5.95	30.92
AV	5.4536G	53.07	54.00	-0.93	43.94	3	Vertical	176	2.15	-	34.10	5.95	30.92
PK	5.4644G	67.89	68.20	-0.31	58.76	3	Vertical	176	2.15	-	34.10	5.96	30.93
PK	5.6864G	114.85	Inf	-Inf	105.83	3	Vertical	176	2.15	-	33.97	6.10	31.05
AV	5.696G	103.03	Inf	-Inf	93.99	3	Vertical	176	2.15	-	33.99	6.10	31.05
PK	5.8568G	67.14	68.20	-1.06	58.08	3	Vertical	176	2.15	-	34.03	6.15	31.12

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_2TX  
Setting 20  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37846G	55.69	74.00	-18.31	40.37	3	Vertical	328	1.76	-	38.66	8.78	32.12
AV	11.3809G	42.45	54.00	-11.55	27.13	3	Vertical	328	1.76	-	38.66	8.78	32.12

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_V\_2TX  
Setting 20  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37804G	55.66	74.00	-18.34	40.34	3	Horizontal	114	1.24	-	38.66	8.78	32.12
AV	11.37506G	42.46	54.00	-11.54	27.15	3	Horizontal	114	1.24	-	38.65	8.78	32.12




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.466G	68.08	68.20	-0.12	3	Horizontal	2	1.81	-

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	63.14	74.00	-10.86	54.46	3	Vertical	360	1.93	-	33.59	5.77	30.68
AV	5.1454G	51.38	54.00	-2.62	42.70	3	Vertical	360	1.93	-	33.59	5.77	30.68
PK	5.2582G	122.99	Inf	-Inf	114.11	3	Vertical	360	1.93	-	33.82	5.83	30.77
AV	5.2564G	113.97	Inf	-Inf	105.10	3	Vertical	360	1.93	-	33.81	5.83	30.77
PK	5.362G	63.57	74.00	-10.43	54.54	3	Vertical	360	1.93	-	34.00	5.88	30.85
AV	5.3758G	51.83	54.00	-2.17	42.80	3	Vertical	360	1.93	-	34.00	5.89	30.86



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.113G	63.76	74.00	-10.24	55.12	3	Horizontal	-0	1.57	-	33.53	5.76	30.65
AV	5.15G	52.30	54.00	-1.70	43.60	3	Horizontal	-0	1.57	-	33.60	5.78	30.68
PK	5.2618G	126.48	Inf	-Inf	117.60	3	Horizontal	-0	1.57	-	33.82	5.83	30.77
AV	5.2588G	116.69	Inf	-Inf	107.81	3	Horizontal	-0	1.57	-	33.82	5.83	30.77
PK	5.3728G	64.59	74.00	-9.41	55.56	3	Horizontal	-0	1.57	-	34.00	5.89	30.86
AV	5.3518G	52.88	54.00	-1.12	43.84	3	Horizontal	-0	1.57	-	34.00	5.88	30.84

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-L-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.78236G	56.95	74.00	-17.05	41.04	3	Vertical	290	1.40	-	37.47	10.41	31.97			
AV	15.7823G	44.76	54.00	-9.24	28.85	3	Vertical	290	1.40	-	37.47	10.41	31.97			

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77562G	57.07	74.00	-16.93	41.13	3	Horizontal	10	1.05	-	37.50	10.41	31.97
AV	15.78106G	44.78	54.00	-9.22	28.86	3	Horizontal	10	1.05	-	37.48	10.41	31.97

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	120.91	Inf	-Inf	111.95	3	Vertical	360	2.00	-	33.91	5.85	30.80
AV	5.3032G	112.10	Inf	-Inf	103.14	3	Vertical	360	2.00	-	33.91	5.85	30.80
PK	5.3516G	62.94	74.00	-11.06	53.90	3	Vertical	360	2.00	-	34.00	5.88	30.84
AV	5.35G	51.98	54.00	-2.02	42.95	3	Vertical	360	2.00	-	34.00	5.87	30.84

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	125.02	Inf	-Inf	116.07	3	Horizontal	-0	1.55	-	33.90	5.85	30.80
AV	5.3032G	114.81	Inf	-Inf	105.85	3	Horizontal	-0	1.55	-	33.91	5.85	30.80
PK	5.35G	65.01	74.00	-8.99	55.98	3	Horizontal	-0	1.55	-	34.00	5.87	30.84
AV	5.3504G	53.54	54.00	-0.46	44.50	3	Horizontal	-0	1.55	-	34.00	5.88	30.84

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
 Setting 20.5  
 02-L-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.90278G	56.68	74.00	-17.32	40.89	3	Vertical	269	2.47	-	37.31	10.46	31.98			
AV	15.90414G	44.60	54.00	-9.40	28.81	3	Vertical	269	2.47	-	37.31	10.46	31.98			

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
02-L-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.9048G	56.81	74.00	-17.19	41.02	3	Horizontal	287	2.85	-	37.31	10.46	31.98			
AV	15.8961G	44.69	54.00	-9.31	28.91	3	Horizontal	287	2.85	-	37.30	10.46	31.98			

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
 Setting 18.5  
 02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3232G	119.54	Inf	-Inf	110.55	3	Vertical	1	2.08	-	33.95	5.86	30.82
AV	5.3228G	110.30	Inf	-Inf	101.31	3	Vertical	1	2.08	-	33.95	5.86	30.82
PK	5.351G	64.08	74.00	-9.92	55.04	3	Vertical	1	2.08	-	34.00	5.88	30.84
AV	5.35G	52.71	54.00	-1.29	43.68	3	Vertical	1	2.08	-	34.00	5.87	30.84



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
 Setting 18.5  
 02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3218G	122.53	Inf	-Inf	113.55	3	Horizontal	360	1.72	-	33.94	5.86	30.82
AV	5.3168G	112.58	Inf	-Inf	103.60	3	Horizontal	360	1.72	-	33.93	5.86	30.81
PK	5.3508G	64.58	74.00	-9.42	55.54	3	Horizontal	360	1.72	-	34.00	5.88	30.84
AV	5.3502G	53.69	54.00	-0.31	44.65	3	Horizontal	360	1.72	-	34.00	5.88	30.84

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.961G	56.84	74.00	-17.16	40.91	3	Vertical	25	2.64	-	37.44	10.48	31.99
AV	15.95824G	44.90	54.00	-9.10	28.98	3	Vertical	25	2.64	-	37.43	10.48	31.99

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9557G	56.64	74.00	-17.36	40.73	3	Horizontal	191	1.10	-	37.42	10.48	31.99
AV	15.95602G	44.99	54.00	-9.01	29.08	3	Horizontal	191	1.10	-	37.42	10.48	31.99

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4574G	62.74	74.00	-11.26	53.61	3	Vertical	1	1.82	-	34.10	5.96	30.93
AV	5.4588G	51.50	54.00	-2.50	42.37	3	Vertical	1	1.82	-	34.10	5.96	30.93
PK	5.4688G	63.76	68.20	-4.44	54.63	3	Vertical	1	1.82	-	34.10	5.97	30.94
PK	5.503G	119.20	Inf	-Inf	110.06	3	Vertical	1	1.82	-	34.10	6.00	30.96
AV	5.4988G	110.48	Inf	-Inf	101.34	3	Vertical	1	1.82	-	34.10	6.00	30.96

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4502G	62.68	74.00	-11.32	53.55	3	Horizontal	2	1.78	-	34.10	5.95	30.92
PK	5.4678G	67.91	68.20	-0.29	58.77	3	Horizontal	2	1.78	-	34.10	5.97	30.93
AV	5.4598G	51.88	54.00	-2.12	42.75	3	Horizontal	2	1.78	-	34.10	5.96	30.93
PK	5.5018G	122.48	Inf	-Inf	113.34	3	Horizontal	2	1.78	-	34.10	6.00	30.96
AV	5.4968G	112.63	Inf	-Inf	103.49	3	Horizontal	2	1.78	-	34.10	6.00	30.96

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9981G	54.71	74.00	-19.29	39.55	3	Vertical	93	1.86	-	38.50	8.65	31.99
AV	11.00058G	42.97	54.00	-11.03	27.81	3	Vertical	93	1.86	-	38.50	8.65	31.99

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00366G	54.83	74.00	-19.17	39.67	3	Horizontal	193	1.82	-	38.50	8.65	31.99
AV	10.99592G	42.98	54.00	-11.02	27.82	3	Horizontal	193	1.82	-	38.50	8.65	31.99

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4232G	62.48	74.00	-11.52	53.41	3	Vertical	360	2.02	-	34.05	5.92	30.90
AV	5.3864G	51.53	54.00	-2.47	42.51	3	Vertical	360	2.02	-	34.00	5.89	30.87
PK	5.468G	62.51	68.20	-5.69	53.37	3	Vertical	360	2.02	-	34.10	5.97	30.93
PK	5.5872G	123.77	Inf	-Inf	114.65	3	Vertical	360	2.02	-	34.03	6.09	31.00
AV	5.5824G	114.29	Inf	-Inf	105.17	3	Vertical	360	2.02	-	34.04	6.08	31.00
PK	5.7544G	63.47	68.20	-4.73	54.45	3	Vertical	360	2.02	-	34.00	6.10	31.08



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4456G	64.47	74.00	-9.53	55.35	3	Horizontal	-0	1.69	-	34.09	5.95	30.92
PK	5.4672G	66.21	68.20	-1.99	57.07	3	Horizontal	-0	1.69	-	34.10	5.97	30.93
AV	5.4592G	52.75	54.00	-1.25	43.62	3	Horizontal	-0	1.69	-	34.10	5.96	30.93
PK	5.5792G	126.28	Inf	-Inf	117.16	3	Horizontal	-0	1.69	-	34.04	6.08	31.00
AV	5.5792G	116.84	Inf	-Inf	107.72	3	Horizontal	-0	1.69	-	34.04	6.08	31.00
PK	5.748G	63.74	68.20	-4.46	54.71	3	Horizontal	-0	1.69	-	34.00	6.10	31.07

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15522G	55.07	74.00	-18.93	39.81	3	Vertical	184	2.13	-	38.60	8.70	32.04
AV	11.16462G	43.08	54.00	-10.92	27.82	3	Vertical	184	2.13	-	38.60	8.71	32.05

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16044G	55.21	74.00	-18.79	39.94	3	Horizontal	102	2.51	-	38.60	8.71	32.04
AV	11.15748G	43.12	54.00	-10.88	27.85	3	Horizontal	102	2.51	-	38.60	8.71	32.04

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.699G	118.11	Inf	-Inf	109.06	3	Vertical	-0	1.88	-	34.00	6.10	31.05
AV	5.699G	109.29	Inf	-Inf	100.24	3	Vertical	-0	1.88	-	34.00	6.10	31.05
PK	5.7252G	66.59	68.20	-1.61	57.55	3	Vertical	-0	1.88	-	34.00	6.10	31.06

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7018G	121.23	Inf	-Inf	112.18	3	Horizontal	5	1.80	-	34.00	6.10	31.05
AV	5.7028G	110.71	Inf	-Inf	101.66	3	Horizontal	5	1.80	-	34.00	6.10	31.05
PK	5.7266G	67.97	68.20	-0.23	58.93	3	Horizontal	5	1.80	-	34.00	6.10	31.06

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3972G	55.82	74.00	-18.18	40.47	3	Vertical	253	2.78	-	38.69	8.79	32.13
AV	11.3972G	43.58	54.00	-10.42	28.23	3	Vertical	253	2.78	-	38.69	8.79	32.13

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39844G	56.09	74.00	-17.91	40.73	3	Horizontal	40	2.06	-	38.70	8.79	32.13
AV	11.39786G	43.48	54.00	-10.52	28.12	3	Horizontal	40	2.06	-	38.70	8.79	32.13

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	124.62	Inf	-Inf	115.58	3	Vertical	-0	1.80	-	34.00	6.10	31.06
AV	5.7192G	115.24	Inf	-Inf	106.20	3	Vertical	-0	1.80	-	34.00	6.10	31.06
PK	5.8704G	63.15	68.20	-5.05	54.04	3	Vertical	-0	1.80	-	34.08	6.16	31.13



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
 Setting 23  
 02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7272G	125.91	Inf	-Inf	116.87	3	Horizontal	2	1.70	-	34.00	6.10	31.06
AV	5.7208G	115.74	Inf	-Inf	106.70	3	Horizontal	2	1.70	-	34.00	6.10	31.06
PK	5.8536G	62.93	68.20	-5.27	53.89	3	Horizontal	2	1.70	-	34.01	6.15	31.12

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43748G	55.30	74.00	-18.70	39.87	3	Vertical	254	1.88	-	38.77	8.80	32.14
AV	11.43842G	43.06	54.00	-10.94	27.62	3	Vertical	254	1.88	-	38.78	8.80	32.14

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43876G	55.60	74.00	-18.40	40.16	3	Horizontal	224	1.23	-	38.78	8.80	32.14
AV	11.43976G	42.82	54.00	-11.18	27.38	3	Horizontal	224	1.23	-	38.78	8.80	32.14

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1256G	63.19	74.00	-10.81	54.54	3	Vertical	-0	1.93	-	33.55	5.76	30.66
AV	5.1418G	51.20	54.00	-2.80	42.52	3	Vertical	-0	1.93	-	33.58	5.77	30.67
PK	5.2594G	124.32	Inf	-Inf	115.44	3	Vertical	-0	1.93	-	33.82	5.83	30.77
AV	5.2564G	112.97	Inf	-Inf	104.10	3	Vertical	-0	1.93	-	33.81	5.83	30.77
PK	5.3836G	62.81	74.00	-11.19	53.79	3	Vertical	-0	1.93	-	34.00	5.89	30.87
AV	5.3758G	51.45	54.00	-2.55	42.42	3	Vertical	-0	1.93	-	34.00	5.89	30.86

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	64.34	74.00	-9.66	55.65	3	Horizontal	-0	1.57	-	33.60	5.77	30.68
AV	5.1424G	51.77	54.00	-2.23	43.09	3	Horizontal	-0	1.57	-	33.58	5.77	30.67
PK	5.2546G	127.82	Inf	-Inf	118.94	3	Horizontal	-0	1.57	-	33.81	5.83	30.76
AV	5.263G	115.51	Inf	-Inf	106.62	3	Horizontal	-0	1.57	-	33.83	5.83	30.77
PK	5.3626G	64.23	74.00	-9.77	55.20	3	Horizontal	-0	1.57	-	34.00	5.88	30.85
AV	5.3512G	52.53	54.00	-1.47	43.49	3	Horizontal	-0	1.57	-	34.00	5.88	30.84

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78264G	56.93	74.00	-17.07	41.02	3	Vertical	225	2.54	-	37.47	10.41	31.97
AV	15.77606G	44.38	54.00	-9.62	28.44	3	Vertical	225	2.54	-	37.50	10.41	31.97

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77922G	57.13	74.00	-16.87	41.21	3	Horizontal	314	2.61	-	37.48	10.41	31.97
AV	15.77692G	44.37	54.00	-9.63	28.44	3	Horizontal	314	2.61	-	37.49	10.41	31.97

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
 Setting 20.5  
 02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	123.09	Inf	-Inf	114.14	3	Vertical	-0	1.82	-	33.90	5.85	30.80
AV	5.302G	111.05	Inf	-Inf	102.10	3	Vertical	-0	1.82	-	33.90	5.85	30.80
PK	5.3508G	65.18	74.00	-8.82	56.14	3	Vertical	-0	1.82	-	34.00	5.88	30.84
AV	5.35G	52.35	54.00	-1.65	43.32	3	Vertical	-0	1.82	-	34.00	5.87	30.84



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
 Setting 20.5  
 02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3052G	125.22	Inf	-Inf	116.26	3	Horizontal	1	1.53	-	33.91	5.85	30.80
AV	5.3056G	112.87	Inf	-Inf	103.91	3	Horizontal	1	1.53	-	33.91	5.85	30.80
PK	5.3504G	67.06	74.00	-6.94	58.02	3	Horizontal	1	1.53	-	34.00	5.88	30.84
AV	5.35G	53.54	54.00	-0.46	44.51	3	Horizontal	1	1.53	-	34.00	5.87	30.84

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89534G	56.45	74.00	-17.55	40.67	3	Vertical	104	1.22	-	37.30	10.46	31.98
AV	15.8982G	44.36	54.00	-9.64	28.58	3	Vertical	104	1.22	-	37.30	10.46	31.98

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89518G	56.61	74.00	-17.39	40.83	3	Horizontal	192	1.69	-	37.30	10.46	31.98
AV	15.89812G	44.25	54.00	-9.75	28.47	3	Horizontal	192	1.69	-	37.30	10.46	31.98

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
 Setting 19  
 02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	121.55	Inf	-Inf	112.56	3	Vertical	2	2.00	-	33.94	5.86	30.81
AV	5.3158G	108.90	Inf	-Inf	99.92	3	Vertical	2	2.00	-	33.93	5.86	30.81
PK	5.3504G	66.72	74.00	-7.28	57.68	3	Vertical	2	2.00	-	34.00	5.88	30.84
AV	5.35G	53.69	54.00	-0.31	44.66	3	Vertical	2	2.00	-	34.00	5.87	30.84

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	122.73	Inf	-Inf	113.74	3	Horizontal	360	1.77	-	33.95	5.86	30.82
AV	5.314G	110.90	Inf	-Inf	101.92	3	Horizontal	360	1.77	-	33.93	5.86	30.81
PK	5.3504G	67.54	74.00	-6.46	58.50	3	Horizontal	360	1.77	-	34.00	5.88	30.84
AV	5.3504G	53.85	54.00	-0.15	44.81	3	Horizontal	360	1.77	-	34.00	5.88	30.84

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95842G	56.63	74.00	-17.37	40.71	3	Vertical	343	2.71	-	37.43	10.48	31.99
AV	15.9593G	44.48	54.00	-9.52	28.55	3	Vertical	343	2.71	-	37.44	10.48	31.99

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96104G	56.54	74.00	-17.46	40.61	3	Horizontal	78	2.38	-	37.44	10.48	31.99
AV	15.96438G	44.52	54.00	-9.48	28.56	3	Horizontal	78	2.38	-	37.46	10.49	31.99

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	62.95	74.00	-11.05	53.82	3	Vertical	1	2.06	-	34.10	5.95	30.92
AV	5.4574G	51.10	54.00	-2.90	41.97	3	Vertical	1	2.06	-	34.10	5.96	30.93
PK	5.4692G	64.82	68.20	-3.38	55.69	3	Vertical	1	2.06	-	34.10	5.97	30.94
PK	5.4948G	121.20	Inf	-Inf	112.07	3	Vertical	1	2.06	-	34.10	5.99	30.96
AV	5.503G	109.21	Inf	-Inf	100.07	3	Vertical	1	2.06	-	34.10	6.00	30.96



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	63.59	74.00	-10.41	54.46	3	Horizontal	3	1.82	-	34.10	5.96	30.93
AV	5.4598G	52.06	54.00	-1.94	42.93	3	Horizontal	3	1.82	-	34.10	5.96	30.93
PK	5.4698G	67.82	68.20	-0.38	58.69	3	Horizontal	3	1.82	-	34.10	5.97	30.94
PK	5.4976G	122.90	Inf	-Inf	113.76	3	Horizontal	3	1.82	-	34.10	6.00	30.96
AV	5.497G	111.02	Inf	-Inf	101.88	3	Horizontal	3	1.82	-	34.10	6.00	30.96

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99658G	54.71	74.00	-19.29	39.55	3	Vertical	45	1.56	-	38.50	8.65	31.99
AV	11.00478G	42.41	54.00	-11.59	27.25	3	Vertical	45	1.56	-	38.50	8.65	31.99

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99704G	55.09	74.00	-18.91	39.93	3	Horizontal	45	1.41	-	38.50	8.65	31.99
AV	11.00334G	42.52	54.00	-11.48	27.36	3	Horizontal	45	1.41	-	38.50	8.65	31.99

5.47-5.725GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	63.00	74.00	-11.00	53.87	3	Vertical	-0	2.02	-	34.10	5.95	30.92
AV	5.3832G	51.17	54.00	-2.83	42.15	3	Vertical	-0	2.02	-	34.00	5.89	30.87
PK	5.4688G	61.71	68.20	-6.49	52.57	3	Vertical	-0	2.02	-	34.10	5.97	30.93
PK	5.5744G	125.57	Inf	-Inf	116.44	3	Vertical	-0	2.02	-	34.05	6.07	30.99
AV	5.5832G	113.44	Inf	-Inf	104.33	3	Vertical	-0	2.02	-	34.03	6.08	31.00
PK	5.7496G	63.54	68.20	-4.66	54.51	3	Vertical	-0	2.02	-	34.00	6.10	31.07

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	67.06	74.00	-6.94	57.93	3	Horizontal	2	1.70	-	34.10	5.96	30.93
AV	5.46G	53.55	54.00	-0.45	44.42	3	Horizontal	2	1.70	-	34.10	5.96	30.93
PK	5.4656G	67.73	68.20	-0.47	58.59	3	Horizontal	2	1.70	-	34.10	5.97	30.93
PK	5.5752G	126.78	Inf	-Inf	117.64	3	Horizontal	2	1.70	-	34.05	6.08	30.99
AV	5.5768G	115.91	Inf	-Inf	106.78	3	Horizontal	2	1.70	-	34.05	6.08	31.00
PK	5.7384G	63.60	68.20	-4.60	54.57	3	Horizontal	2	1.70	-	34.00	6.10	31.07

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15616G	55.16	74.00	-18.84	39.90	3	Vertical	228	2.37	-	38.60	8.70	32.04
AV	11.16368G	42.96	54.00	-11.04	27.70	3	Vertical	228	2.37	-	38.60	8.71	32.05

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16168G	55.22	74.00	-18.78	39.95	3	Horizontal	133	1.82	-	38.60	8.71	32.04
AV	11.16378G	42.85	54.00	-11.15	27.59	3	Horizontal	133	1.82	-	38.60	8.71	32.05

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7054G	120.98	Inf	-Inf	111.93	3	Vertical	360	1.80	-	34.00	6.10	31.05
AV	5.7032G	108.94	Inf	-Inf	99.89	3	Vertical	360	1.80	-	34.00	6.10	31.05
PK	5.7252G	67.43	68.20	-0.77	58.39	3	Vertical	360	1.80	-	34.00	6.10	31.06



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7022G	123.10	Inf	-Inf	114.05	3	Horizontal	2	1.78	-	34.00	6.10	31.05
AV	5.7032G	109.63	Inf	-Inf	100.58	3	Horizontal	2	1.78	-	34.00	6.10	31.05
PK	5.7258G	67.75	68.20	-0.45	58.71	3	Horizontal	2	1.78	-	34.00	6.10	31.06

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40142G	55.71	74.00	-18.29	40.35	3	Vertical	135	2.36	-	38.70	8.79	32.13
AV	11.39788G	42.92	54.00	-11.08	27.56	3	Vertical	135	2.36	-	38.70	8.79	32.13

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39692G	55.27	74.00	-18.73	39.91	3	Horizontal	195	1.85	-	38.69	8.79	32.12
AV	11.40078G	42.79	54.00	-11.21	27.43	3	Horizontal	195	1.85	-	38.70	8.79	32.13

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7176G	125.53	Inf	-Inf	116.49	3	Vertical	-0	1.88	-	34.00	6.10	31.06
AV	5.7184G	114.61	Inf	-Inf	105.57	3	Vertical	-0	1.88	-	34.00	6.10	31.06
PK	5.884G	62.66	68.20	-5.54	53.48	3	Vertical	-0	1.88	-	34.14	6.18	31.14

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	125.61	Inf	-Inf	116.57	3	Horizontal	5	1.68	-	34.00	6.10	31.06
AV	5.7232G	114.58	Inf	-Inf	105.54	3	Horizontal	5	1.68	-	34.00	6.10	31.06
PK	5.8888G	63.13	68.20	-5.07	53.93	3	Horizontal	5	1.68	-	34.16	6.18	31.14

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4388G	55.01	74.00	-18.99	39.58	3	Vertical	216	2.62	-	38.77	8.80	32.14
AV	11.4388G	42.36	54.00	-11.64	26.92	3	Vertical	216	2.62	-	38.78	8.80	32.14

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44212G	54.98	74.00	-19.02	39.54	3	Horizontal	89	2.03	-	38.78	8.80	32.14
AV	11.43626G	42.37	54.00	-11.63	26.94	3	Horizontal	89	2.03	-	38.77	8.80	32.14

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	62.50	74.00	-11.50	53.85	3	Vertical	-0	2.11	-	33.55	5.76	30.66
AV	5.132G	50.63	54.00	-3.37	41.97	3	Vertical	-0	2.11	-	33.56	5.77	30.67
PK	5.258G	117.76	Inf	-Inf	108.88	3	Vertical	-0	2.11	-	33.82	5.83	30.77
AV	5.273G	106.06	Inf	-Inf	97.15	3	Vertical	-0	2.11	-	33.85	5.84	30.78
PK	5.3552G	62.39	74.00	-11.61	53.35	3	Vertical	-0	2.11	-	34.00	5.88	30.84
AV	5.3762G	51.64	54.00	-2.36	42.61	3	Vertical	-0	2.11	-	34.00	5.89	30.86



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Z\_2TX  
 Setting 18.5  
 02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	63.34	74.00	-10.66	54.65	3	Horizontal	360	1.61	-	33.60	5.77	30.68
AV	5.135G	51.21	54.00	-2.79	42.54	3	Horizontal	360	1.61	-	33.57	5.77	30.67
PK	5.2694G	120.61	Inf	-Inf	111.72	3	Horizontal	360	1.61	-	33.84	5.83	30.78
AV	5.2688G	108.82	Inf	-Inf	99.93	3	Horizontal	360	1.61	-	33.84	5.83	30.78
PK	5.3516G	67.60	74.00	-6.40	58.56	3	Horizontal	360	1.61	-	34.00	5.88	30.84
AV	5.3504G	53.38	54.00	-0.62	44.34	3	Horizontal	360	1.61	-	34.00	5.88	30.84

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80658G	56.23	74.00	-17.77	40.39	3	Vertical	310	1.55	-	37.39	10.42	31.97
AV	15.8053G	44.17	54.00	-9.83	28.33	3	Vertical	310	1.55	-	37.39	10.42	31.97

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Z\_2TX  
 Setting 18.5  
 02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80552G	56.03	74.00	-17.97	40.19	3	Horizontal	74	2.12	-	37.39	10.42	31.97
AV	15.80614G	44.17	54.00	-9.83	28.33	3	Horizontal	74	2.12	-	37.39	10.42	31.97

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
Setting 14  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	113.70	Inf	-Inf	104.71	3	Vertical	-0	2.08	-	33.94	5.86	30.81
AV	5.3084G	101.81	Inf	-Inf	92.85	3	Vertical	-0	2.08	-	33.92	5.85	30.81
PK	5.4068G	62.88	74.00	-11.12	53.85	3	Vertical	-0	2.08	-	34.01	5.91	30.89
AV	5.35G	51.79	54.00	-2.21	42.76	3	Vertical	-0	2.08	-	34.00	5.87	30.84

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
Setting 14  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	117.17	Inf	-Inf	108.21	3	Horizontal	-0	1.78	-	33.92	5.85	30.81
AV	5.3088G	104.54	Inf	-Inf	95.58	3	Horizontal	-0	1.78	-	33.92	5.85	30.81
PK	5.35G	64.93	74.00	-9.07	55.90	3	Horizontal	-0	1.78	-	34.00	5.87	30.84
AV	5.3508G	53.85	54.00	-0.15	44.81	3	Horizontal	-0	1.78	-	34.00	5.88	30.84

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
Setting 14  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92614G	57.36	74.00	-16.64	41.52	3	Vertical	275	2.09	-	37.35	10.47	31.98
AV	15.93428G	44.44	54.00	-9.56	28.58	3	Vertical	275	2.09	-	37.37	10.47	31.98

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
Setting 14  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92708G	56.88	74.00	-17.12	41.04	3	Horizontal	184	2.12	-	37.35	10.47	31.98
AV	15.93326G	44.44	54.00	-9.56	28.58	3	Horizontal	184	2.12	-	37.37	10.47	31.98

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	65.41	74.00	-8.59	56.27	3	Vertical	-0	1.90	-	34.10	5.96	30.92
AV	5.4596G	53.08	54.00	-0.92	43.95	3	Vertical	-0	1.90	-	34.10	5.96	30.93
PK	5.4676G	67.76	68.20	-0.44	58.62	3	Vertical	-0	1.90	-	34.10	5.97	30.93
PK	5.516G	117.87	Inf	-Inf	108.72	3	Vertical	-0	1.90	-	34.10	6.02	30.97
AV	5.508G	106.01	Inf	-Inf	96.86	3	Vertical	-0	1.90	-	34.10	6.01	30.96



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.52	74.00	-8.48	56.39	3	Horizontal	2	1.81	-	34.10	5.96	30.93
AV	5.46G	52.75	54.00	-1.25	43.62	3	Horizontal	2	1.81	-	34.10	5.96	30.93
PK	5.466G	68.08	68.20	-0.12	58.94	3	Horizontal	2	1.81	-	34.10	5.97	30.93
PK	5.5136G	118.71	Inf	-Inf	109.57	3	Horizontal	2	1.81	-	34.10	6.01	30.97
AV	5.5128G	107.14	Inf	-Inf	98.00	3	Horizontal	2	1.81	-	34.10	6.01	30.97

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-L-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0179G	55.06	74.00	-18.94	39.90	3	Vertical	17	1.91	-	38.50	8.66	32.00			
AV	11.0235G	42.62	54.00	-11.38	27.46	3	Vertical	17	1.91	-	38.50	8.66	32.00			

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02436G	55.01	74.00	-18.99	39.85	3	Horizontal	217	2.78	-	38.50	8.66	32.00
AV	11.0173G	42.62	54.00	-11.38	27.46	3	Horizontal	217	2.78	-	38.50	8.66	32.00

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4402G	62.85	74.00	-11.15	53.74	3	Vertical	360	1.80	-	34.08	5.94	30.91
PK	5.4648G	62.38	68.20	-5.82	53.25	3	Vertical	360	1.80	-	34.10	5.96	30.93
AV	5.46G	50.90	54.00	-3.10	41.77	3	Vertical	360	1.80	-	34.10	5.96	30.93
PK	5.556G	118.35	Inf	-Inf	109.19	3	Vertical	360	1.80	-	34.09	6.06	30.99
AV	5.5476G	106.92	Inf	-Inf	97.75	3	Vertical	360	1.80	-	34.10	6.05	30.98

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4534G	65.31	74.00	-8.69	56.18	3	Horizontal	2	1.73	-	34.10	5.95	30.92
AV	5.46G	51.88	54.00	-2.12	42.75	3	Horizontal	2	1.73	-	34.10	5.96	30.93
PK	5.47G	67.21	68.20	-0.99	58.08	3	Horizontal	2	1.73	-	34.10	5.97	30.94
PK	5.5518G	120.22	Inf	-Inf	111.05	3	Horizontal	2	1.73	-	34.10	6.05	30.98
AV	5.5524G	108.35	Inf	-Inf	99.18	3	Horizontal	2	1.73	-	34.10	6.05	30.98

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09946G	55.33	74.00	-18.67	40.07	3	Vertical	245	1.36	-	38.60	8.68	32.02
AV	11.1019G	42.86	54.00	-11.14	27.59	3	Vertical	245	1.36	-	38.60	8.69	32.02

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10378G	55.66	74.00	-18.34	40.40	3	Horizontal	343	1.68	-	38.60	8.69	32.03
AV	11.10212G	42.86	54.00	-11.14	27.59	3	Horizontal	343	1.68	-	38.60	8.69	32.02

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Z\_2TX  
Setting 17.5  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.664G	117.17	Inf	-Inf	108.18	3	Vertical	360	2.04	-	33.93	6.10	31.04
AV	5.6748G	105.55	Inf	-Inf	96.54	3	Vertical	360	2.04	-	33.95	6.10	31.04
PK	5.7258G	67.90	68.20	-0.30	58.86	3	Vertical	360	2.04	-	34.00	6.10	31.06



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Z\_2TX  
 Setting 17.5  
 02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6688G	118.29	Inf	-Inf	109.29	3	Horizontal	2	1.72	-	33.94	6.10	31.04
AV	5.6676G	106.38	Inf	-Inf	97.38	3	Horizontal	2	1.72	-	33.94	6.10	31.04
PK	5.7258G	66.35	68.20	-1.85	57.31	3	Horizontal	2	1.72	-	34.00	6.10	31.06

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Z\_2TX  
Setting 17.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34188G	55.43	74.00	-18.57	40.17	3	Vertical	124	1.15	-	38.60	8.77	32.11
AV	11.34018G	42.89	54.00	-11.11	27.63	3	Vertical	124	1.15	-	38.60	8.77	32.11

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Z\_2TX  
Setting 17.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33544G	55.39	74.00	-18.61	40.12	3	Horizontal	180	2.49	-	38.60	8.77	32.10
AV	11.3354G	42.93	54.00	-11.07	27.66	3	Horizontal	180	2.49	-	38.60	8.77	32.10

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7196G	121.94	Inf	-Inf	112.90	3	Vertical	-0	1.80	-	34.00	6.10	31.06
AV	5.7084G	110.82	Inf	-Inf	101.78	3	Vertical	-0	1.80	-	34.00	6.10	31.06
PK	5.8516G	64.66	68.20	-3.54	55.63	3	Vertical	-0	1.80	-	34.01	6.14	31.12

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.714G	123.42	Inf	-Inf	114.38	3	Horizontal	5	1.62	-	34.00	6.10	31.06
AV	5.7124G	111.65	Inf	-Inf	102.61	3	Horizontal	5	1.62	-	34.00	6.10	31.06
PK	5.8508G	66.13	68.20	-2.07	57.11	3	Horizontal	5	1.62	-	34.00	6.14	31.12

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
 Setting 22  
 02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41706G	55.03	74.00	-18.97	39.63	3	Vertical	98	1.38	-	38.73	8.80	32.13
AV	11.41756G	42.60	54.00	-11.40	27.19	3	Vertical	98	1.38	-	38.74	8.80	32.13

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.415G	55.13	74.00	-18.87	39.73	3	Horizontal	168	2.67	-	38.73	8.80	32.13
AV	11.41996G	42.58	54.00	-11.42	27.17	3	Horizontal	168	2.67	-	38.74	8.80	32.13

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Z\_2TX  
 Setting 14.5  
 02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.088G	61.67	74.00	-12.33	53.06	3	Vertical	-0	2.10	-	33.50	5.74	30.63
AV	5.105G	50.31	54.00	-3.69	41.69	3	Vertical	-0	2.10	-	33.51	5.75	30.64
PK	5.287G	112.71	Inf	-Inf	103.79	3	Vertical	-0	2.10	-	33.87	5.84	30.79
AV	5.289G	99.63	Inf	-Inf	90.70	3	Vertical	-0	2.10	-	33.88	5.84	30.79
PK	5.362G	62.74	74.00	-11.26	53.71	3	Vertical	-0	2.10	-	34.00	5.88	30.85
AV	5.35G	50.98	54.00	-3.02	41.95	3	Vertical	-0	2.10	-	34.00	5.87	30.84
PK	5.514G	61.84	68.20	-6.36	52.70	3	Vertical	-0	2.10	-	34.10	6.01	30.97



5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Z\_2TX  
Setting 14.5  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1G	62.84	74.00	-11.16	54.23	3	Horizontal	360	1.68	-	33.50	5.75	30.64
AV	5.118G	50.40	54.00	-3.60	41.75	3	Horizontal	360	1.68	-	33.54	5.76	30.65
PK	5.272G	112.83	Inf	-Inf	103.93	3	Horizontal	360	1.68	-	33.84	5.84	30.78
AV	5.274G	101.62	Inf	-Inf	92.71	3	Horizontal	360	1.68	-	33.85	5.84	30.78
PK	5.35G	67.82	74.00	-6.18	58.79	3	Horizontal	360	1.68	-	34.00	5.87	30.84
AV	5.35G	53.85	54.00	-0.15	44.82	3	Horizontal	360	1.68	-	34.00	5.87	30.84
PK	5.505G	62.19	68.20	-6.01	53.05	3	Horizontal	360	1.68	-	34.10	6.00	30.96

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Z\_2TX  
Setting 14.5  
02-L-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.8699G	56.02	74.00	-17.98	40.25	3	Vertical	25	1.93	-	37.30	10.45	31.98			
AV	15.87484G	44.18	54.00	-9.82	28.41	3	Vertical	25	1.93	-	37.30	10.45	31.98			

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Z\_2TX  
Setting 14.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86684G	56.47	74.00	-17.53	40.70	3	Horizontal	209	2.22	-	37.30	10.45	31.98
AV	15.87122G	44.07	54.00	-9.93	28.30	3	Horizontal	209	2.22	-	37.30	10.45	31.98

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Z\_2TX  
Setting 16.5  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	62.64	68.20	-5.56	53.62	3	Vertical	1	2.12	-	33.98	5.87	30.83
AV	5.376G	51.24	54.00	-2.76	42.21	3	Vertical	1	2.12	-	34.00	5.89	30.86
PK	5.443G	62.81	74.00	-11.19	53.69	3	Vertical	1	2.12	-	34.09	5.94	30.91
PK	5.468G	64.95	68.20	-3.25	55.81	3	Vertical	1	2.12	-	34.10	5.97	30.93
PK	5.553G	112.49	Inf	-Inf	103.33	3	Vertical	1	2.12	-	34.09	6.05	30.98
AV	5.552G	100.86	Inf	-Inf	91.69	3	Vertical	1	2.12	-	34.10	6.05	30.98
PK	5.764G	62.92	68.20	-5.28	53.90	3	Vertical	1	2.12	-	34.00	6.10	31.08

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Z\_2TX  
Setting 16.5  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.316G	63.00	68.20	-5.20	54.02	3	Horizontal	1	1.70	-	33.93	5.86	30.81
PK	5.409G	66.59	74.00	-7.41	57.55	3	Horizontal	1	1.70	-	34.02	5.91	30.89
PK	5.47G	65.35	68.20	-2.85	56.22	3	Horizontal	1	1.70	-	34.10	5.97	30.94
AV	5.458G	53.08	54.00	-0.92	43.95	3	Horizontal	1	1.70	-	34.10	5.96	30.93
PK	5.529G	114.65	Inf	-Inf	105.49	3	Horizontal	1	1.70	-	34.10	6.03	30.97
AV	5.528G	102.80	Inf	-Inf	93.64	3	Horizontal	1	1.70	-	34.10	6.03	30.97
PK	5.737G	62.82	68.20	-5.38	53.79	3	Horizontal	1	1.70	-	34.00	6.10	31.07

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Z\_2TX  
 Setting 16.5  
 02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06292G	55.69	74.00	-18.31	40.50	3	Vertical	182	1.43	-	38.53	8.67	32.01
AV	11.05786G	42.72	54.00	-11.28	27.54	3	Vertical	182	1.43	-	38.52	8.67	32.01

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Z\_2TX  
Setting 16.5  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05748G	54.85	74.00	-19.15	39.68	3	Horizontal	111	2.97	-	38.51	8.67	32.01
AV	11.05802G	42.83	54.00	-11.17	27.65	3	Horizontal	111	2.97	-	38.52	8.67	32.01

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.416G	63.94	74.00	-10.06	54.88	3	Vertical	360	2.12	-	34.03	5.92	30.89
PK	5.462G	64.60	68.20	-3.60	55.47	3	Vertical	360	2.12	-	34.10	5.96	30.93
AV	5.456G	51.11	54.00	-2.89	41.97	3	Vertical	360	2.12	-	34.10	5.96	30.92
PK	5.596G	113.73	Inf	-Inf	104.62	3	Vertical	360	2.12	-	34.01	6.10	31.00
AV	5.608G	101.94	Inf	-Inf	92.87	3	Vertical	360	2.12	-	33.98	6.10	31.01
PK	5.735G	65.80	68.20	-2.40	56.77	3	Vertical	360	2.12	-	34.00	6.10	31.07



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	65.75	74.00	-8.25	56.61	3	Horizontal	4	1.62	-	34.10	5.96	30.92
AV	5.455G	52.06	54.00	-1.94	42.92	3	Horizontal	4	1.62	-	34.10	5.96	30.92
PK	5.461G	65.67	68.20	-2.53	56.54	3	Horizontal	4	1.62	-	34.10	5.96	30.93
PK	5.613G	116.11	Inf	-Inf	107.05	3	Horizontal	4	1.62	-	33.97	6.10	31.01
AV	5.613G	104.53	Inf	-Inf	95.47	3	Horizontal	4	1.62	-	33.97	6.10	31.01
PK	5.729G	67.41	68.20	-0.79	58.38	3	Horizontal	4	1.62	-	34.00	6.10	31.07

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.2186G	55.85	74.00	-18.15	40.54	3	Vertical	74	2.78	-	38.64	8.73	32.06
AV	11.22256G	42.93	54.00	-11.07	27.62	3	Vertical	74	2.78	-	38.65	8.73	32.07

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.222G	55.21	74.00	-18.79	39.91	3	Horizontal	224	2.75	-	38.64	8.73	32.07			
AV	11.21954G	43.01	54.00	-10.99	27.70	3	Horizontal	224	2.75	-	38.64	8.73	32.06			

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	65.48	74.00	-8.52	56.35	3	Vertical	-0	1.80	-	34.10	5.96	30.93
AV	5.456G	51.50	54.00	-2.50	42.36	3	Vertical	-0	1.80	-	34.10	5.96	30.92
PK	5.463G	66.19	68.20	-2.01	57.06	3	Vertical	-0	1.80	-	34.10	5.96	30.93
PK	5.7G	116.39	Inf	-Inf	107.34	3	Vertical	-0	1.80	-	34.00	6.10	31.05
AV	5.678G	104.07	Inf	-Inf	95.05	3	Vertical	-0	1.80	-	33.96	6.10	31.04
PK	5.857G	67.33	68.20	-0.87	58.27	3	Vertical	-0	1.80	-	34.03	6.15	31.12

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	66.14	74.00	-7.86	57.01	3	Horizontal	3	1.70	-	34.10	5.96	30.93
AV	5.455G	51.50	54.00	-2.50	42.36	3	Horizontal	3	1.70	-	34.10	5.96	30.92
PK	5.47G	66.52	68.20	-1.68	57.39	3	Horizontal	3	1.70	-	34.10	5.97	30.94
PK	5.7G	116.17	Inf	-Inf	107.12	3	Horizontal	3	1.70	-	34.00	6.10	31.05
AV	5.702G	104.05	Inf	-Inf	95.00	3	Horizontal	3	1.70	-	34.00	6.10	31.05
PK	5.852G	66.37	68.20	-1.83	57.34	3	Horizontal	3	1.70	-	34.01	6.14	31.12

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.384G	55.57	74.00	-18.43	40.24	3	Vertical	337	2.00	-	38.67	8.78	32.12			
AV	11.37762G	42.82	54.00	-11.18	27.50	3	Vertical	337	2.00	-	38.66	8.78	32.12			

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_2TX  
Setting 19  
02-L-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3807G	55.44	74.00	-18.56	40.12	3	Horizontal	146	2.10	-	38.66	8.78	32.12
AV	11.37522G	42.82	54.00	-11.18	27.51	3	Horizontal	146	2.10	-	38.65	8.78	32.12