



48346 Milmont Dr., Fremont, CA 94538
 Phone: 510-770-0469 Fax: 510-996-7250
 www.surecall.com

Antenna Kitting Information

Fusion2go 3.0 V2

Vehicle Kit1

Component	Prod No. Description	Gain/Loss					Notes
		LTE-A	LTE-V	800MHz	1900MHz	1700MHz\2100MHz	
Outdoor Antenna	SC200W	1.5dBi	1.5dBi	2dBi	3dBi	3dBi\3dBi	
Outdoor Cable	SC174-10FT 10Feet	3.8dB	3.8dB	4.3dB	8.8dB	6.98dB\8.96dB	
Indoor Antenna	SC110W	1.1dBi	1.1dBi	1.1dBi	3dBi	3dBi\3dBi	Table Top Antenna
Indoor Cable	SC174-10FT 10Feet	3.8dB	3.8dB	4.3dB	8.8dB	6.98dB\8.96dB	

*All equivalent antennas and cables are suitable for use with the Fusion2go 3.0 V2

		Maximum Gain	Minimum Gain
Outdoor Antenna	SC200W	3dBi	1.5dBi
Indoor Antenna	SC110W	3dBi	1.1dBi

Vehicle Kit2

Component	Prod No. Description	Gain/Loss					Notes
		LTE-A	LTE-V	800MHz	1900MHz	1700MHz\2100MHz	
Outdoor Antenna	SC208W	-0.36dBi	-2.15dBi	-1.95dBi	1.85dBi	1.16dBi\1.7dBi	
Outdoor Cable	SC174-12.5FT (12.5Feet)	2.8dB	3dB	3.7dB	4.7dB	4.5dB\6 dB	
Indoor Antenna	SC110W	1.1dBi	1.1dBi	1.1dBi	3dBi	3dBi\3dBi	Table Top Antenna
Indoor Cable	SC174-10FT (10Feet)	3.8dB	3.8dB	4.3dB	8.8dB	6.98dB\8.96dB	

*All equivalent antennas and cables are suitable for use with theFusion2go 3.0 V2

		Maximum Gain	Minimum Gain
Outdoor Antenna	SC208W	1.85dBi	-0.36dBi
Indoor Antenna	SC110W	3dBi	1.1dBi

Marine-1 Kit

Component	Prod No. Description	Gain/Loss					Notes
		LTE-A	LTE-V	800MHz	1900MHz	1700MHz\2100MHz	
Outdoor Antenna	SC288Wor Galaxy 5412-P	3dBi	3dBi	3dBi	4dBi	4dBi\4dBi	
Outdoor Cable	SC240-40FN (40Feet)	3.52dB	3.52dB	3.98dB	6.52dB	6.12dB\6.92dB	
Indoor Antenna	SC248W	7dBi	7dBi	7dBi	10dBi	10dBi\10dBi	Wall Mounted Antenna
Indoor Cable	SC240-20FN (20Feet)	2.06dB	2.06dB	2.29dB	3.56dB	3.36dB\ 3.76dB	

*All equivalent antennas and cables are suitable for use with theFusion2go 3.0 V2

		Maximum Gain	Minimum Gain
Outdoor Antenna	SC288Wor Galaxy 5412-P	4dBi	3dBi
Indoor Antenna	SC248W	10dBi	7dBi

Marine-2 Kit

Component	Prod No. Description	Gain/Loss					Notes
		LTE-A	LTE-V	800MHz	1900MHz	1700MHz\2100MHz	
Outdoor Antenna	SC288W or Galaxy 5412-P	3dBi	3dBi	3dBi	4dBi	4dBi\4dBi	
Outdoor Cable	SC240-40FN (40Feet)	3.52dB	3.52dB	3.98dB	6.52dB	6.12dB\6.92dB	
Indoor Antenna	SC302W	2.5dBi	2.5dBi	3dBi	5dBi	4dBi\5dBi	
Indoor Cable	SC240-20FN (20Feet)	2.06dB	2.06dB	2.29dB	3.56dB	3.36dB\ 3.76dB	
*All equivalent antennas and cables are suitable for use with theFusion2go 3.0 V2							

		Maximum Gain	Minimum Gain
Outdoor Antenna	SC288W or Galaxy 5412-P	4dBi	3dBi
Indoor Antenna	SC302W	5dBi	2.5dBi

Desk top/RV-1 Kit

Component	Prod No. Description	Gain/Loss					Notes
		LTE-A	LTE-V	800MHz	1900MHz	1700MHz\2100MHz	
Outdoor Antenna	SC288W	3dBi	3dBi	3dBi	4dBi	4dBi\4dBi	
Outdoor Cable	SC240-40FN (40Feet)	3.52dB	3.52dB	3.98dB	6.52dB	6.12dB\6.92dB	
Indoor Antenna	SC120W	1.2dBi	1.2dBi	1.2dBi	3dBi	3dBi\3dBi	Table Top Antenna
*All equivalent antennas and cables are suitable for use with theFusion2go 3.0 V2							

		Maximum Gain	Minimum Gain
Outdoor Antenna	SC288W	4dBi	3dBi
Indoor Antenna	SC120W	3dBi	1.2dBi

Desk top/RV-2 Kit

Component	Prod No. Description	Gain/Loss					Notes
		LTE-A	LTE-V	800MHz	1900MHz	1700MHz\2100MHz	
Outdoor Antenna	SC288W	3dBi	3dBi	3dBi	4dBi	4dBi\4dBi	
Outdoor Cable	SC240-40FN (40Feet)	3.52dB	3.52dB	3.98dB	6.52dB	6.12dB\6.92dB	
Indoor Antenna	SC302W	2.5dBi	2.5dBi	3dBi	5dBi	4dBi\5dBi	
Indoor Cable	SC240-20FN (20Feet)	2.06dB	2.06dB	2.29dB	3.56dB	3.36dB\ 3.76dB	
*All equivalent antennas and cables are suitable for use with theFusion2go 3.0 V2							

		Maximum Gain	Minimum Gain
Outdoor Antenna	SC288W	4dBi	3dBi
Indoor Antenna	SC302W	5dBi	2.5dBi