



EMI - TEST REPORT

- FCC Part 15.249, RSS210 -

Type / Model Name : B6R-R9P (Receiver unit)

Product Description : Receiver unit for gas burning appliances (room heaters)

Applicant : Plättner Elektronik GmbH

Address : Lerchenbreite 8
38889 BLANKENBURG, GERMANY

Manufacturer : Mertik Maxitrol GmbH & Co.KG

Address : Warnstedter Str.3
06502 THALE, GERMANY

Licence holder : Mertik Maxitrol GmbH & Co.KG

Address : Warnstedter Str.3
06502 THALE, GERMANY

Test Result according to the standards listed in clause 1 test standards:	POSITIVE
--	-----------------

Test Report No. :	T40604-00-02KJ	05. October 2016
--------------------------	-----------------------	------------------



Deutsche
Akkreditierungsstelle
D-PL-12030-01-01
D-PL-12030-01-02

The test report merely corresponds to the test sample.
It is not permitted to copy extracts of these test results
without the written permission of the test laboratory.

Contents

1 TEST STANDARDS	3
2 EQUIPMENT UNDER TEST	4
2.1 Photo documentation of the EUT – Detailed photos see attachment A	4
2.2 Short description of the equipment under test (EUT)	5
2.3 EUT operation mode:	5
2.4 Variants of the EUT	5
2.5 Operation frequency and channel plan	5
2.6 Transmit operating modes	5
2.7 Antenna	5
2.8 Power supply system utilised	6
2.9 Peripheral devices and interface cables	6
2.10 Determination of worst case conditions for final measurement	6
2.11 Test jig	6
2.12 Test software	6
3 TEST RESULT SUMMARY	7
3.1 Final assessment	7
4 TEST ENVIRONMENT	8
4.1 Address of the test laboratory	8
4.2 Environmental conditions	8
4.3 Statement of the measurement uncertainty	8
4.4 Measurement protocol for FCC and IC	9
5 TEST CONDITIONS AND RESULTS	10
5.1 AC power line conducted emissions	10
5.2 Field strength of fundamental	16
5.3 Out-of-band emission, radiated	18
5.4 Correction for pulse operation (duty cycle)	22
5.5 20 dB bandwidth	25
5.6 Occupied bandwidth	28
6 USED TEST EQUIPMENT AND ACCESSORIES	31
ATTACHMENT (PHOTO DOCUMENTATION OF THE EUT)	A

1 TEST STANDARDS

The tests were performed according to following standards:

FCC Rules and Regulations Part 15, Subpart A - General (September, 2015)

Part 15, Subpart A, Section 15.31	Measurement standards
Part 15, Subpart A, Section 15.33	Frequency range of radiated measurements
Part 15, Subpart A, Section 15.35	Measurement detector functions and bandwidths

FCC Rules and Regulations Part 15, Subpart C - Intentional Radiators (September, 2015)

Part 15, Subpart C, Section 15.203	Antenna requirement
Part 15, Subpart C, Section 15.204 modifications	External radio frequency power amplifiers and antenna
Part 15, Subpart C, Section 15.205	Restricted bands of operation
Part 15, Subpart C, Section 15.207	Conducted limits
Part 15, Subpart C, Section 15.209	Radiated emission limits, general requirements
Part 15, Subpart C, Section 15.249	Operation within the bands 902 - 928 MHz, 2400 - 2483.5 MHz, 5725 - 5875 MHz, and 24.0 - 24.25 GHz

IC Radio Standards Specifications (RSS)

RSS-210 Issue 8, December 2010 Standards	Spectrum Management and Telecommunications Radio Specifications - Licence-exempt Radio Apparatus (All Frequency Bands): Category I Equipment
RSS-Gen Issue 4, November 2014 Standards	Spectrum Management and Telecommunications Radio Specifications - General Requirements and Information for the Certification of Radio Apparatus

ANSI C63.4: 2014	Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz.
ANSI C63.10: 2013	Testing Unlicensed Wireless Devices
ANSI C95.1:2005	IEEE Standard for Safety Levels with respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz
CISPR 16-4-2: 2013	Uncertainty in EMC measurement
CISPR 22: 2008 EN 55022: 2010	Information technology equipment

2 EQUIPMENT UNDER TEST

2.1 Photo documentation of the EUT – Detailed photos see attachment A



2.2 Short description of the equipment under test (EUT)

The EuT is a transceiver unit for electronic remote ignition and control system for gas appliances with pilot burners and ODS system.

Number of tested samples: 1
Serial number: see photo documentation

2.3 EUT operation mode:

The equipment under test was operated during the measurement under the following conditions:

- cont. TX modulated at 915.0 MHz

- receive mode at 915.0 MHz

2.4 Variants of the EUT

There are no other variants.

2.5 Operation frequency and channel plan

The operating frequency band is 902 MHz to 928 MHz.

The EuT is a one-channel transceiver and operates at 915.0 MHz.

2.6 Transmit operating modes

The EUT uses 2-FSK modulation and provide following data rate:

32 kbps (kbps = *kilobits per second*)

2.7 Antenna

The following antennas shall be used with the EUT:

Number	Characteristic	Model number	Plug	Frequency range (GHz)	Gain (dBi)	Cable loss (dB)	Effective gain (dBi)
1	wired antenna (8 cm)	-	-	915	-	-	-

2.8 Power supply system utilised

Power supply voltage, V_{nom} : 120 V / 60 Hz / 1φ or
6 V DC (Battery powered 4x 1.5 V AA batteries)

2.9 Peripheral devices and interface cables

The following peripheral devices and interface cables are connected during the measurements:

Cable	Screening	Transmission	Status	Length
AC power line	unshielded	analogue	active	2.8m
External temperature sensor	unshielded	analogue	active	>3m
Wall switch	unshielded	digital	active	>3m
Relay & AUX	unshielded	digital	active	<3m
SI / Receiver cable	unshielded	digital	active	<3m
Valve / Receiver cable	unshielded	digital	active	<3m

2.10 Determination of worst case conditions for final measurement

Measurements have been made in all three orthogonal axes and the settings of the EUT were changed to locate at which position and at what setting of the EUT produce the maximum of the emissions. For the further measurement the EUT is set in Z position (EuT in vertical position, small site).

2.11 Test jig

No test jig was used.

2.12 Test software

No special test software was used.

3 TEST RESULT SUMMARY

Operating in the 902 MHz – 928 MHz band:

FCC Rule Part	RSS Rule Part	Description	Result
15.207(a)	RSS-Gen, 8.8	AC power line conducted emissions	passed
15.249(a)	RSS-210, A2.9(a)	Field strength of fundamental	passed
15.249(d)	RSS-210, A2.9(a)(b) RSS-Gen, 8.9	Out-of-band emission, radiated	passed
15.35(c)	RSS-Gen, 6.10	Correction for pulse operation	passed
15.215(c)	-	20 dB bandwidth	passed
	RSS-Gen, 6.6	Occupied bandwidth	passed

3.1 Final assessment

The equipment under test fulfills the EMI requirements cited in clause 1 test standards.

Date of receipt of test sample : acc. to storage records

Testing commenced on : 12. January 2016

Testing concluded on : 26. April 2016

Checked by:

Tested by:

Klaus Gegenfurtner
Teamleader Radio

Josef Knab
Radio Team

4 TEST ENVIRONMENT

4.1 Address of the test laboratory

CSA Group Bayern GmbH
Ohmstrasse 1-4
94342 STRASSKIRCHEN
GERMANY

4.2 Environmental conditions

During the measurement the environmental conditions were within the listed ranges:

Temperature: 15-35 °C

Humidity: 30-60 %

Atmospheric pressure: 86-106 kPa

4.3 Statement of the measurement uncertainty

The data and results referenced in this document are true and accurate. It is noted that the expanded measurement uncertainty corresponds to the measurement results from the standard measurement uncertainty multiplied by the coverage factor $k = 2$. The true value is located in the corresponding interval with a probability of 95 %. The measurement uncertainty was calculated for all measurements listed in this test report acc. to CISPR 16-4-2 / 11.2003 „Uncertainties, statistics and limit modelling – Uncertainty in EMC measurements“ and is documented in the quality system acc. to DIN EN ISO/IEC 17025. For all measurements shown in this report, the measurement uncertainty of the test laboratory, CSA Group Bayern GmbH, is below the measurement uncertainty as defined by CISPR. Therefore, no special measures must be taken into consideration with regard to the limits according to CISPR. Furthermore, component and process variability of devices similar to that tested may result in additional deviation. The manufacturer has the sole responsibility of continued compliance of the device.

Measurement uncertainty	
Test	Uncertainty
Conducted emissions mains	$\pm 3.1 \text{ dB}$
Power spectral density	$\pm 2.7 \text{ dB}$
bandwidth measurement	$\pm 100 \text{ kHz}$ (depends on the used RBW)
Maximum output power	$\pm 1.0 \text{ dB}$
Spurious emissions radiated below 30 MHz	$\pm 3 \text{ dB}$
Spurious emissions radiated 30 MHz to 1 GHz	$\pm 4.4 \text{ dB}$
Spurious emissions radiated 1 GHz to 12.75 GHz	$\pm 3.7 \text{ dB}$
Spurious emissions radiated above 12.75 GHz	$\pm 5.0 \text{ dB}$

4.4 Measurement protocol for FCC and IC

4.4.1 General information

4.4.1.1 Test methodology

Conducted and radiated disturbance testing is performed according to the procedures set out by the International Special Committee on Radio Interference (CISPR) Publication 22, European Standard EN 55022 as shown under section 1 of this report.

The Open Area test site is a listed Open Site under the Canadian Test-Sites File-No:

IC 3009A-01

The anechoic chamber site is a listed chamber under the Canadian Test-Sites File-No:

IC 3009A-02

In compliance with RSS 210 testing for RSS compliance may be achieved by following the procedures set out in ANSI C63.10 and applying the CISPR 22 limits.

4.4.1.2 Justification

The equipment under test (EUT) is configured in a typical user arrangement in accordance with the manufacturer's instructions. A cable is connected to each available port and either terminated with a peripheral using the appropriate impedance characteristic or left unterminated. Where appropriate, cables are manually manipulated with respect to each other thus obtaining maximum disturbances from the unit.

4.4.1.3 Details of test procedures

The test methods used comply with CISPR Publication 22, EN 55022 - "Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement" and with ANSI C63.4 - "Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz". In compliance with 47 CFR Part 15 Subpart A, Section 15.38 testing for FCC compliance may be achieved by following the procedures set out in ANSI C63.10 and applying the CISPR 22 limits.

5 TEST CONDITIONS AND RESULTS


5.1 AC power line conducted emissions

For test instruments and accessories used see section 6 Part A 4.

5.1.1 Description of the test location

Test location: Shielded Room S2

5.1.2 Photo documentation of the test set-up



5.1.3 Applicable standard

According to FCC Part 15, Section 15.207(a) and RSS Gen, 8.8:

5.1.4 Test result

Frequency range: 0.15 MHz - 30 MHz

Min. limit margin 1.5 dB at 0.363 MHz

Limit according to FCC Part 15, Section 15.207(a) and RSS Gen, 8.8:

Frequency of Emission (MHz)	Conducted Limit (dB μ V)	
	Quasi-peak	Average
0.15-0.5	66 to 56 *	56 to 46 *
0.5-5	56	46
5-30	60	50

* Decreases with the logarithm of the frequency

The requirements are **FULFILLED**.

Remarks: For detailed test result please refer to following test protocols


5.1.5 Test protocol

Test point: L1 / N
 Operation mode: cont. TX modulated at 915.0 MHz
 Remarks: (valve open, pilot flame on & WiFi active)


Result: passed




 CISPR 22/CISPR22 B - Average/
 CISPR 22/CISPR22 B - QPeak/
 Meas. Peak (Phase 1)
 Meas. Avg (Phase 1)
 QuasiPeak (Finals) (Phase 1)
 Average (Finals) (Phase 1)



CISPR 22/CISPR22B



 CISPR 22/CISPR22 B - Average/
 CISPR 22/CISPR22 B - QPeak/
 Meas. Peak (Neutral)
 Meas. Avg (Neutral)
 QuasiPeak (Finals) (Neutral)
 Average (Finals) (Neutral)



CISPR 22/CISPR22B

FCC ID: RTD-B6RR9P IC: 4943A-B6RR9P

freq MHz	SR	QP dB(µV)	margin dB	limit dB	AV dB(µV)	margin dB	limit dB	line	corr dB
0.159	1	33.74	31.77	65.52	25.94	29.58	55.52	Phase 1	9.84
0.1995	1	33.30	30.33	63.63	29.61	24.02	53.63	Phase 1	9.83
0.231	1	29.69	32.72	62.41	27.77	24.65	52.41	Phase 1	9.83
0.2805	1	30.29	30.51	60.80	29.15	21.65	50.80	Phase 1	9.82
0.363	2	48.95	9.71	58.66	47.13	1.53	48.66	Phase 1	9.81
0.3675	2	48.82	9.74	58.56	46.81	1.75	48.56	Phase 1	9.81
0.435	2	34.23	22.93	57.16	32.44	14.72	47.16	Phase 1	9.82
0.6225	3	34.32	21.68	56.00	32.64	13.36	46.00	Phase 1	9.82
1.0905	3	32.86	23.14	56.00	30.98	15.02	46.00	Phase 1	9.81
1.095	3	32.96	23.04	56.00	31.04	14.96	46.00	Phase 1	9.81
1.353	4	33.74	22.26	56.00	31.04	14.96	46.00	Phase 1	9.79
1.362	4	33.31	22.69	56.00	31.36	14.64	46.00	Phase 1	9.79
1.8615	4	33.50	22.50	56.00	30.87	15.13	46.00	Phase 1	9.80
2.0595	4	31.41	24.59	56.00	28.75	17.25	46.00	Phase 1	9.81
2.4045	5	31.92	24.08	56.00	29.67	16.33	46.00	Phase 1	9.79
2.625	5	32.33	23.67	56.00	30.28	15.72	46.00	Phase 1	9.79
3.6285	5	31.15	24.85	56.00	29.28	16.72	46.00	Phase 1	9.82
3.6825	5	31.11	24.89	56.00	25.44	20.56	46.00	Phase 1	9.82
4.836	6	29.00	27.00	56.00	27.00	19.00	46.00	Phase 1	9.82
4.863	6	29.21	26.79	56.00	27.64	18.36	46.00	Phase 1	9.82
6.843	6	26.53	33.47	60.00	24.05	25.95	50.00	Phase 1	9.84
6.8655	6	27.28	32.72	60.00	24.19	25.81	50.00	Phase 1	9.84
9.6315	7	19.38	40.62	60.00	15.79	34.21	50.00	Phase 1	9.89
11.283	7	15.85	44.15	60.00	10.37	39.63	50.00	Phase 1	9.94
15.351	7	17.35	42.65	60.00	11.93	38.07	50.00	Phase 1	10.13
21.7965	8	16.58	43.42	60.00	9.27	40.73	50.00	Phase 1	10.34
21.819	8	16.71	43.29	60.00	9.28	40.72	50.00	Phase 1	10.34
25.3245	8	19.10	40.90	60.00	11.45	38.55	50.00	Phase 1	10.35
25.365	8	20.05	39.95	60.00	12.12	37.88	50.00	Phase 1	10.35
0.15	9	32.42	33.58	66.00	16.87	39.13	56.00	Neutral	9.84
0.1995	9	32.54	31.09	63.63	27.42	26.22	53.63	Neutral	9.85
0.2175	9	27.37	35.54	62.91	17.39	35.52	52.91	Neutral	9.85
0.363	10	43.32	15.34	58.66	33.59	15.07	48.66	Neutral	9.81
0.4305	10	30.65	26.60	57.24	21.08	26.16	47.24	Neutral	9.82
0.453	10	29.83	26.99	56.82	19.90	26.92	46.82	Neutral	9.82
0.618	11	29.94	26.06	56.00	20.02	25.98	46.00	Neutral	9.82
0.816	11	27.46	28.54	56.00	16.00	30.00	46.00	Neutral	9.81
0.915	11	29.94	26.06	56.00	19.27	26.73	46.00	Neutral	9.81
1.1715	11	28.89	27.11	56.00	18.27	27.73	46.00	Neutral	9.80
1.3575	12	29.48	26.52	56.00	18.65	27.35	46.00	Neutral	9.79
1.3665	12	29.68	26.32	56.00	19.13	26.87	46.00	Neutral	9.79
1.884	12	30.44	25.56	56.00	19.20	26.80	46.00	Neutral	9.80
2.073	12	28.38	27.62	56.00	17.24	28.76	46.00	Neutral	9.81
2.6115	13	28.73	27.27	56.00	18.18	27.82	46.00	Neutral	9.79
2.652	13	28.46	27.54	56.00	18.38	27.62	46.00	Neutral	9.79
3.597	13	27.14	28.86	56.00	16.40	29.60	46.00	Neutral	9.81
3.6285	13	26.78	29.22	56.00	15.99	30.01	46.00	Neutral	9.81
6.195	14	24.29	35.71	60.00	17.27	32.73	50.00	Neutral	9.81
6.519	14	24.59	35.41	60.00	14.49	35.51	50.00	Neutral	9.81
6.7935	14	24.14	35.86	60.00	14.24	35.76	50.00	Neutral	9.81
6.951	14	24.54	35.46	60.00	18.11	31.89	50.00	Neutral	9.81
9.6765	15	17.79	42.21	60.00	10.65	39.35	50.00	Neutral	9.83
11.103	15	17.28	42.72	60.00	7.14	42.86	50.00	Neutral	9.84
14.6085	15	15.65	44.35	60.00	7.14	42.86	50.00	Neutral	9.93
15.351	15	23.77	36.23	60.00	15.79	34.21	50.00	Neutral	9.95
21.6975	16	17.13	42.87	60.00	8.65	41.35	50.00	Neutral	10.05
22.7055	16	16.07	43.93	60.00	5.22	44.78	50.00	Neutral	10.01
24.4245	16	20.87	39.13	60.00	10.10	39.90	50.00	Neutral	9.95
28.5285	16	18.96	41.04	60.00	13.04	36.96	50.00	Neutral	9.77



FCC ID: RTD-B6RR9P IC: 4943A-B6RR9P

Test point:
Operation mode:
Remarks:

L1 / N
receive mode at 915.0 MHz
(valve closed, pilot flame off & WiFi standby)

Result: passed

— CISPR 22/CISPR22 B - Average/
— CISPR 22/CISPR22 B - QPeak/
— Meas.Peak (Phase 1)
— Meas.Avg (Phase 1)
■ QuasiPeak (Finals) (Phase 1)
● Average (Finals) (Phase 1)



FCC ID: RTD-B6RR9P IC: 4943A-B6RR9P

freq MHz	SR	QP dB(µV)	margin dB	limit dB	AV dB(µV)	margin dB	limit dB	line	corr dB
0.1995	1	33.82	29.81	63.63	28.25	25.38	53.63	Phase 1	9.83
0.2085	1	32.59	30.68	63.26	27.19	26.07	53.26	Phase 1	9.83
0.3	1	35.92	24.33	60.24	30.30	19.94	50.24	Phase 1	9.82
0.3585	2	46.17	12.60	58.76	40.81	7.95	48.76	Phase 1	9.81
0.363	2	45.90	12.76	58.66	40.77	7.89	48.66	Phase 1	9.81
0.4755	2	34.49	21.93	56.42	28.97	17.45	46.42	Phase 1	9.82
0.48	2	34.42	21.92	56.34	28.91	17.43	46.34	Phase 1	9.82
0.6855	3	34.85	21.15	56.00	29.39	16.61	46.00	Phase 1	9.81
0.924	3	34.24	21.76	56.00	28.72	17.28	46.00	Phase 1	9.82
0.9285	3	34.26	21.74	56.00	28.77	17.23	46.00	Phase 1	9.82
1.5645	4	32.58	23.42	56.00	26.91	19.09	46.00	Phase 1	9.79
1.569	4	32.51	23.49	56.00	26.85	19.15	46.00	Phase 1	9.79
1.8165	4	32.73	23.27	56.00	27.10	18.90	46.00	Phase 1	9.80
1.821	4	32.77	23.23	56.00	27.15	18.85	46.00	Phase 1	9.80
2.4	5	30.58	25.42	56.00	24.79	21.21	46.00	Phase 1	9.79
2.94	5	30.55	25.45	56.00	24.79	21.21	46.00	Phase 1	9.79
3.5025	5	29.73	26.27	56.00	24.16	21.84	46.00	Phase 1	9.82
3.507	5	29.64	26.36	56.00	24.07	21.93	46.00	Phase 1	9.82
4.8765	6	26.76	29.24	56.00	21.25	24.75	46.00	Phase 1	9.82
5.1825	6	26.89	33.11	60.00	21.61	28.39	50.00	Phase 1	9.83
6.8835	6	24.11	35.89	60.00	18.98	31.02	50.00	Phase 1	9.84
6.888	6	23.99	36.01	60.00	18.88	31.12	50.00	Phase 1	9.84
9.7755	7	16.71	43.29	60.00	10.05	39.95	50.00	Phase 1	9.89
15.1755	7	14.23	45.77	60.00	7.77	42.23	50.00	Phase 1	10.12
18.996	7	10.67	49.33	60.00	1.94	48.06	50.00	Phase 1	10.28
23.9925	8	17.35	42.65	60.00	7.01	42.99	50.00	Phase 1	10.34
24.0015	8	17.61	42.39	60.00	7.33	42.67	50.00	Phase 1	10.34
28.425	8	17.97	42.03	60.00	7.85	42.15	50.00	Phase 1	10.34
28.803	8	15.79	44.21	60.00	9.17	40.83	50.00	Phase 1	10.34
0.1995	9	32.11	31.52	63.63	27.31	26.32	53.63	Neutral	9.85
0.3	9	28.63	31.62	60.24	18.36	31.88	50.24	Neutral	9.82
0.3585	10	37.97	20.79	58.76	26.58	22.18	48.76	Neutral	9.81
0.363	10	38.39	20.27	58.66	26.90	21.76	48.66	Neutral	9.81
0.4755	10	27.87	28.55	56.42	16.14	30.28	46.42	Neutral	9.82
0.6855	11	27.72	28.28	56.00	15.64	30.36	46.00	Neutral	9.81
0.924	11	27.60	28.40	56.00	14.49	31.51	46.00	Neutral	9.82
1.5645	12	26.50	29.50	56.00	13.86	32.14	46.00	Neutral	9.79
1.569	12	26.57	29.43	56.00	13.90	32.10	46.00	Neutral	9.79
1.8255	12	26.16	29.84	56.00	13.40	32.60	46.00	Neutral	9.80
2.4045	13	24.80	31.20	56.00	12.26	33.74	46.00	Neutral	9.79
2.409	13	24.94	31.06	56.00	12.16	33.84	46.00	Neutral	9.79
3.507	13	22.22	33.78	56.00	8.77	37.23	46.00	Neutral	9.82
3.6015	13	22.47	33.53	56.00	10.66	35.34	46.00	Neutral	9.81
6.6945	14	21.52	38.48	60.00	11.77	38.23	50.00	Neutral	9.81
6.771	14	19.69	40.31	60.00	9.66	40.34	50.00	Neutral	9.81
6.978	14	21.61	38.39	60.00	11.73	38.27	50.00	Neutral	9.81
7.3335	14	21.09	38.91	60.00	11.49	38.51	50.00	Neutral	9.82
9.789	15	17.05	42.95	60.00	7.34	42.66	50.00	Neutral	9.83
9.8565	15	16.82	43.18	60.00	6.72	43.28	50.00	Neutral	9.83
16.7595	15	14.64	45.36	60.00	5.22	44.78	50.00	Neutral	9.99
16.8675	15	14.46	45.54	60.00	3.63	46.37	50.00	Neutral	10.00
23.8125	16	19.79	40.21	60.00	8.07	41.93	50.00	Neutral	9.97
23.979	16	20.04	39.96	60.00	7.15	42.85	50.00	Neutral	9.96
24.4875	16	20.57	39.43	60.00	6.21	43.79	50.00	Neutral	9.95
28.5915	16	16.54	43.46	60.00	10.19	39.81	50.00	Neutral	9.76

5.2 Field strength of fundamental

For test instruments and accessories used see section 6 Part **CPR 2**.

5.2.1 Description of the test location

Test location: OATS 1
Test distance: 3 m

5.2.2 Photo documentation of the test set-up



5.2.3 Applicable standard

According to FCC Part 15C, Section 15.249(a) and RSS-210, A2.9(a):

5.2.4 Test result

Instrument settings:

30 MHz – 1000 MHz: RBW: 120 kHz

Frequency [MHz]	PK reading [dB μ V]	QP reading [dB μ V]	Duty cycle corr. [dB]	Ant. & Cable corr. [dB]	PK level [dB μ V/m]	QP level [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
915.0	62.1	61.6	0.0	31.0	93.1	92.6	94.0	-1.4

Note: The correction factor includes cable loss and antenna factor.

Quasi-Peak-Limit according to FCC Part 15C, Section 15.249(a) and RSS-210, A2.9(a):

Frequency (MHz)	Field strength of fundamental	
	(mV/m)	dB(μ V/m)
902 - 928	50	94
2400 - 2483.5	50	94
5725-5875	50	94
24000 - 24250	250	108

The requirements are **FULFILLED**.

Remarks: Prescans indicate no significant differences between the different operation modes (battery vs external power supply and nothing connected vs all peripheral connected).

5.3 Out-of-band emission, radiated

For test instruments and accessories used see section 6 Part **SER1, SER 2, SER 3**.

5.3.1 Description of the test location

Test location: OATS 1
Test location: Anechoic chamber 1
Test distance: 3 m

5.3.2 Photo documentation of the test set-up


Test setup 9 kHz – 30 MHz:



Test setup 30 MHz – 1000 MHz:



Test setup 1 GHz – 18 GHz:



3

5.3.3 Applicable standard

According to FCC Part 15C, Section 15.249 (d) and RSS-210, A2.9 (a) (b) and RSS Gen, 8.9:

5.3.4 Test result f < 1 GHz

Instrument settings:

9 kHz – 150 kHz	RBW: 200 Hz
150 kHz - 30 MHz	RBW: 9 kHz
30 MHz – 1000 MHz:	RBW: 120 kHz
1000 MHz – 40 GHz	RBW: 1 MHz

Frequency [MHz]	PK reading [dB μ V]	QP reading [dB μ V]	Duty cycle corr. [dB]	Ant. factor [dB]	Distance corr. [dB]	corr. AV level [dB μ V/m]	QP level [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
0.1*	42.0	38.0	0.0	20.0	-80.0	-18.0	-22.0	24.0	-42.0
1.5*	18.5	15.8	0.0	20.0	-40.0	-1.5	-4.2	16.0	-20.2
5.0*	20.7	19.7	0.0	20.0	-40.0	0.7	-0.3	30.0	-30.3
15.0*	21.8	18.7	0.0	20.0	-40.0	1.8	-1.3	30.0	-31.3
25.0*	19.8	19.0	0.0	20.0	-40.0	-0.2	-1.0	30.0	-31.0

Frequency [MHz]	PK reading [dB μ V]	QP reading [dB μ V]	Duty cycle corr. [dB]	Ant. & Cable corr. [dB]	PK level [dB μ V/m]	QP level [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
150.0*	0.2	--	0.0	13.9	14.1	--	43.5	-29.4
300.0*	-1.6	--	0.0	16.9	15.3	--	46.0	-30.7
450.0*	-1.9	--	0.0	21.2	19.3	--	46.0	-26.7
600.0*	-2.0	--	0.0	25.5	23.5	--	46.0	-22.5
750.0*	-1.3	--	0.0	28.3	27.0	--	46.0	-19.0
900.0*	-0.4	--	0.0	31.1	30.7	--	46.0	-15.3

*) Only ambient noises could be detected.

5.3.5 Test result f > 1 GHz

Frequency [MHz]	PK reading [dB μ V]	AV reading [dB μ V]	Duty cycle corr. [dB]	Ant. & Cable corr. [dB]	calculated AV level [dB μ V/m]	PK level [dB μ V/m]	AV limit [dB μ V/m]	PK limit [dB μ V/m]	Delta [dB]
1198.8	58.5	--	-13.1	-19.5	25.9	39.0	54.0	74.0	-28.1
1830.3	72.4	--	-13.1	-17.3	42.0	55.1	54.0	74.0	-12.0
2745.3	66.1	--	-13.1	-13.2	39.8	52.9	54.0	74.0	-14.2
3660.3	64.2	--	-13.1	-12.9	38.2	51.3	54.0	74.0	-15.8
4574.0	48.0	--	-13.1	2.0	36.9	50.0	54.0	74.0	-17.1
5490.0	54.2	--	-13.1	4.3	45.4	58.5	54.0	74.0	-8.6
6404.0	50.3	--	-13.1	6.4	43.6	56.7	54.0	74.0	-10.4
7320.0	49.1	--	-13.1	7.0	43.0	56.1	54.0	74.0	-11.0
8236.0	47.5	--	-13.1	7.0	41.4	54.5	54.0	74.0	-12.6
9150.0	45.1	--	-13.1	7.2	39.2	52.3	54.0	74.0	-14.8
10372.0	40.5	--	-13.1	7.5	34.9	48.0	54.0	74.0	-19.1
11670.0	40.5	--	-13.1	9.7	37.1	50.2	54.0	74.0	-16.9

Limit according to FCC Part 15C, Section 15.209 and RSS Gen, 8.9::

Frequency (MHz)	Limits (μ V/m)	Limits dB(μ V/m)	Measurement distance (m)
0.009 - 0.49	2400/F(kHz)	--	300
0.49 – 1.705	24000/F (kHz)	--	30
1.705 – 30.0	30	30	30

FCC ID: RTD-B6RR9P IC: 4943A-B6RR9P

Average limit according to FCC Part 15C, Section 15.249(a) and RSS-210, A2.9(a)::

Fundamental frequency (MHz)	Field strength of harmonics	
	(μ V/m)	dB(μ V/m)
902 - 928	500	54
2400 - 2483.5	500	54
5725-5875	500	54
24000 - 24250	2500	68

Peak-Limit according to FCC Subpart 15.249(a), Subpart 15.249(e) and RSS Gen, 8.1:

Frequency (MHz)	Fieldstrength of harmonics	
	(μ V/m)	dB (μ V/m)
902-928	5000	74
2400-2483.5	5000	74
5725-5875	5000	74

Average-Limit according to FCC Subpart 15.249(d) and RSS-210, A2.9(b) for spurious emissions outside of the specified frequency band:

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50dB below the level of the fundamental or to the general radiated emission limits in paragraph 15.209, whichever is the lesser attenuation.

Frequency [MHz]	50dB below of the fundamental [$\text{dB}\mu\text{V}/\text{m}$]	15.209 Limits [$\text{dB}\mu\text{V}/\text{m}$]	General Radiated Limits [$\text{dB}\mu\text{V}/\text{m}$]
30-88	42.6	40	40
88-216	42.6	43.5	43.5
216-960	42.6	46	46
Above 960	42.6	54	54

The requirements are **FULFILLED**.

Remarks: The measurement was performed up to the 10th harmonic (10.0 GHz).
Prescans indicate no significant differences between the different operation modes (battery
vs external power supply and nothing connected vs all peripheral connected).


5.4 Correction for pulse operation (duty cycle)

For test instruments and accessories used see section 6 Part DC.

5.4.1 Description of the test location

Test location: Shielded Room S6

5.4.2 Photo documentation of the test set-up



5.4.3 Applicable standard

According to FCC Part 15A, Section 15.35(c) and RSS-Gen, 6.10:

5.4.4 Description of Measurement

The duty cycle factor (dB) is calculated applying the following formula:

$$K_E = 20 \log \frac{T_{ON}}{T_{PT}}$$

$$-13.1 \text{ dB} = 20 \log \frac{14.2 \text{ ms}}{63.8 \text{ ms}}$$

K_E : pulse operation correction factor (dB)

T_{ON} : complete on time (ms)

T_{PT} : complete pulse train (ms)

5.4.5 Test result

Instrument settings:

RBW: 10 kHz

VBW: 30 kHz

Span: zero span

Sweep time: manual

Detector: Max. peak

Trace Mode: single sweep

T_{ON} (ms)	T_{PT} (ms)	K_E (dB)
14.2	63.8	-13.1



The requirements are **FULFILLED**.

Remarks: For detailed results, please see the test protocol below.

FCC ID: RTD-B6RR9P IC: 4943A-B6RR9P

5.4.6 Test protocol

Correction for pulse operation (duty cycle) FCC Part 15C, Section 15.35(c) and RSS-Gen, 6.10




5.5 20 dB bandwidth

For test instruments and accessories used see section 6 Part **MB**.

5.5.1 Description of the test location

Test location: Shielded Room S6

5.5.2 Photo documentation of the test set-up



5.5.3 Applicable standard

According to FCC Part 15, Section 15.215(c):

FCC ID: RTD-B6RR9P IC: 4943A-B6RR9P

5.5.4 Test result

Instrument settings:

RBW: 10 kHz VBW: 30 kHz Span: 500 kHz
Sweep time: 40 ms Detector: Max. peak Trace Mode: max. hold


Fundamental Frequency [MHz]	20dB Bandwidth F1 [MHz]	20dB Bandwidth F2 [MHz]	Measured Bandwidth [MHz]
915.0	914.9353	915.0643	0.1290

The requirements are **FULFILLED**.

Remarks: For detailed test result please refer to following test protocols.

5.5.5 Test protocols

20 dB bandwidth CH1, 915.0 MHz:




5.6 Occupied bandwidth

For test instruments and accessories used see section 6 Part **MB**.

5.6.1 Description of the test location

Test location: Shielded Room S6

5.6.2 Photo documentation of the test set-up



5.6.3 Applicable standard

According to RSS-Gen, 6.6

5.6.4 Test result

Instrument settings:

RBW: 10 kHz VBW: 30 kHz Span: 500 kHz
Sweep time: 40 ms Detector: Max. peak Trace Mode: max. hold

Fundamental Frequency [MHz]	99% Bandwidth F1 [MHz]	99% Bandwidth F2 [MHz]	Measured bandwidth [MHz]
915.0	914.9435	915.0582	0.1147

The requirements are **FULFILLED**.

Remarks: For detailed results, please see the test protocol below.

The Rhode & Schwarz analyzer which we used for this measurement calculates automatically
the 99 % emission bandwidth.


5.6.5 Test protocol

Emission bandwidth

RSS 210 Annex 1, section A1.1.3

The 99 % emission bandwidth was automatically calculated by the used Rhode & Schwarz analyzer.

99% bandwidth CH1, 915.0 MHz:



6 USED TEST EQUIPMENT AND ACCESSORIES

All test instruments used are calibrated and verified regularly. The calibration history is available on request.

Test ID	Model Type	Equipment No.	Next Calib.	Last Calib.	Next Verif.	Last Verif.
A 4	ESHS 30	02-02/03-05-002	17/07/2016	17/07/2015		
	ESCI	02-02/03-05-004	17/09/2016	17/09/2015		
	ESH 2 - Z 5	02-02/20-05-004	26/10/2017	26/10/2015	21/07/2016	21/01/2016
	N-4000-BNC	02-02/50-05-138				
	N-1500-N	02-02/50-05-140				
	ESH 3 - Z 2	02-02/50-05-155	06/11/2016	06/11/2015	21/09/2016	21/03/2016
CPR 2	ESVS 30	02-02/03-05-003	09/07/2016	09/07/2015		
	VULB 9168	02-02/24-05-005	20/04/2017	20/04/2016	20/10/2016	20/04/2016
	NW-2000-NB	02-02/50-05-113				
	KK-EF393/U-16N-21N20 m	02-02/50-12-018				
DC	KK-SD_7/8-2X21N-33,0M	02-02/50-15-028				
	FSP 40	02-02/11-11-001	28/10/2016	28/10/2015		
MB	RF Antenna	02-02/24-05-032				
	FSP 40	02-02/11-11-001	28/10/2016	28/10/2015		
SER 1	RF Antenna	02-02/24-05-032				
	ESCI	02-02/03-05-004	17/09/2016	17/09/2015		
	HFH 2 - Z 2	02-02/24-05-020	26/08/2017	26/08/2014	21/01/2017	21/01/2016
	KK-EF393-21N-16	02-02/50-05-033				
	NW-2000-NB	02-02/50-05-113				
SER 2	KK-SD_7/8-2X21N-33,0M	02-02/50-15-028				
	ESVS 30	02-02/03-05-003	09/07/2016	09/07/2015		
	VULB 9168	02-02/24-05-005	20/04/2017	20/04/2016	20/10/2016	20/04/2016
	NW-2000-NB	02-02/50-05-113				
	KK-EF393/U-16N-21N20 m	02-02/50-12-018				
SER 3	KK-SD_7/8-2X21N-33,0M	02-02/50-15-028				
	FSP 40	02-02/11-11-001	28/10/2016	28/10/2015		
	AFS5-12001800-18-10P-6	02-02/17-06-002				
	AFS4-01000400-10-10P-4	02-02/17-13-002				
	AMF-4F-04001200-15-10P	02-02/17-13-003				
	3117	02-02/24-05-009	12/05/2016	12/05/2015		
	WHJS 1000-10EE	02-02/50-05-070				
SER 4	Sucoflex N-2000-SMA	02-02/50-05-075				
	SF104/11N/11N/1500MM	02-02/50-13-015				