

In this case the MSM410 Access Point is highlighted as a typical Access Point that uses the DNMA-83 radio module with FCC ID RTP-DNMA83.

HP uses separate orderable Product numbers based on the SKU option.

The MSM410 has three separate SKU's, one for the US, one for Japan, and one for Worldwide use.

HP has procedures in place to limit orders made from the US and shipped to the US to be a US SKU only.

In the case of the MSM410, the US Product Number is J9426A and is located on the regulatory label (ref. figure 3).

At the factory, an internal bit is set to indicate that this is a US only product. This ability is not available to the customer or Installer.

With this bit set, no country selection is available (ref. figure 2).

For worldwide use, the Worldwide Product Number is ordered (J9427A), and is located on the regulatory label (ref. figure 4).

The factory sets this bit for Worldwide use. This provides the customer an additional configuration tab which allows the selection of various countries (ref. figure 1).

John Czyzewicz  
HP ProCurve Mobility Group  
200 Forest Street  
MRO1-2/M18  
Marlborough, MA 01752-3085  
Office: 508-467-7065  
john.czyzewicz@hp.com


Worldwide SKU screen shot – with country selection enabled. (figure 1)

The screenshot shows a web browser window titled "Country selection - Windows Internet Explorer" with the address bar displaying "https://192.168.1.1/devacc/country.asp". The browser interface includes a search bar with "Live Search" and a "Certificate Error" warning. The main content area features the HP ProCurve Networking logo and the device name "MSM410" with "System name: E008-00062". Navigation tabs include "VSC", "Wireless", "Network", "Security", "Authentication", "Management", "Status", "Tools", and "Maintenance". The "Management" tab is active and contains sub-tabs for "System time", "Country", and "LEDs", which are circled in red. The "Country configuration" section includes a "Country setting" header and a dropdown menu labeled "Country:" with "ARGENTINA" selected. A "Save" button is located at the bottom right of the configuration area. The footer contains the timestamp "2009-11-05 15:48:45", "Refresh On - 5 secs. 1 Msg(s).", and "© 2009 Hewlett-Packard Development Co., L.P."

USA only SKU - no country selection available. (figure 2)

The screenshot shows the HP MSM410 management tool configuration interface. The browser window title is "Management tool configuration - Windows Internet Explorer" and the address bar shows "https://192.168.1.1/devacc/admin\_auth.asp". The page header includes the HP logo, "ProCurve Networking", "MSM410", and "System name: E008-00062". The navigation menu includes "Home" and "Logout". The main navigation tabs are "VSC", "Wireless", "Network", "Security", "Authentication", "Management", "Status", "Tools", and "Maintenance". The "Management" tab is highlighted with a red circle. Below the navigation menu, there are sub-tabs for "Management tool", "SNMP", "SOAP", "CLI", "System time", and "LEDs". The main content area is titled "Management tool configuration" and contains several sections: "Administrative user authentication" with a checked "Local" option and a "RADIUS" dropdown; "Security policies" with radio buttons for "Follow FIPS 140-2 guidelines" and "Follow PCI DSS 1.2 guidelines"; "Manager account" with fields for "Username" (admin), "Current password", "New password", and "Confirm new password"; and "Security" with a note about access and an "Allowed addresses" section with "IP address" and "Mask" fields and an "Add" button. The footer shows the date "2009-11-05 15:50:12", "Refresh On - 5 secs.", "1 Msg(s)", and "© 2009 Hewlett-Packard Development Co., L.P."

J9426A US version (figure 3)



J9427A Worldwide version (figure 4)

